

# Subject Index 2000\*

## A

### Absolute configuration

Absolute configuration and anti-hypercholesterolemic activity of (+)- and (-)-4-(2,6-dimethylheptyl)benzoic acids, **7**, 1313

Synthesis of optically active hydridocarbonyl triosmium clusters with terpene derivatives as ligands. Molecular structure and absolute configuration of a cluster with a bridging dihydroimidazole ligand, **8**, 1440

New approach to cyclic sulfites and sulfates through reactions of sulfur oxychlorides with glycidols, **9**, 1575

### Acetals

Synthesis of 3(*Z*)-dodecen-12-olide — an aggregation pheromone of the flat grain beetle *Cryptolestes pusillus* (Coleoptera: *Cucujidae*), **7**, 1297

### Acetic acid

Formation of formic and acetic acids by low-temperature condensation of a mixture of methane and water vapor dissociated in MW discharge, **2**, 380

### Acetone

Reaction of DL-2-aminopropiohydroxamic acid with acetone: selective synthesis of 3-hydroxy-2,2,5-trimethylimidazolidin-4-one, **1**, 182

### Acetonitrile

Properties of surface acid sites of ZrO<sub>2</sub> and SO<sub>4</sub>/ZrO<sub>2</sub>-based systems studied by diffuse-reflectance Fourier-transform IR spectroscopy: adsorption of acetonitrile-d<sub>3</sub>, **1**, 39

### 2-Acetylidenemimidazolines

Reactions of aliphatic β-amino-β-(trichloromethyl)vinyl ketones with ethylenediamine. Synthesis and structures of 2-acetylidenemimidazolines, **7**, 1245

### Acetophenone

Asymmetric reduction of ketones with sodium aluminum hydride modified by various chiral diols, **3**, 460

### (2*S*,5*R*/*S*)-2-Acetoxy-5,6-dibromo-6-methylheptane

Synthesis of (*S*)-6-methylhept-5-en-2-ol, the aggregation pheromone of *Gnathotrichus sulcatus*, **4**, 717

### (*S*)-2-Acetoxytridecane

Synthesis of derivatives of (*S*)-2-alkanols, components of pheromones of *Drosophila mulleri* and *Rhyzopertha dominica*, from (*S*)-(+)-3,7-dimethylocta-1,6-diene, **11**, 1899

### Acetyl peroxide

The chemistry of naphthazarin derivatives. 6. Hydration of 2-oxo-2,3-dihydro-1,4-naphthoquinone derivatives in organic solvents, **3**, 466

### Acetylation

Cyclization of *N*-acetyl-*ortho*-cycloalkenylanilines on treatment with bromine and *N*-bromosuccinimide, **1**, 122

Heteroorganic betaines. 3. Reactions of betaines containing the <sup>+</sup>P—C—Si—S<sup>-</sup> fragment, **5**, 933

### 4-Acetyl-(3-bromo-5-methyl-1,2,3,3a,4,8b-hexahydrocyclopenta[*b*]indole)

Cyclization of *N*-acetyl-*ortho*-cycloalkenylanilines on treatment with bromine and *N*-bromosuccinimide, **1**, 122

### (+)-4α-Acetyl-2-carene

Efficient synthesis of methyl (+)-(1*S*,3*R*)-3-(2,2-dimethoxycarbonylethyl)-2,2-dimethylcyclopropane-1-carboxylate from (+)-4α-acetyl-2-carene, **8**, 1473

### *N*-Acetyl-*ortho*-cycloalkenylanilines

Cyclization of *N*-acetyl-*ortho*-cycloalkenylanilines on treatment with bromine and *N*-bromosuccinimide, **1**, 122

### Acetylenes

Reactions of ruthenium and osmium cluster carbonyls with heteroatom-substituted and functionalized alkynes (review), **1**, 1

Reactions of heterocyclic paramagnetic aldonitrone, 2,2,5,5-tetramethyl-3-imidazoline-1-oxyl 3-oxide, with alkynes, **1**, 116

Nucleophilic addition of 2-hydroxyquinoxaline to acetylenes, **4**, 740

Acetylide derivatives of transition metal cluster carbonyls (review), **7**, 1135

Reaction of (alkylthio)chloroacetylenes with thiourea, **7**, 1319

Reactions of 1,4-diphenylbut-1-en-3-yne and 1,4-diferrocenylbuta-1,3-diyne with Ru<sub>3</sub>(CO)<sub>10</sub>(μ-dppm). Unusual structures of the clusters Ru<sub>3</sub>(CO)<sub>5</sub>(μ-CO)(μ-dppm){μ<sub>3</sub>-C<sub>4</sub>Ph<sub>2</sub>(CH=CHPh)<sub>2</sub>} (two isomers) and Ru<sub>3</sub>(CO)<sub>5</sub>(μ-CO)(μ-dppm){μ<sub>3</sub>-C<sub>4</sub>Fc<sub>2</sub>(C≡CFc)<sub>2</sub>}, **7**, 1321

Synthesis and properties of paramagnetic derivatives of linear and fused polyaromatic compounds, **8**, 1409

Synthesis of 3-hydroxy-1-methyl-2-(methylthio)pyrrole from methyl isothiocyanate and prop-2-yn-1-ol, **9**, 1634

Reactions of sulfenamides with alkynes in the presence of phosphorus(v) oxohalides, **11**, 1846

Synthesis of substituted 2-amino-1,3-thiazine-6-thiones, **11**, 1917

### Acetylides

Synthesis of ferrocenylacetylide derivatives of gold-ruthenium and gold-osmium clusters. Crystal structures of M<sub>3</sub>(AuPPh<sub>3</sub>)(C≡CFc)(CO)<sub>9</sub> (M = Ru or Os; Fc is ferrocenyl), **7**, 1292

### *N*-Acetyl-L-fucosamine

The synthesis of *N*-acetyl-β-L-fucosamine-1-phosphate and uridine 5'-diphospho-*N*-acetyl-β-L-fucosamine, **11**, 1891

### Achillin

Reaction of guaianolide achillin with chlorine in methanol, **9**, 1624

### Acid chlorides

New method for the synthesis of 2-substituted *N,N'*-diacylimidazolines, **5**, 894

Compiled by L. G. Menchikov and M. E. Poloznikova  
Editor E. P. Serebryakov

Published in Russian in *Izvestiya Akademii Nauk. Seriya Khimicheskaya*, No. 12, pp. 2148—2220, December, 2000.

1066-5285/00/4912-2119 \$25.00 © 2000 Plenum Publishing Corporation

**Acid sites**

Structure and acid-basic properties of the surface of titanium oxides modified by phosphorus and aluminum and prepared by the alkoxo method. 2. Study of the active surface of titanium oxides, **12**, 2003

**Acid-base equilibrium**

Non-ideal properties of the TRIS—TRIS·HCl—NaCl—H<sub>2</sub>O buffer system in the 0–40 °C temperature interval. Application of the Pitzer equations, **4**, 674

**Acid-base interactions**

IR study of ion-molecular interactions in the system methanesulfonic acid—ethyl acetate, **2**, 295

Non-ideal properties of the TRIS—TRIS·HCl—NaCl—H<sub>2</sub>O buffer system in the 0–40 °C temperature interval. Application of the Pitzer equations, **4**, 674

Complexes with strong symmetric hydrogen bonds and their solvation in the trifluoroacetic acid—*N,N*-dimethylformamide system studied by IR spectroscopy, **9**, 1526

**Acid-base properties**

Changes in the acid-base properties of hydrogels of metal oxide hydroxides induced by aging in solutions of electrolytes, **8**, 1323

The reaction of 2-aminomethylphenols and their copper(II) complexes with esters of phosphorus acids, **8**, 1349

The influence of surfactants on the acid—base and redox properties of reagents of the diphenylamine series, **8**, 1380

Structure and acid-basic properties of the surface of titanium oxides modified by phosphorus and aluminum and prepared by the alkoxo method. 2. Study of the active surface of titanium oxides, **12**, 2003

Acid-base properties of poly(1-vinylazoles) in aqueous solution, **12**, 2013

**Acid-induced recyclization**

Thioureidoquinazolin-4(3*H*)-ones. 1. Acid-induced recyclization of 3-(*N,N'*-dialkylthioureido)quinazolin-4(3*H*)-ones into 1,3,4-thiadiazoles, **10**, 1763

**Acidity**

Multiple bond migration with participation of a protophilic agent. 4. Double bond migration in 3-methylthioprop-1-ene and 3-methoxyprop-1-ene: a comparative study, **3**, 408

Multiple bond migration with participation of a protophilic agent. 5. Double bond migration in heteroallylic systems, **3**, 415

*n*-Alkane isomerization on heteropolyacids. 1. The influence of acid-base properties of alumina systems on the state of supported 12-tungstophosphoric heteropolyacid in Pt-containing catalysts and their activity in *n*-pentane isomerization, **10**, 1726

**Acidity centers**

Properties of surface acid sites of ZrO<sub>2</sub> and SO<sub>4</sub>/ZrO<sub>2</sub>-based systems studied by diffuse-reflectance Fourier-transform IR spectroscopy: adsorption of acetonitrile-d<sub>3</sub>, **1**, 39

Structure and acid-basic properties of the surface of titanium oxides modified by phosphorus and aluminum and prepared by the alkoxo method. 1. Structural organization of modified titanate systems, **11**, 1803

**Acroleins  $\alpha,\beta$ -disubstituted**

Synthesis of dolichyl phosphates with a fluorescent label in the  $\gamma$ -isoprene unit of the chain, **12**, 2065

**Acrylates**

Generation of diazo-2-methylenecyclopropane and its 1,3-dipolar cycloaddition to acrylates, **7**, 1207

**Actinides**

Photochemistry of f-element ions (review), **12**, 1925

**Activation energy**

Photochemistry of arylhydrazides in solution, **4**, 666

Structure and acid-basic properties of the surface of titanium oxides modified by phosphorus and aluminum and prepared by the alkoxo method. 1. Structural organization of modified titanate systems, **11**, 1803

Chemical dynamics of  $\equiv\text{SiOC}\cdot\text{O}$  radicals grafted on the activated silica surface, **11**, 1834

**Activation parameters**

The first step of oxidation of alkylbenzenes by permanganates in acidic aqueous solutions (review), **5**, 761

Isokinetic relationships for nucleophilic substitution reactions at the saturated carbon atom. Reactions in aqueous solutions, **5**, 806

Isokinetic relationships for nucleophilic substitution at the saturated carbon atom. Reactions with anions in the gas phase and various solvents, **12**, 1968

**Activity coefficients**

Non-ideal properties of the TRIS—TRIS·HCl—NaCl—H<sub>2</sub>O buffer system in the 0–40 °C temperature interval. Application of the Pitzer equations, **4**, 674

Standardization of pH measurements based on the ion interaction approach, **4**, 680

**Acyclic aminophosphites**

Synthesis of new acyclic aminophosphites and their chelate complexes with rhodium(I) and palladium(II), **3**, 533

**Acyl fluorides**

Synthesis of 1,1-bis(trifluoromethyl)alkyl isocyanates, carbamates, and ureas, **7**, 1202

**Acylation**

Reactions of spirocyclopropane-containing 1- and 2-pyrazolines with electrophilic reagents, **3**, 472

New method for the synthesis of 2-substituted *N,N'*-diacylimidazolidines, **5**, 894

Synthesis of ethyl 3-oxo-2-(3,4,5-trifluoro-2,6-dimethoxybenzoyl)butyrate, **6**, 1090

*peri*-Naphthylenediamines. 30. 1,2,8-Tris(dimethylamino)-naphthalene and some other 2-amino derivatives of "proton sponge", **8**, 1406

**2-(2-Acylethenyl)-5-phenylpyrroles**

Synthesis and IR spectra of 5-phenyl-2-(1-phenyl-2-trichloroacetylenyl)pyrrole, **11**, 1914

**Adamantane derivatives**

Synthesis of 1-(cyclopentadienyl)adamantane and the corresponding zirconium complexes, **3**, 508

The cell effect in adamantane adsorption on graphitized thermal carbon black, **5**, 847

Thermodynamic parameters of adsorption of adamantane and its derivatives on graphitized thermal carbon black, **12**, 1988

**Addition reaction**

Addition of halogenoacetic esters to aldehydes and ketones in the presence of Fe(CO)<sub>5</sub>, **4**, 722

Asymmetric synthesis of *S*-alkyl-substituted (*R*)-cysteines via a chiral Ni<sup>II</sup> complex of the Schiff's base of dehydroalanine with (*S*)-2-*N*-(*N*-benzylpropyl)aminobenzophenone, **8**, 1460

**$\alpha$ -Adrenolytics**

Two-fragment  $\alpha$ -adrenolytics. 2. Synthesis of alkyl(phenyl)- $[\omega$ -(*N*-phenylpiperazino)alkyl]phosphine oxides, **3**, 490

Two-fragment  $\alpha$ -adrenolytics. 3. Addition of primary amines to alkyl divinylphosphinates and phenyl(divinyl)phosphine oxide, **3**, 495

**Adsorption**

Properties of surface acid sites of ZrO<sub>2</sub> and SO<sub>4</sub>/ZrO<sub>2</sub>-based systems studied by diffuse-reflectance Fourier-transform IR spectroscopy: adsorption of acetonitrile-d<sub>3</sub>, **1**, 39

Thermodynamic quantities of adsorption described by Freundlich isotherm, **1**, 178

Calculations of the distribution of trace impurities in cylindrical pores, **4**, 609

The method of introducing correction factors into parameters of atom-atom potentials of intermolecular interaction used for calculation of thermodynamic characteristics of adsorption, **4**, 685

Determination of the adsorption volume and surface of carbon adsorbents with developed mesoporosity, **4**, 692

Fractality of materials based on silica gel, **5**, 778

The cell effect in adamantane adsorption on graphitized thermal carbon black, **5**, 847

Adsorption deformation in the microporous carbon adsorbent—benzene system and porous structure of adsorbents, **6**, 1012

Study of the state of rhodium in the potassium rhodiumundecatungstosilicate/alumina system by diffuse-reflectance IR spectroscopy, **7**, 1174

Physical adsorption and chemisorption of hydrocarbons on a reduced alumina-chromia catalyst, **8**, 1369

Physicochemical features of the formation of siliceous porous mesophases. 3. Conditions of formation and properties of mesoporous silica, **10**, 1669

*n*-Alkane isomerization on heteropolyacids. 1. The influence of acid-base properties of alumina systems on the state of supported 12-tungstophosphoric heteropolyacid in Pt-containing catalysts and their activity in *n*-pentane isomerization, **10**, 1726

Thermodynamic parameters of adsorption of adamantane and its derivatives on graphitized thermal carbon black, **12**, 1988

Thermodynamic parameters of excess and absolute adsorption of CH<sub>4</sub> and SF<sub>6</sub> on carbons, **12**, 1993

Thermodynamic characteristics of hydrocarbon and chloroalkane adsorption by polymethylsilsequioxane, **12**, 2000

**Adsorption equilibrium**

Nonideality of binary mixtures in the adsorbent micropores, **6**, 1006

**Adsorption Henry's constants**

The method of introducing correction factors into parameters of atom-atom potentials of intermolecular interaction used for calculation of thermodynamic characteristics of adsorption, **4**, 685

**Adsorption isotherms**

Fractality of materials based on silica gel, **5**, 778

Structure and acid-basic properties of the surface of titanium oxides modified by phosphorus and aluminum and prepared by the alkoxo method. 1. Structural organization of modified titanate systems, **11**, 1803

Thermodynamic characteristics of hydrocarbon and chloroalkane adsorption by polymethylsilsequioxane, **12**, 2000

**Adsorption thermodynamics**

Thermodynamic parameters of adsorption of adamantane and its derivatives on graphitized thermal carbon black, **12**, 1988

Thermodynamic parameters of excess and absolute adsorption of CH<sub>4</sub> and SF<sub>6</sub> on carbons, **12**, 1993

Thermodynamic characteristics of hydrocarbon and chloroalkane adsorption by polymethylsilsequioxane, **12**, 2000

**Alcohols**

A novel polyfunctional chiral building block derived from (*S*)-ethyl lactate. Application to the synthesis of the sex pheromone of the southern corn rootworm (*Diabrotica undecimpunctata howardi*), **1**, 154

Cyclic phosphorochloridites (chloridates) based on chiral butane-2,3-diol and dihydrobenzoin as reagents for the analysis of enantiomeric compositions of alcohols by <sup>31</sup>P NMR spectroscopy, **2**, 310

Functionally substituted sulfur-containing compounds. 12. Reactions of 2-[(organylthio)methyl]oxiranes with aliphatic alcohols in the presence of boron trifluoride etherate, **5**, 879

Aqueous solution of *N*-methylmorpholine *N*-oxide as a stationary liquid phase in steam chromatography, **6**, 1071

*peri*-Naphthylenediamines. 27. Transformations of tertiary carbocations stabilized by the 4,5-bis(dimethylamino)-1-naphthyl group, **6**, 1097

Oxidation of alcohols by dimethyldioxirane, **8**, 1332

Pyrene sensitized phosphorescence enhanced by the heavy atom effect in the water—heptane—sodium dodecyl sulfate—pentanol microemulsion, **9**, 1518

Oxidation of aliphatic alcohols with the lead tetraacetate—metal halide system under mechanical activation, **11**, 1842

Synthesis of derivatives of (*S*)-2-alkanols, components of pheromones of *Drosophila mulleri* and *Rhyzopertha dominica*, from (*S*)-(+)-3,7-dimethylocta-1,6-diene, **11**, 1899

Synthesis of dolichyl phosphates with a fluorescent label in the  $\gamma$ -isoprene unit of the chain, **12**, 2065

**Aldehydes**

The solid-state interaction of organometallic aldehydes with 1,8-naphthylenediamine, **1**, 148

Three-component condensation in the synthesis of 4-(2-chlorophenyl)-3-cyano-5-ethoxycarbonyl-6-propyl-3,4-dihydropyridine-2(1*H*)-thione, **1**, 176

*N*-Methylmorpholinium 4-aryl-5-cyano-3-methoxycarbonyl-2-oxo-1,2,3,4-tetrahydropyridine-6-thiolates: synthesis and properties, **3**, 487

The influence of substituents on the kinetics of the reaction of carbonyl oxides with benzaldehyde, **4**, 654

Addition of halogenoacetic esters to aldehydes and ketones in the presence of Fe(CO)<sub>5</sub>, **4**, 722

Synthesis, structure, and properties of piperidinium 3-(4-chlorophenyl)-2-cyano-3-(2-hydroxy-4,4-dimethyl-6-oxocyclohex-1-enyl)thiopropionimide, **4**, 736

The chemistry of *N,N*-bis(trialkylsilyloxy)enamines. 2. Alkylation of primary amines with *N,N*-bis(trimethylsilyloxy)enamines, **7**, 1261

Synthesis of 3(*Z*)-dodecen-12-olide — an aggregation pheromone of the flat grain beetle *Cryptolestes pusillus* (Coleoptera: Cucujidae), **7**, 1297

Cubane derivatives. 6. Synthesis of some substituted hydrazides of 1,4-cubanedicarboxylic acid, **9**, 1645

The kinetics and mechanism of cyclodimerization of 2-alkylthiopropenals, **12**, 1977

Synthesis of dolichyl phosphates with a fluorescent label in the  $\gamma$ -isoprene unit of the chain, **12**, 2065

#### Alkali metal carbonates

Template effect in the synthesis of formyl derivatives of benzothiacrown compounds, **11**, 1853

#### Alkali metal cations

Acid-base properties of poly(1-vinylazoles) in aqueous solution, **12**, 2013

#### Alkaloids

Study of alkaloids from plants of Siberia and Altai. 4. *N*-Deethylation of diterpene alkaloids of the aconitane type, **3**, 557

Synthesis of the scalemic form of alkaloid (–)-diphthocarpamine, **3**, 569

"Anhydrolycaconitine," a new diterpene alkaloid from *Aconitum septentrionale* K., **9**, 1629

#### $\alpha,\omega$ -Alkanedithiols

Template effect in the synthesis of formyl derivatives of benzothiacrown compounds, **11**, 1853

#### Alkanes

Evaluation of the polarity and boiling points of nitrogen-containing heterocyclic compounds by gas-chromatography, **2**, 325

Mechanism of methane activation by electrophiles generated in the  $\text{AlBr}_5$  system: an MNDO/PM3 study of the potential energy surface of the  $[\text{AlBr}_5+\text{CH}_4]$  system, **5**, 799

Kinetics of oxidation of alkanes and their derivatives by *n*-decanepersulfonic acid, **5**, 819

A study of alkyl radicals in the matrix of polycrystalline *n*-alkane  $\gamma$ -irradiated at 77 K. 1. Effect of chain length on ESR spectra of  $\gamma$ -irradiated linear alkanes, **6**, 1028

A study of alkyl radicals in the matrix of polycrystalline *n*-alkane  $\gamma$ -irradiated at 77 K. 2. Effect of intra- and intermolecular interactions on radical formation in *n*-heptane polycrystals, **6**, 1032

Physical adsorption and chemisorption of hydrocarbons on a reduced alumina-chromia catalyst, **8**, 1369

Pyrene sensitized phosphorescence enhanced by the heavy atom effect in the water—heptane—sodium dodecyl sulfate—pentanol microemulsion, **9**, 1518

*n*-Alkane isomerization on heteropolyacids. 1. The influence of acid-base properties of alumina systems on the state of supported 12-tungstophosphoric heteropolyacid in Pt-containing catalysts and their activity in *n*-pentane isomerization, **10**, 1726

Isomerization of *n*-pentane and *n*-hexane on modified zeolites, **11**, 1838

#### *n*-Alkanethiols

Gas-chromatographic method of evaluation of *n*-alkanol ability for self-association in pure liquid, **2**, 317

#### *n*-Alkanols

Gas-chromatographic method of evaluation of *n*-alkanol ability for self-association in pure liquid, **2**, 317

#### Alkenes

Electrochemistry of bis(indenyl)dimethylzirconium complex — the precursor of the olefin polymerization catalyst, **1**, 60

Diastereoselective synthesis of polyfunctional compounds based on the tandem sequence of three  $Ad_E$  reactions using cyclic vinyl ethers as first alkene components, **1**, 85

*peri*-Naphthylenediamines. 27. Transformations of tertiary carbocations stabilized by the 4,5-bis(dimethylamino)-1-naphthyl group, **6**, 1097

Iodosulfenylation of olefins with sulfenamides in the presence of metal iodides, **9**, 1557

#### Alkoxo method

Structure and acid-basic properties of the surface of titanium oxides modified by phosphorus and aluminum and prepared by the alkoxo method. 1. Structural organization of modified titanate systems, **11**, 1803

Structure and acid-basic properties of the surface of titanium oxides modified by phosphorus and aluminum and prepared by the alkoxo method. 2. Study of the active surface of titanium oxides, **12**, 2003

#### $\alpha$ -Alkoxy nitrones (imidate *N*-oxides)

Reactions of cyclic  $\alpha$ -methoxy nitrones with nucleophilic reagents, **12**, 2031

#### 5-Alkoxy-3-amino-7-nitro-1,2,4-benzotriazine 1-oxides

Synthesis of 5-alkoxy-3-amino-7-nitro-1,2,4-benzotriazine 1-oxides from 1,3,5-trinitrobenzene, **9**, 1640

#### 61-Alkoxy carbonyl-61-(dimethoxyphosphoryl)methanofullerenes

Synthesis of phosphorylated methanofullerenes, **12**, 2048

#### Alkoxy cuprates

Synthesis and some properties of lanthanum, neodymium, and samarium *tert*-butoxy cuprates  $[(\text{Bu}^t\text{O})_5\text{Cu}_2\text{Ln}]_2$ , **7**, 1270

#### 4-Alkoxy(4-phenyl)-1-alkyl-1,4-azaphosphorinane 4-oxides

Two-fragment  $\alpha$ -adrenolytics. 3. Addition of primary amines to alkyl divinylphosphinates and phenyl(divinyl)phosphine oxide, **3**, 495

#### 1-Alkoxy polynitrobenzenes

Synthesis of 5-alkoxy-3-amino-7-nitro-1,2,4-benzotriazine 1-oxides from 1,3,5-trinitrobenzene, **9**, 1640

#### Alkyl 3-(3-aminothieno[2,3-*b*]pyridin-2-yl)-3-oxopropionates

Synthesis of substituted 4-hydroxy-1*H*-thieno[2,3-*b*;4,5-*b'*]dipyridin-2-ones, **2**, 348

#### Alkyl 4-chloroacetoacetates

Synthesis of substituted 4-hydroxy-1*H*-thieno[2,3-*b*;4,5-*b'*]dipyridin-2-ones, **2**, 348

#### Alkyl divinylphosphinates

Two-fragment  $\alpha$ -adrenolytics. 3. Addition of primary amines to alkyl divinylphosphinates and phenyl(divinyl)phosphine oxide, **3**, 495

#### Alkyl halides

Unusual multi-component condensation in the synthesis of 1,4-dihydro-1,6-naphthyridine derivatives, **1**, 125

Isokinetic relationships for nucleophilic substitution at the saturated carbon atom. Reactions with anions in the gas phase and various solvents, **12**, 1968

#### Alkyl 4-(2-pyridylthio)acetoacetates

Synthesis of substituted 4-hydroxy-1*H*-thieno[2,3-*b*;4,5-*b'*]dipyridin-2-ones, **2**, 348

#### Alkyl radicals

A study of alkyl radicals in the matrix of polycrystalline *n*-alkane  $\gamma$ -irradiated at 77 K. 1. Effect of chain length on ESR spectra of  $\gamma$ -irradiated linear alkanes, **6**, 1028

A study of alkyl radicals in the matrix of polycrystalline *n*-alkane  $\gamma$ -irradiated at 77 K. 2. Effect of intra- and intermolecular interactions on radical formation in *n*-heptane polycrystals, **6**, 1032

**Alkyl(aryl)phosphines**

Thermochemistry of heteroatomic compounds. 17. Theoretical calculations of vaporization enthalpies for alkylphosphines and alkyl(aryl)phosphines, **1**, 33

**Alkylation**

Electrochemical methylation of a chelate anionic Ni<sup>I</sup> complex with methylcobaloxime. Partial modeling of the action mechanism of the active center of acetyl-CoA synthase, **1**, 56

*N*-Methylmorpholinium 4-aryl-5-cyano-3-methoxycarbonyl-2-oxo-1,2,3,4-tetrahydropyridine-6-thiolates: synthesis and properties, **3**, 487

Synthesis, structure, and properties of piperidinium 3-(4-chlorophenyl)-2-cyano-3-(2-hydroxy-4,4-dimethyl-6-oxocyclohex-1-enyl)thiopropionimide, **4**, 736

Heteroorganic betaines. 3. Reactions of betaines containing the <sup>+</sup>P—C—Si—S<sup>-</sup> fragment, **5**, 933

Nucleophilic substitution of hydrogen in the reaction of 1,2,4-triazin-4-oxides with cyanamide, **6**, 1122

*peri*-Naphthylenediamines. 28. Nitration of 1,8-bis(dimethylamino)naphthalene and 5,6-bis(dimethylamino)acenaphthene in neutral and weakly acidic media. The first case of isolation of *o*-nitro and *o,o'*-dinitro derivatives of "proton sponges", **7**, 1212

The chemistry of *N,N*-bis(trialkylsilyloxy)enamines. 2. Alkylation of primary amines with *N,N*-bis(trimethylsilyloxy)enamines, **7**, 1261

*peri*-Naphthylenediamines. 29. 1,8-Bis(dimethylamino)-3-nitro- and -3,6-dinitronaphthalenes and 5,6-bis(dimethylamino)-3-nitro- and -3,8-dinitroacenaphthenes as the first representatives of "proton sponges" *meta*-substituted relative to NMe<sub>2</sub> groups, **8**, 1399

*N*-Glycyl-β-glycopyranosylamines, derivatives of mono- and disaccharides, and their use for the preparation of carboxylic acid glycoconjugates, **8**, 1454

Synthesis of dolichyl phosphates with a fluorescent label in the γ-isoprene unit of the chain, **12**, 2065

**Alkylbenzenes**

The first step of oxidation of alkylbenzenes by permanganates in acidic aqueous solutions (review), **5**, 761

**S-Alkylcysteines**

Asymmetric synthesis of *S*-alkyl-substituted (*R*)-cysteines *via* a chiral Ni<sup>II</sup> complex of the Schiff's base of dehydroalanine with (*S*)-2-*N*-(*N*-benzylpropyl)aminobenzophenone, **8**, 1460

**Alkyl(ω-haloalkyl)phenylphosphine oxides**

Two-fragment α-adrenolytics. 2. Synthesis of alkyl(phenyl)-[ω-(*N*-phenylpiperazino)alkyl]phosphine oxides, **3**, 490

**2-Alkylidene-1,3-oxathioles**

Reactions of polyfluoroalkenylsulfenyl chlorides with carbonyl compounds, **10**, 1749

***N*-Alkylnitramines**

Synthesis of *N,N'*-dialkylmethylenebis(nitramines) from *N*-alkylsulfamates, **6**, 1079

**Alkyl(phenyl)[ω-(*N*-phenylpiperazino)alkyl]phosphine oxides**

Two-fragment α-adrenolytics. 2. Synthesis of alkyl(phenyl)-[ω-(*N*-phenylpiperazino)alkyl]phosphine oxides, **3**, 490

**[γ-(*N*-Alkyl-*N'*-phenylpiperazino)propyl]phenyl(propyl)oxophosphine halides**

Two-fragment α-adrenolytics. 2. Synthesis of alkyl(phenyl)-[ω-(*N*-phenylpiperazino)alkyl]phosphine oxides, **3**, 490

***N*-Alkylsulfamates**

Synthesis of *N,N'*-dialkylmethylenebis(nitramines) from *N*-alkylsulfamates, **6**, 1079

***C*-Alkyl-2-thienylamines**

Mass spectra of new groups of functionalized heterocycles. 3. 3-Alkyl- and 5-alkyl-2-thienylamines, **9**, 1548

**(Alkylthio)chloroacetylenes**

Reaction of (alkylthio)chloroacetylenes with thiourea, **7**, 1319

**2-Alkylthiopropenals**

The kinetics and mechanism of cyclodimerization of 2-alkylthiopropenals, **12**, 1977

**Alkyltrichlorosilanes**

Generation and capture of alkylchlorosilanones, **2**, 363

**Allyl glycoside**

A novel approach to functionalization of allyl aglycon. Effective synthesis of selectively protected 2-aminoethyl lactoside, a common building block for the synthesis of carbohydrate chains of glycolipids, **7**, 1305

**Allylboration**

Stereoselective synthesis of homoallylic alcohols of the [2.2]paracyclophane series and their use as auxiliary reagents in asymmetric allylboration of aldehydes, **5**, 912

**Allylboron-acetylenic condensation**

2-Phenyl-1-boraadamantane complexes. Synthesis and intramolecular dynamics, **3**, 499

**Allyldiphenylphosphine**

Preparation and reactivity of metal-containing monomers. 53. Synthesis and stability of a cluster monomer (μ-H)Os<sub>3</sub>(μ-OCNMe<sub>2</sub>)(CO)<sub>9</sub>PPh<sub>2</sub>CH<sub>2</sub>CH=CH<sub>2</sub> in solution, **8**, 1448

**Allylic cation**

3,5-Bis(ferrocenylmethylene)-1-methyl-4-methylene-piperidine. Synthesis and some chemical properties, **3**, 514

***trans*-2-Allyl-6-methyl(allyl,phenyl)-1,2,3,6-tetrahydropyridine**

Peculiarities of electroreduction of *trans*-2-allyl-6-methyl(allyl,phenyl)-1,2,3,6-tetrahydropyridines, **12**, 2037

**2-Allyl-6-phenylpiperidine**

Peculiarities of electroreduction of *trans*-2-allyl-6-methyl(allyl,phenyl)-1,2,3,6-tetrahydropyridines, **12**, 2037

**Aluminum compounds**

Mechanism of methane activation by electrophiles generated in the AlBr<sub>5</sub> system: an MNDO/PM3 study of the potential energy surface of the [AlBr<sub>5</sub>+CH<sub>4</sub>] system, **5**, 799

Physical adsorption and chemisorption of hydrocarbons on a reduced alumina-chromia catalyst, **8**, 1369

Structure and acid-basic properties of the surface of titanium oxides modified by phosphorus and aluminum and prepared by the alkoxo method. 1. Structural organization of modified titanate systems, **11**, 1803

**Americium**

Photochemistry of f-element ions (review), **12**, 1925

**Amides**

Structural properties of liquid *N*-methylformamide, **2**, 238

Some features of an SmI<sub>2</sub>—(Me<sub>2</sub>N)<sub>3</sub>P—THF system. Transformation of esters into dimethylamides, **2**, 329

Structural peculiarities of particle solvation in *N,N*-dimethylformamide, **4**, 588

*N*-Glycyl-β-glycopyranosylamines, derivatives of mono- and disaccharides, and their use for the preparation of carboxylic acid glycoconjugates, **8**, 1454

Pivaloylpyruvic acid as a new acylating reagent for amines, **9**, 1552

#### Amidosulfonic acids

*S*-Aryl *N,N*-dialkylamidothiosulfates, a novel class of sulfenic acid derivatives, **8**, 1478

#### Amines

The influence of hydrophobic amines on hydrolysis of bis(*p*-nitrophenyl) methylphosphonate in micellar solutions of cetylpyridinium bromide, **2**, 270

Thiocarbamoylation of amine-containing compounds. 5. The mechanism of reactions of tetramethylthiuram disulfide with aliphatic amines, **2**, 335

Two-fragment  $\alpha$ -adrenolytics. 3. Addition of primary amines to alkyl divinylphosphinates and phenyl(divinyl)phosphine oxide, **3**, 495

Reactions of 4-morpholino-1,2-naphthoquinone with enamines and *o*-phenylenediamine, **4**, 732

Isokinetic relationships for nucleophilic substitution reactions at the saturated carbon atom. Reactions in aqueous solutions, **5**, 806

Aqueous solution of *N*-methylmorpholine *N*-oxide as a stationary liquid phase in steam chromatography, **6**, 1071

Synthesis and nitration of condensation products of sulfamates with aliphatic amines and formaldehyde, **6**, 1082

Reactions of ethyl 3-(diethoxyphosphoryl)-3,3-difluoropyruvate with some nucleophilic reagents, **7**, 1255

The chemistry of *N,N*-bis(trialkylsilyloxy)enamines. 2. Alkylation of primary amines with *N,N*-bis(trimethylsilyloxy)enamines, **7**, 1261

Complexes with strong symmetric hydrogen bonds and their solvation in the trifluoroacetic acid—*N,N*-dimethylformamide system studied by IR spectroscopy, **9**, 1526

Pivaloylpyruvic acid as a new acylating reagent for amines, **9**, 1552

Reactions of cyclic  $\alpha$ -methoxy nitrones with nucleophilic reagents, **12**, 2031

#### Amino acids

Extraction of amino acids with di(2-ethylhexyl)phosphoric acid in the presence of dicyclohexyl-18-crown-6, **5**, 952

#### $\alpha$ -Amino nitrones

Reactions of cyclic  $\alpha$ -methoxy nitrones with nucleophilic reagents, **12**, 2031

#### Amino sugars

The synthesis of *N*-acetyl- $\beta$ -L-fucosamine-1-phosphate and uridine 5'-diphospho-*N*-acetyl- $\beta$ -L-fucosamine, **11**, 1891

#### $\omega$ -Aminoalkylenediphosphonic acids

Amino-substituted *gem*-diphosphonic acids: dissociation mechanism and the structure of species in aqueous solutions, **6**, 1045

#### 2-Amino-1-(arylamino)-4-aryl-3-cyano-1,4,7,8-tetrahydroquinoline-5(6*H*)-ones

Unusual transformation of *N*-arylamino-1,4-dihydropyridines, **7**, 1318

#### Aminoethyl glycosides

A novel approach to functionalization of allyl aglycon. Effective synthesis of selectively protected 2-aminoethyl lactoside, a common building block for the synthesis of carbohydrate chains of glycolipids, **7**, 1305

#### *N*-(2-Aminoethyl)diaziridines

Synthesis and structures of complexes of *N*-(2-aminoethyl)diaziridines with transition metal salts, **11**, 1882

#### $\alpha$ -Aminohydroxamic acid

Reaction of DL-2-aminopropiohydroxamic acid with acetone: selective synthesis of 3-hydroxy-2,2,5-trimethylimidazolidin-4-one, **1**, 182

#### 3-Amino-1-(2-hydroxyaryl)-4,4,4-trichlorobut-2-en-1-ones

Condensation of 2-hydroxyacetophenones with trichloroacetonitrile as a route to 2-trichloromethylchromones and 4-hydroxycoumarins, **3**, 478

#### 3-Amino-5-methyl-1,2,3,3a,4,8b-hexahydrocyclopenta[*b*]indole

Synthesis of 3-substituted cyclopenta[*b*]indoles, **10**, 1767

#### 2-Aminomethylphenols

The reaction of 2-aminomethylphenols and their copper(II) complexes with esters of phosphorus acids, **8**, 1349

#### 7*A*-Amino-5-morpholinohexahydrobenzo[*b*]naphtho[1,2][1,4]dioxines

Reactions of 4-morpholino-1,2-naphthoquinone with enamines and *o*-phenylenediamine, **4**, 732

#### 5-(2-Aminophenyl)-2-dialkylamino-1,3,4-thiadiazoles

Thioureidoquinazolin-4(3*H*)-ones. 1. Acid-induced recyclization of 3-(*N',N'*-dialkylthioureido)quinazolin-4(3*H*)-ones into 1,3,4-thiadiazoles, **10**, 1763

#### 2-Amino-4-phenyl-1,3-thiazine-6-thione

Synthesis of substituted 2-amino-1,3-thiazine-6-thiones, **11**, 1917

#### $\beta$ -Amino- $\beta$ -polyfluoroalkylvinyl aryl(hetaryl) ketones

Reactions of  $\beta$ -amino- $\beta$ -polyfluoroalkylvinyl ketones with diethylenetriamine. Simple synthesis of 1,4,8-triazabicyclo[5.3.0]dec-4-ene derivatives, **8**, 1426

#### 2-Aminopyridines

Synthesis and X-ray diffraction studies of 3-cyano-2-trifluoromethyl-4*H*-pyrido[1,2-*a*]pyrimidine derivatives, **7**, 1257

#### 3-Aminoquinazolin-4(3*H*)-one

Thioureidoquinazolin-4(3*H*)-ones. 1. Acid-induced recyclization of 3-(*N',N'*-dialkylthioureido)quinazolin-4(3*H*)-ones into 1,3,4-thiadiazoles, **10**, 1763

#### 2-Amino-4-(2-thienyl)-1,3-thiazine-6-thione

Synthesis of substituted 2-amino-1,3-thiazine-6-thiones, **11**, 1917

#### *o*-Aminothiophenol

Novel synthesis of 2-arylbenzothiazoles, **11**, 1859

#### $\beta$ -Amino- $\beta$ -(trichloromethyl)vinyl ketones

Reactions of aliphatic  $\beta$ -amino- $\beta$ -(trichloromethyl)vinyl ketones with ethylenediamine. Synthesis and structures of 2-acetonilideneimidazolidines, **7**, 1245

#### Ammonia

Reactions of photogenerated fluorine atoms with molecules trapped in solid argon. 3. Formation of stabilized  $\cdot\text{NH}_2$  radicals and  $\cdot\text{NH}_2\text{—HF}$  radical-molecule complexes in the reactions of fluorine atoms with  $\text{NH}_3$  molecules, **5**, 829

*N*-Glycyl- $\beta$ -glycopyranosylamines, derivatives of mono- and disaccharides, and their use for the preparation of carboxylic acid glycoconjugates, **8**, 1454

Heteroorganic betaines. 5. A DFT study of the structure and reactivity of 6,6-dimethyl-6-silafulvene and silicon-containing organophosphorus betaine  $^-\text{C}_5\text{H}_4\text{SiMe}_2\text{CH}_2\text{PMe}_3^+$ , **11**, 1823

Structure and acid-basic properties of the surface of titanium oxides modified by phosphorus and aluminum and prepared by the alkoxo method. 2. Study of the active surface of titanium oxides, **12**, 2003

**Ammonium bases**

The reaction of *C*-phenylcalix[4]resorcinarene-based polymer with quaternary ammonium and potassium cations, **8**, 1468

**Ammonium dinitramide**

Stabilization of ammonium dinitramide in the liquid phase, **12**, 1974

**Amorphous state**

Changes in the acid-base properties of hydrogels of metal oxide hydroxides induced by aging in solutions of electrolytes, **8**, 1323

**1,6-Anhydro-3,4-deoxy-β-D-glycerohexopyran-2-ulose**

Stereochemical differentiation in the reactions of organometallic reagents with levoglucosenone and some of its dihydro derivatives, **7**, 1237

**Anthracene**

Synthesis and properties of paramagnetic derivatives of linear and fused polyaromatic compounds, **8**, 1409

**Antiferromagnetism**

Magnetic properties of binuclear high-spin trimethylacetate nickel(II) complexes, **3**, 438

Synthesis and properties of homoleptic 2,2'-bipyridyl complexes of rare-earth elements. Crystal and molecular structures of the complexes  $\text{Ln}(\text{N}_2\text{C}_{10}\text{H}_8)_4$  ( $\text{Ln} = \text{Sm}, \text{Eu}, \text{Yb}, \text{or Lu}$ ) and the ionic complex  $[\text{Lu}(\text{N}_2\text{C}_{10}\text{H}_8)_4][\text{Li}(\text{THF})_4]$ , **11**, 1869

**Anti-hypercholesterolemic activity — see Physiological activity****Antioxidants**

Synthesis, structure, and biological activity of mixed-ligand platinum(II) complexes with aminonitroxides, **9**, 1613

**Aqueous solutions**

The first step of oxidation of alkylbenzenes by permanganates in acidic aqueous solutions (review), **5**, 761

Amino-substituted *gem*-diphosphonic acids: dissociation mechanism and the structure of species in aqueous solutions, **6**, 1045

Preconcentration of heavy metal impurities from water on chromatographic paper, **8**, 1393

Kinetic analysis of photoelectrochemical hydrogen evolution over *p*-type silicon in acidic aqueous solutions of electrolytes, **10**, 1707

Aqueous solutions of colloidal nickel: radiation-chemical preparation, absorption spectra, and properties, **10**, 1715

**Arene complexes**

The synthesis of poly(styrenechromiumtricarbonyl) in the presence of triisobutylboron, **7**, 1316

**Arenesulfonyl chloride**

Diastereoselective synthesis of polyfunctional compounds based on the tandem sequence of three  $Ad_E$  reactions using cyclic vinyl ethers as first alkene components, **1**, 85

*S*-Aryl *N,N*-dialkylamidothiosulfates, a novel class of sulfenic acid derivatives, **8**, 1478

**Arenonium ions**

Proton affinities of fluoro derivatives of benzene, toluene, and *m*-xylene from *ab initio* MP2 calculations, **11**, 1820

**Argon**

Solvent isotope effects on the solubility of argon and pair interactions in aqueous solution of hexamethylenetetramine, **8**, 1383

**Aromatic *N*-nitroamines**

New approach to the synthesis of benzo[e][1,2,3,4]tetrazine 1,3-dioxides, **3**, 482

**Aryl azides**

Laser flash photolysis of fluorinated arylazides in neutral and acidic solutions, **1**, 50

***S*-Aryl *N,N*-dialkylamidothiosulfates**

*S*-Aryl *N,N*-dialkylamidothiosulfates, a novel class of sulfenic acid derivatives, **8**, 1478

**Aryl β-halovinyl sulfides**

Reactions of sulfenamides with alkynes in the presence of phosphorus(v) oxohalides, **11**, 1846

**2-Arylbenzothiazoles**

Novel synthesis of 2-arylbenzothiazoles, **11**, 1859

**1-Aryl-5,5-dichloropenta-2,4-dien-1-ones**

Synthesis of 2-aryl-6-(4-bromophenyl)-4-(2,2-dichlorovinyl)pyridines with the use of 1-aryl-5,5-dichloropenta-2,4-dien-1-ones, **5**, 954

**Arylhydrazides**

Photochemistry of arylhydrazides in solution, **4**, 666

**Arylidene malononitriles**

Reactions of cyclic enhydrazinoketones with arylidene derivatives of malononitrile. Synthesis of fused *N*-substituted 1,4-dihydropyridines, **7**, 1251

**Arylnitrenes and arylnitrenium ions**

Laser flash photolysis of fluorinated arylazides in neutral and acidic solutions, **1**, 50

**11-Aryl-1-oxo-1,2,3,4,10b,11-hexahydroquinindoline-10b-carbonitriles**

Unusual transformation of *N*-arylamino-1,4-dihydropyridines, **7**, 1318

**Arylsulfenamides**

Reaction of sulfenamides with *N,N*-dimethylaniline in the presence of phosphorus(v) oxochloride, **1**, 180

Reactions of sulfenamides with alkynes in the presence of phosphorus(v) oxohalides, **11**, 1846

**Asymmetric synthesis**

Asymmetric reduction of ketones with sodium aluminum hydride modified by various chiral diols, **3**, 460

Synthesis of the scalemic form of alkaloid (–)-diphocarpamine, **3**, 569

Enantioselective hydrogenation of β-keto esters catalyzed by chiral binaphthylbisphosphine ruthenium complexes, **4**, 728  
Stereoselective synthesis of homoallylic alcohols of the [2.2]paracyclophane series and their use as auxiliary reagents in asymmetric allylboration of aldehydes, **5**, 912

Asymmetric synthesis of *S*-alkyl-substituted (*R*)-cysteines via a chiral Ni<sup>II</sup> complex of the Schiff's base of dehydroalanine with (*S*)-2-*N*-(*N*-benzylpropyl)aminobenzophenone, **8**, 1460

**Atom-atom potentials**

The method of introducing correction factors into parameters of atom-atom potentials of intermolecular interaction used for calculation of thermodynamic characteristics of adsorption, **4**, 685

The cell effect in adamantane adsorption on graphitized thermal carbon black, **5**, 847

A study of alkyl radicals in the matrix of polycrystalline *n*-alkane γ-irradiated at 77 K. 2. Effect of intra- and intermolecular interactions on radical formation in *n*-heptane polycrystals, **6**, 1032

**Atomic force microscopy**

Properties of polymer track membranes modified by grafting with poly(2-methyl-5-vinylpyridine) and poly(*N*-isopropylacrylamide), **5**, 856

**Azadienes**

[4+2]-Cycloaddition of 3,6-bis(3,5-dimethyl-4-*R*-pyrazol-1-yl)-1,2,4,5-tetrazines with alkenes, **2**, 355

**Azoles**

Relationship of energy characteristics and the Randic indices of imidazole and some azolides of sulfonic acids with chromatographic retention, **8**, 1395

**Azomethines**

Synthesis, structures, and spectral properties of biomimetic azomethine metal chelates with chromophores CuN<sub>2</sub>S<sub>2</sub>, CuN<sub>2</sub>O<sub>2</sub>, and CuN<sub>2</sub>Se<sub>2</sub>. Crystal structure of bis[4-(benzyl)-aldimino-3-methyl-1-phenyl-5-pyrazolothiolato]copper(II), **11**, 1863

**Azoxy compounds**

New approach to the synthesis of benzo[e][1,2,3,4]tetrazine 1,3-dioxides, **3**, 482

**Azulenones**

Reactions of cyclopentadienes with phorone, **4**, 724

**B****Bader's theory**

Electron density distribution in the crystal of the Meisenheimer complex of potassium 3-methyl-5',7'-dinitro-5',8'-dihydrospiro(1,3-oxazolidine-2,8'-quinolinide) based on X-ray diffraction data at 153 K, **3**, 452

**Baeyer–Villiger reaction**

Synthesis of (*S*)-6-methylhept-5-en-2-ol, the aggregation pheromone of *Gnathotrichus sulcatus*, **4**, 717

Synthesis of derivatives of (*S*)-2-alkanols, components of pheromones of *Drosophila mulleri* and *Rhyzopertha dominica*, from (*S*)-(+)-3,7-dimethylocta-1,6-diene, **11**, 1899

**Barrier of lone pair inversion**

*N,N*-Bis(*tert*-butyldimethylsilyloxy)aminobenzene as a new synthetic equivalent of nitrosobenzene, **9**, 1649

**Barriers to internal rotation**

*Ab initio* study of the structure of 2,2-difluoroethanal in the ground and lowest excited triplet electronic states, **6**, 984

An *ab initio* quantum-chemical study of proton addition to F-, CH<sub>3</sub>-, and CF<sub>3</sub>-substituted ethylene derivatives, **8**, 1327

**Basicity**

Reactivity of functional groups toward H<sup>+</sup> and SiMe<sub>3</sub><sup>+</sup> ions, **3**, 570

*peri*-Naphthylenediamines. 28. Nitration of 1,8-bis(dimethylamino)naphthalene and 5,6-bis(dimethylamino)acenaphthene in neutral and weakly acidic media. The first case of isolation of *o*-nitro and *o,o'*-dinitro derivatives of "proton sponges", **7**, 1212

*peri*-Naphthylenediamines. 30. 1,2,8-Tris(dimethylamino)-naphthalene and some other 2-amino derivatives of "proton sponge", **8**, 1406

*n*-Alkane isomerization on heteropolyacids. 1. The influence of acid-base properties of alumina systems on the state of supported 12-tungstophosphoric heteropolyacid in Pt-containing catalysts and their activity in *n*-pentane isomerization, **10**, 1726

**Benzaldehyde**

The influence of substituents on the kinetics of the reaction of carbonyl oxides with benzaldehyde, **4**, 654

**Benzamidine**

Reactions of ethyl 3-(diethoxyphosphoryl)-3,3-difluoropyruvate with some nucleophilic reagents, **7**, 1255

**Benzene**

Determination of the adsorption volume and surface of carbon adsorbents with developed mesoporosity, **4**, 692

Adsorption deformation in the microporous carbon adsorbent–benzene system and porous structure of adsorbents, **6**, 1012

Physical adsorption and chemisorption of hydrocarbons on a reduced alumina-chromia catalyst, **8**, 1369

Proton affinities of fluoro derivatives of benzene, toluene, and *m*-xylene from *ab initio* MP2 calculations, **11**, 1820

**Benzo-1,3-ditelluroles**

Synthesis of 2-substituted benzo-1,3-ditelluroles, **6**, 1127

**Benzo[a]fluorene**

*peri*-Naphthylenediamines. 27. Transformations of tertiary carbocations stabilized by the 4,5-bis(dimethylamino)-1-naphthyl group, **6**, 1097

**Benzonitrile**

Nitrile cleavage of heterocycle in the electrochemical reduction of 1-chloro-4-(isopropylthio)phthalazine, **1**, 183

**Benzo[e][1,2,3,4]tetrazine 1,3-dioxides**

New approach to the synthesis of benzo[e][1,2,3,4]tetrazine 1,3-dioxides, **3**, 482

**2-Benzoyl-5,5-dimethylcyclohexane-1,3-dione**

The structure of benzoyldimedone from X-ray diffraction analysis, **6**, 1068

**Benzoylmethylidene-1,4-benzooxazin-2-one**

Reaction of 3(*Z*)-benzoylmethylidene-6-nitro-3,4-dihydro-2*H*-1,4-benzooxazin-2-one with oxalyl chloride, **12**, 2045

**(*S*)-*N*-(*N*-Benzylpropyl)aminobenzophenone**

Asymmetric synthesis of *S*-alkyl-substituted (*R*)-cysteines via a chiral Ni<sup>II</sup> complex of the Schiff's base of dehydroalanine with (*S*)-2-*N*-(*N*-benzylpropyl)aminobenzophenone, **8**, 1460

**Bessel function**

The influence of ultrashort excitations on the vibrational dynamics in a diatomic molecule, **12**, 1960

**Betaines**

Heteroorganic betaines. 1. Synthesis of betaines containing the <sup>+</sup>P–C–Si–S<sup>−</sup> and <sup>+</sup>P–C–C–S<sup>−</sup> fragments and their characterization by multinuclear NMR spectroscopy, **5**, 920

Heteroorganic betaines. 2. X-ray diffraction study of betaines containing the <sup>+</sup>P–C–Si–S<sup>−</sup> fragment, **5**, 929

Heteroorganic betaines. 3. Reactions of betaines containing the <sup>+</sup>P–C–Si–S<sup>−</sup> fragment, **5**, 933

Heteroorganic betaines. 4. Photolysis and thermolysis of betaines containing the <sup>+</sup>P–C–Si–S<sup>−</sup> structural fragment, **9**, 1583

Heteroorganic betaines. 5. A DFT study of the structure and reactivity of 6,6-dimethyl-6-silafulvene and silicon-containing organophosphorus betaine <sup>−</sup>C<sub>3</sub>H<sub>4</sub>SiMe<sub>2</sub>CH<sub>2</sub>PMe<sub>3</sub><sup>+</sup>, **11**, 1823

**Bicyclo[2.2.1]heptadiene trimers**

<sup>1</sup>H and <sup>13</sup>C NMR spectra of polycyclic compounds. 7. Stereochemical identification of a mixture of five stereoisomeric norbornadiene trimers, **1**, 64



**Bimodal distribution**

Synthesis and investigation of polyphenyldimethylsiloxane block copolymers with bimodal chain length distribution of oligodimethylsiloxane blocks, **9**, 1531

**Binary systems**

Nonideality of binary mixtures in the adsorbent micropores, **6**, 1006

**Binding constants**

The influence of surfactants on the acid–base and redox properties of reagents of the diphenylamine series, **8**, 1380

**Bingel's reaction**

Electrochemical reduction of some methanofullerenes. On the mechanism of the retro-Bingel reaction, **3**, 427

Synthesis of phosphorylated methanofullerenes, **12**, 2048

**Bioinorganic enzymology**

Electrochemical methylation of a chelate anionic Ni<sup>I</sup> complex with methylcobaloxime. Partial modeling of the action mechanism of the active center of acetyl-CoA synthase, **1**, 56

**Biomimetic models**

Synthesis, structures, and spectral properties of biomimetic azomethine metal chelates with chromophores CuN<sub>2</sub>S<sub>2</sub>, CuN<sub>2</sub>O<sub>2</sub>, and CuN<sub>2</sub>Se<sub>2</sub>. Crystal structure of bis[4-(benzyl)-aldimino-3-methyl-1-phenyl-5-pyrazolothiolato]copper(II), **11**, 1863

**Biphenyls**

The method of introducing correction factors into parameters of atom-atom potentials of intermolecular interaction used for calculation of thermodynamic characteristics of adsorption, **4**, 685

**Bipolar adducts**

Exchange reaction of oxiranes with β-hydroxyalkyl sulfides, selenides, -amines, and -phosphines (review), **4**, 579

**2,2'-Bipyridyl**

Synthesis and properties of homoleptic 2,2'-bipyridyl complexes of rare-earth elements. Crystal and molecular structures of the complexes Ln(N<sub>2</sub>C<sub>10</sub>H<sub>8</sub>)<sub>4</sub> (Ln = Sm, Eu, Yb, or Lu) and the ionic complex [Lu(N<sub>2</sub>C<sub>10</sub>H<sub>8</sub>)<sub>4</sub>][Li(THF)<sub>4</sub>], **11**, 1869

**Biradicals**

Complexation of paramagnetic intermediates formed in the photolysis of 7,7-dimethyl-1,4,5,6-tetraphenyl-2,3-benzo-7-silanorbornadiene: a study by spin chemistry methods, **3**, 421

Color centers in poly(arylenesulfophthalides) and the ground state of Müller's hydrocarbon molecule, **10**, 1676

**Bis(acetylacetonato)germanium(IV) diazide**

Synthesis and structure of bis(acetylacetonato)germanium(IV) diazide, **10**, 1800

**1,2-Bis[5-(benzooxazol-2-yl)-2-methylthien-3-yl]perfluorocyclopentene**

Photochromic dihetarylethenes. 4. The molecular and crystal structures of 1,2-bis(2-ethyl-5-ethylsulfonylthien-3-yl)perfluorocyclopentene and 1,2-bis[5-(benzooxazol-2-yl)-2-methylthien-3-yl]perfluorocyclopentene, **1**, 77

**1,2-Bis(1-boraadamant-2-yl)ethane**

Synthesis of 1,2-bis(1-boraadamant-2-yl)ethane derivatives. Crystal structure of the racemic form, **3**, 503

**1,3-Bis(ω-bromoalkyl)-6-methyluracil**

Reactions of 1,3-bis(ω-bromoalkyl)-6-methyluracils with 2-(dialkylamino)ethylphosphonates and 2-(dialkylamino)ethyl phosphates, **6**, 1125

**1,3-Bis[6-(diethoxyphosphoryloxy)hexyl]-6-methyluracil**

Reactions of 1,3-bis(ω-bromoalkyl)-6-methyluracils with 2-(dialkylamino)ethylphosphonates and 2-(dialkylamino)ethyl phosphates, **6**, 1125

**5,6-Bis(dimethylamino)acenaphthene**

*peri*-Naphthylenediamines. 28. Nitration of 1,8-bis(dimethylamino)naphthalene and 5,6-bis(dimethylamino)acenaphthene in neutral and weakly acidic media. The first case of isolation of *o*-nitro and *o,o'*-dinitro derivatives of "proton sponges", **7**, 1212

*peri*-Naphthylenediamines. 29. 1,8-Bis(dimethylamino)-3-nitro- and -3,6-dinitronaphthalenes and 5,6-bis(dimethylamino)-3-nitro- and -3,8-dinitroacenaphthenes as the first representatives of "proton sponges" *meta*-substituted relative to NMe<sub>2</sub> groups, **8**, 1399

**1,8-Bis(dimethylamino)naphthalene ("proton sponge")**

*peri*-Naphthylenediamines. 27. Transformations of tertiary carbocations stabilized by the 4,5-bis(dimethylamino)-1-naphthyl group, **6**, 1097

*peri*-Naphthylenediamines. 28. Nitration of 1,8-bis(dimethylamino)naphthalene and 5,6-bis(dimethylamino)acenaphthene in neutral and weakly acidic media. The first case of isolation of *o*-nitro and *o,o'*-dinitro derivatives of "proton sponges", **7**, 1212

*peri*-Naphthylenediamines. 29. 1,8-Bis(dimethylamino)-3-nitro- and -3,6-dinitronaphthalenes and 5,6-bis(dimethylamino)-3-nitro- and -3,8-dinitroacenaphthenes as the first representatives of "proton sponges" *meta*-substituted relative to NMe<sub>2</sub> groups, **8**, 1399

*peri*-Naphthylenediamines. 30. 1,2,8-Tris(dimethylamino)-naphthalene and some other 2-amino derivatives of "proton sponge", **8**, 1406

**2,2'-Bis(diphenylphosphanyl)-1,1'-binaphthyl**

Enantioselective hydrogenation of β-keto esters catalyzed by chiral binaphthylbisphosphine ruthenium complexes, **4**, 728

**1,2-Bis(2-ethyl-5-ethylsulfonylthien-3-yl)perfluorocyclopentenes**

Photochromic dihetarylethenes. 4. The molecular and crystal structures of 1,2-bis(2-ethyl-5-ethylsulfonylthien-3-yl)perfluorocyclopentene and 1,2-bis[5-(benzooxazol-2-yl)-2-methylthien-3-yl]perfluorocyclopentene, **1**, 77

**3,3-Bis[4-(4-halobenzoyl)phenyl]phthalides**

Synthesis of phthalide-containing dihalogeno derivatives and polyarylene ether ketones based on them, **6**, 1093

**3,4-Bis(2-haloethoxy)benzaldehydes**

Template effect in the synthesis of formyl derivatives of benzothiacrown compounds, **11**, 1853

**Bis(indenyl)dimethylzirconocene**

Electrochemistry of bis(indenyl)dimethylzirconium complex — the precursor of the olefin polymerization catalyst, **1**, 60

**Bis(isothiazolo[4,5-*b*:4',5'-*e*]pyrazine**

Synthesis of 5-bromo-4-dibromoamino-3-phenylisothiazole and its light-induced conversion into 3,7-diphenylbis(isothiazolo[4,5-*b*:4',5'-*e*]pyrazine, **5**, 956

**1,1'-Bis-2-naphthol**

Asymmetric reduction of ketones with sodium aluminum hydride modified by various chiral diols, **3**, 460

***O,O*-Bis(*p*-nitrophenyl) methylphosphonate**

The influence of hydrophobic amines on hydrolysis of bis(*p*-nitrophenyl) methylphosphonate in micellar solutions of cetylpyridinium bromide, **2**, 270

**Bis-organoboranes**

Synthesis of 1,2-bis(1-boraadamant-2-yl)ethane derivatives. Crystal structure of the racemic form, **3**, 503

***N,N*-Bis(silyloxy)aminobenzenes**

*N,N*-Bis(*tert*-butyldimethylsilyloxy)aminobenzene as a new synthetic equivalent of nitrosobenzene, **9**, 1649

**Bis-sulfides**

Synthetic potentialities of sulfonylsulfonium salts: a new approach to the preparation of disulfonium dications, **8**, 1415

**Bisthiénylperfluorocyclopentenes**

Photochromic dihetarylethenes. 5. Synthesis, structure, and photochromic properties of 4,4'-disubstituted 1,2-bis[2-ethyl-5-ethylthio(ethylsulfonyl)-3-thienyl]perfluorocyclopentenes, **10**, 1757

***N,N*-Bis(trialkylsilyloxy)enamines**

Trimethylsilyl derivatives of aliphatic nitro compounds in  $\alpha,\beta$ -C,C-cross-coupling, **5**, 874

The chemistry of *N,N*-bis(trialkylsilyloxy)enamines. 2. Alkylation of primary amines with *N,N*-bis(trimethylsilyloxy)enamines, **7**, 1261

**2,2-Bis(trifluoromethyl)alkanoyl fluorides**

Synthesis of 1,1-bis(trifluoromethyl)alkyl isocyanates, carbamates, and ureas, **7**, 1202

**1,1-Bis(trifluoromethyl)alkyl isocyanates**

Synthesis of 1,1-bis(trifluoromethyl)alkyl isocyanates, carbamates, and ureas, **7**, 1202

**Bis(trimethylstannyl)acetylene**

Molecular structures of acetylene derivatives of tin. 6. Molecular structure of bis(trimethylstannyl)acetylene and analysis of vibrational spectra of its isotopomers by scaling of quantum-chemical force field, **4**, 620

Molecular structures of acetylene derivatives of tin. 7. Bis(trimethylstannyl)acetylene: analysis of electron diffraction data taking into account nonlinear relations between Cartesian and internal vibrational coordinates, **4**, 631

**Block copolymers**

Synthesis and investigation of polyphenyldimethylsiloxane block copolymers with bimodal chain length distribution of oligodimethylsiloxane blocks, **9**, 1531

**"Blue" copper proteins**

Synthesis, structures, and spectral properties of biomimetic azomethine metal chelates with chromophores  $\text{CuN}_2\text{S}_2$ ,  $\text{CuN}_2\text{O}_2$ , and  $\text{CuN}_2\text{Se}_2$ . Crystal structure of bis[4-(benzyl)-aldimino-3-methyl-1-phenyl-5-pyrazolothiolato]copper(II), **11**, 1863

**1-Boraadamantane compounds**

2-Phenyl-1-boraadamantane complexes. Synthesis and intramolecular dynamics, **3**, 499

Synthesis of 1,2-bis(1-boraadamant-2-yl)ethane derivatives. Crystal structure of the racemic form, **3**, 503

**Boron**

Stabilization of nonclassical types of valence bond orientation at the carbon atom in organoboron compounds, **5**, 783

Fluorescence and photochemical properties of crystalline boron difluoride  $\beta$ -diketonates, **6**, 1024

**Boron trifluoride etherate**

Functionally substituted sulfur-containing compounds. 12. Reactions of 2-[(organylthio)methyl]oxiranes with aliphatic alcohols in the presence of boron trifluoride etherate, **5**, 879

**Bromination**

Practical synthesis of hex-5-ynoic acid from cyclohexanone, **1**, 81

Reactions of spirocyclopropane-containing 1- and 2-pyrazolines with electrophilic reagents, **3**, 472

Synthesis of [ $\mu$ -methylenebis( $\eta^5$ -3-*tert*-butyl-2-methylinden-1-yl)]dichlorozirconium(IV), **5**, 942

Synthesis of 3(*Z*)-dodecen-12-olide — an aggregation pheromone of the flat grain beetle *Cryptolestes pusillus* (Coleoptera: *Cucujidae*), **7**, 1297

Electrophilic substitution reactions of ferracarborane 3-( $\eta^5$ -Cp)-4-SMe<sub>2</sub>-3,1,2-FeC<sub>2</sub>B<sub>9</sub>H<sub>10</sub>, **9**, 1598

**Bromine**

Rate constants for reactions of Cl abstraction from CCl<sub>4</sub> by CCl<sub>3</sub>CH<sub>2</sub>·CHR radicals and Br abstraction from CCl<sub>3</sub>CH<sub>2</sub>CHBrR (R = Bu<sup>n</sup>, AcO, OCNC<sub>4</sub>H<sub>8</sub>, CN) by ·Re(CO)<sub>5</sub> radicals, **1**, 46

Cyclization of *N*-acetyl-*ortho*-cycloalkenylanilines on treatment with bromine and *N*-bromosuccinimide, **1**, 122

Mechanism of methane activation by electrophiles generated in the AlBr<sub>5</sub> system: an MNDO/PM3 study of the potential energy surface of the [AlBr<sub>5</sub>+CH<sub>4</sub>] system, **5**, 799

**6-Bromohex-5-enoic acids**

Practical synthesis of hex-5-ynoic acid from cyclohexanone, **1**, 81

**(4*S*,5*E*)-4-Bromomethyl-5-enenitrile**

A novel polyfunctional chiral building block derived from (*S*)-ethyl lactate. Application to the synthesis of the sex pheromone of the southern corn rootworm (*Diabrotica undecimpunctata howardi*), **1**, 154

**2'-Bromo-2-methylspiro[(4*H*-3,1-benzooxazine)-4,1'-cyclohexane]**

Cyclization of *N*-acetyl-*ortho*-cycloalkenylanilines on treatment with bromine and *N*-bromosuccinimide, **1**, 122

**5-Bromospiro[1-pyrazoline-3,1'-cyclopropane]**

Different reactivities of regioisomeric azimines, adducts of phthalimidonitrene with 5-bromospiro[1-pyrazoline-3,1'-cyclopropane], **11**, 1919

***N*-Bromosuccinimide**

Cyclization of *N*-acetyl-*ortho*-cycloalkenylanilines on treatment with bromine and *N*-bromosuccinimide, **1**, 122

Reactions of spirocyclopropane-containing 1- and 2-pyrazolines with electrophilic reagents, **3**, 472

**Buffer systems**

Non-ideal properties of the TRIS—TRIS·HCl—NaCl—H<sub>2</sub>O buffer system in the 0—40 °C temperature interval. Application of the Pitzer equations, **4**, 674

Standardization of pH measurements based on the ion interaction approach, **4**, 680

**Butane**

Physical adsorption and chemisorption of hydrocarbons on a reduced alumina-chromia catalyst, **8**, 1369

**Buta-1,2,3-triene**

Generation of diazo-2-methylenecyclopropane and its 1,3-dipolar cycloaddition to acrylates, **7**, 1207

**But-1(2)-ene**

Multiple bond migration with participation of a protophilic agent. 5. Double bond migration in heteroallylic systems, **3**, 415

**Butyl acetate**

Microstructure and surface composition of corn starch cryogels with sorbed organic flavoring agents, **2**, 314

**S-Butyl bis(diethylamido)phosphorodithioate**

Synthesis and biological activity of some 1,3,2-diheteraphosphorinanes and their acyclic analogs, **9**, 1593

**S-Butyl O-ethyl (diethylamido)phosphorothioate**

Synthesis and biological activity of some 1,3,2-diheteraphosphorinanes and their acyclic analogs, **9**, 1593

**Butyllithium**

Stereoselective nucleophilic addition of butyllithium and triallylborane to [2.2]paracyclophane-4,7-quinone, **3**, 572

Synthesis of 3-hydroxy-1-methyl-2-(methylthio)pyrrole from methyl isothiocyanate and prop-2-yn-1-ol, **9**, 1634

**Butyrophenone**

Asymmetric reduction of ketones with sodium aluminum hydride modified by various chiral diols, **3**, 460

**C****Cadmium**

Synthesis and structures of complexes of *N*-(2-aminoethyl)diaziridines with transition metal salts, **11**, 1882

**Cage effect**

Back electron transfer in electron-exchange chemiluminescence of oxyaryl-substituted spiroadamantyl dioxetane, an analog of firefly bioluminescence, **4**, 659

**Calcium chloride**

Fractality of materials based on silica gel, **5**, 778

**Calix[4]resorcinolarenes**

Reactions of calix[4]resorcinolarene anions with esters of carboxylic acids in H<sub>2</sub>O—DMF solvent, **2**, 261

Catalytic activity of aminomethylated calix[4]resorcinolarene aggregates in hydrolysis of esters of phosphorus acids, **8**, 1355

**Calorimetry**

Thermodynamic properties of some polymeric forms of fullerite C<sub>60</sub> at temperatures ranging from 0 to 320 K, **2**, 280

Thermodynamics of carbyne (review), **6**, 965

**Capillary gas liquid chromatography**

Gas-chromatographic method of evaluation of *n*-alkanol ability for self-association in pure liquid, **2**, 317

The influence of alkyl substituents on the chromatographic indicator of self-association of *N*-containing heterocyclic compounds, **2**, 321

**Carbamates**

Synthesis of 1,1-bis(trifluoromethyl)alkyl isocyanates, carbamates, and ureas, **7**, 1202

**3-Carbamoyl-1,2,4-triazoles**

Synthesis of 3-carbamoyl-1,2,4-triazoles, **8**, 1481

**Carbon adsorbents**

Determination of the adsorption volume and surface of carbon adsorbents with developed mesoporosity, **4**, 692

Adsorption deformation in the microporous carbon adsorbent—benzene system and porous structure of adsorbents, **6**, 1012

**Carbon dioxide**

The formation of formic acid upon low-temperature condensation of CO<sub>2</sub>—H<sub>2</sub> and CO—H<sub>2</sub>O gas mixtures dissociated in electric discharge, **4**, 642

The kinetics of chemical reactions in the products of dissociation of the CO<sub>2</sub>—H<sub>2</sub> gas mixture in microwave discharge, **4**, 669

The formation of formic acid upon low-temperature condensation of a methane—carbon dioxide mixture dissociated in a microwave discharge, **5**, 823

Synthesis of 2-substituted benzo-1,3-ditelluroles, **6**, 1127

**Carbon monoxide**

The formation of formic acid upon low-temperature condensation of CO<sub>2</sub>—H<sub>2</sub> and CO—H<sub>2</sub>O gas mixtures dissociated in electric discharge, **4**, 642

Ruthenium phosphine complexes as catalysts of alternating copolymerization of ethylene and carbon monoxide, **6**, 1113

Study of the state of rhodium in the potassium rhodiumundecatungstosilicate/alumina system by diffuse-reflectance IR spectroscopy, **7**, 1174

Regularities of formation and catalytic properties of supported cobaltites in the oxidation of CO and hydrocarbons and in the reduction of nitrogen oxides, **9**, 1536

**Carbon tetrachloride**

Complexation of paramagnetic intermediates formed in the photolysis of 7,7-dimethyl-1,4,5,6-tetraphenyl-2,3-benzo-7-silanorbornadiene: a study by spin chemistry methods, **3**, 421

**Carbonyl complexes**

Reactions of ruthenium and osmium cluster carbonyls with heteroatom-substituted and functionalized alkynes (review), **1**, 1

Metallation of the methyl group in *o*-nitrosotoluene: synthesis and the molecular structure of the binuclear complex [o-(NO)(CH<sub>2</sub>)C<sub>6</sub>H<sub>4</sub>]<sub>2</sub>Pd<sub>2</sub>(μ-OCCF<sub>3</sub>)<sub>2</sub>, **1**, 150

Addition of halogenoacetic esters to aldehydes and ketones in the presence of Fe(CO)<sub>5</sub>, **4**, 722

Photochemical reaction of the heterometallic complex (μ-H)Os<sub>3</sub>{μ-O<sub>2</sub>CC<sub>5</sub>H<sub>4</sub>Mn(CO)<sub>3</sub>}(CO)<sub>10</sub> with triphenylphosphine, **4**, 747

Acetylide derivatives of transition metal cluster carbonyls (review), **7**, 1135

The synthesis of poly(styrenechromiumtricarbonyl) in the presence of triisobutylboron, **7**, 1316

Synthesis of optically active hydridocarbonyl triosmium clusters with terpene derivatives as ligands. Molecular structure and absolute configuration of a cluster with a bridging dihydroimidazole ligand, **8**, 1440

Preparation and reactivity of metal-containing monomers. 53. Synthesis and stability of a cluster monomer (μ-H)Os<sub>3</sub>(μ-OCNMe<sub>2</sub>)(CO)<sub>9</sub>PPh<sub>2</sub>CH<sub>2</sub>CH=CH<sub>2</sub> in solution, **8**, 1448

**Carbonyl compounds**

Stereoselective synthesis of homoallylic alcohols of the [2.2]paracyclophane series and their use as auxiliary reagents in asymmetric allylboration of aldehydes, **5**, 912

*Ab initio* study of the structure of 2,2-difluoroethanal in the ground and lowest excited triplet electronic states, **6**, 984

Reactions of polyfluoroalkenylsulfenyl chlorides with carbonyl compounds, **10**, 1749

**Carbonyl oxides**

The influence of substituents on the kinetics of the reaction of carbonyl oxides with benzaldehyde, **4**, 654

Kinetics, products, and mechanism of the reaction of diphenylcarbonyl oxide with sulfoxides, **9**, 1496

**Carbonylphosphines**

Reactions of 1,4-diphenylbut-1-en-3-yne and 1,4-diferrocenylbuta-1,3-diyne with  $\text{Ru}_3(\text{CO})_{10}(\mu\text{-dppm})$ . Unusual structures of the clusters  $\text{Ru}_3(\text{CO})_5(\mu\text{-CO})(\mu\text{-dppm})\{\mu_3\text{-C}_4\text{Ph}_2(\text{CH}=\text{CHPh})_2\}$  (two isomers) and  $\text{Ru}_3(\text{CO})_5(\mu\text{-CO})(\mu\text{-dppm})\{\mu_3\text{-C}_4\text{Fc}_2(\text{C}\equiv\text{CFc})_2\}$ , **7**, 1321

**Carboxylic acids**

*N*-Glycyl- $\beta$ -glycopyranosylamines, derivatives of mono- and disaccharides, and their use for the preparation of carboxylic acid glycoconjugates, **8**, 1454

**Carbyne**

Thermodynamics of carbyne (review), **6**, 965

**Catalysis**

Unusual multi-component condensation in the synthesis of 1,4-dihydro-1,6-naphthyridine derivatives, **1**, 125

Enantioselective hydrogenation of  $\beta$ -keto esters catalyzed by chiral binaphthylbisphosphine ruthenium complexes, **4**, 728

Allylic isomerization of dichlorobutenes catalyzed by iron-containing nanoparticles stabilized in polymeric matrices, **5**, 852

Sulfurization of polymers. 2. Polythienothiophene and related structures from polyethylene and elemental sulfur, **5**, 863

Uranyl-catalyzed chemiluminescent reaction of  $\text{U}^{4+}$  oxidation by dioxygen in aqueous  $\text{HClO}_4$  solution, **9**, 1512

Synthesis of 3-hydroxy-1-methyl-2-(methylthio)pyrrole from methyl isothiocyanate and prop-2-yn-1-ol, **9**, 1634

**Catalysts**

Electrochemistry of bis(indenyl)dimethylzirconium complex — the precursor of the olefin polymerization catalyst, **1**, 60

Effect of substituents on the catalytic properties of bis(cyclopentadienyl)zirconium dichloride complexes with polymethylaluminumoxane and  $\text{AlBu}_3/\text{CPh}_3\text{B}(\text{C}_6\text{F}_5)_4$  cocatalysts in ethylene polymerization, **2**, 303

Synthesis and transformations of metallocycles. 21. A novel method for the synthesis of 1,1-dialkylcyclopropanes, **6**, 1086

Study of the state of rhodium in the potassium rhodiumundecatungstosilicate/alumina system by diffuse-reflectance IR spectroscopy, **7**, 1174

Regularities of formation and catalytic properties of supported cobaltites in the oxidation of CO and hydrocarbons and in the reduction of nitrogen oxides, **9**, 1536

Synthesis of optically active analogs of  $\alpha$ -tocopherol based on (*S*)-(+)-dihydromyrcene, **9**, 1620

*n*-Alkane isomerization on heteropolyacids. 1. The influence of acid-base properties of alumina systems on the state of supported 12-tungstophosphoric heteropolyacid in Pt-containing catalysts and their activity in *n*-pentane isomerization, **10**, 1726

A DFT study of ethylene polymerization on zirconocene catalysts. 2. Substituted zirconocene catalysts, **10**, 1735

Synthesis and conversions of metallocycles. 22. NMR studies of the mechanism of  $\text{Cp}_2\text{ZrCl}_2$ -catalyzed cycloaluminumation of olefins with triethylaluminum to form aluminacyclopentanes, **12**, 2051

**Cationic lipids**

Cationic amphiphiles of both lipid and nonlipid nature in gene therapy (review), **3**, 385

**Cationic liposomes**

Cationic amphiphiles of both lipid and nonlipid nature in gene therapy (review), **3**, 385

**Cell effect**

The cell effect in adamantane adsorption on graphitized thermal carbon black, **5**, 847

**Cerium**

Photostimulated exoemission and reduction of  $\text{CeO}_2$ , **5**, 836

Photochemistry of f-element ions (review), **12**, 1925

**Cesium**

Structural peculiarities of particle solvation in *N,N*-dimethylformamide, **4**, 588

The use of cesium dibenzyl and diphenyl phosphates for stereoselective synthesis of glycosyl phosphate derivatives, **11**, 1895

**Cetylpyridinium bromide**

The influence of hydrophobic amines on hydrolysis of bis(*p*-nitrophenyl) methylphosphonate in micellar solutions of cetylpyridinium bromide, **2**, 270

**Chalcogenides**

An EXAFS study of the molecular structure of heterometallic chalcogenide clusters, **8**, 1389

**Charge carrier**

The nature and dynamics of nonlinear excitations in conducting polymers. Polyaniline (review), **2**, 207

**Charge transfer**

Calculation of activation-controlled reaction rate constants from parameters of electronic absorption spectra of ion pairs, **6**, 1002

Kinetic analysis of photoelectrochemical hydrogen evolution over *p*-type silicon in acidic aqueous solutions of electrolytes, **10**, 1707

Photochemistry of f-element ions (review), **12**, 1925

**Charge-transfer complexes**

Electronic absorption spectra of charge-transfer complexes and effects of substituents in radical cations, **6**, 997

Complex formation between chlorine dioxide and 2,2,6,6-tetramethylpiperidin-1-oxyl, **10**, 1687

New EPR signals of endohedral metallofullerenes, **10**, 1745

**Chelate-forming ligands**

Synthesis of new acyclic aminophosphites and their chelate complexes with rhodium(I) and palladium(II), **3**, 533

**Chelates**

Electrochemical methylation of a chelate anionic  $\text{Ni}^{\text{I}}$  complex with methylcobaloxime. Partial modeling of the action mechanism of the active center of acetyl-CoA synthase, **1**, 56

Stereochemical differentiation in the reactions of organometallic reagents with levoglucosenone and some of its dihydro derivatives, **7**, 1237

Synthesis, structures, and spectral properties of biomimetic azomethine metal chelates with chromophores  $\text{CuN}_2\text{S}_2$ ,  $\text{CuN}_2\text{O}_2$ , and  $\text{CuN}_2\text{Se}_2$ . Crystal structure of bis[4-(benzyl)-aldimino-3-methyl-1-phenyl-5-pyrazolothiolato]copper(II), **11**, 1863

Synthesis and properties of homoleptic 2,2'-bipyridyl complexes of rare-earth elements. Crystal and molecular structures of the complexes  $\text{Ln}(\text{N}_2\text{C}_{10}\text{H}_8)_4$  ( $\text{Ln} = \text{Sm}, \text{Eu}, \text{Yb}$ , or  $\text{Lu}$ ) and the ionic complex  $[\text{Lu}(\text{N}_2\text{C}_{10}\text{H}_8)_4][\text{Li}(\text{THF})_4]$ , **11**, 1869

**Chemical bonding**

Electronic structure and stability of polymorphous modifications of titanium monocarbide, **10**, 1796

**Chemical ionization**

Reactivity of functional groups toward  $H^+$  and  $SiMe_3^+$  ions, **3**, 570

**Chemical polarization of nuclei**

Complexation of paramagnetic intermediates formed in the photolysis of 7,7-dimethyl-1,4,5,6-tetraphenyl-2,3-benzo-7-silanorbornadiene: a study by spin chemistry methods, **3**, 421

**Chemiluminescence**

The influence of substituents on the kinetics of the reaction of carbonyl oxides with benzaldehyde, **4**, 654

Back electron transfer in electron-exchange chemiluminescence of oxyaryl-substituted spiroadamantyl dioxetane, an analog of firefly bioluminescence, **4**, 659

Uranyl-catalyzed chemiluminescent reaction of  $U^{4+}$  oxidation by dioxygen in aqueous  $HClO_4$  solution, **9**, 1512

**Chemisorption**

Physical adsorption and chemisorption of hydrocarbons on a reduced alumina-chromia catalyst, **8**, 1369

Structure and acid-basic properties of the surface of titanium oxides modified by phosphorus and aluminum and prepared by the alkoxo method. 1. Structural organization of modified titanate systems, **11**, 1803

Structure and acid-basic properties of the surface of titanium oxides modified by phosphorus and aluminum and prepared by the alkoxo method. 2. Study of the active surface of titanium oxides, **12**, 2003

**Chichibabin hydrocarbon**

Formation of color centers and paramagnetic species by alkaline hydrolysis of polydiphenylenesulfophthalide, **2**, 298

Color centers in poly(arylenesulfophthalides) and the ground state of Muller's hydrocarbon molecule, **10**, 1676

**Chiroptical properties**

Separation of racemic *closo*-3,3-( $\eta^{3,2}$ -norbornadienyl)rhodacarboranes into enantiomers by HPLC on chiral stationary phases, **4**, 759

**Chloral**

Synthesis of 4,6-dinitro-2-trihalogenomethyl-2,3-dihydrobenzo[*b*]furans, **3**, 573

**Chlorination**

The chemistry of naphthazarin derivatives. 6. Hydration of 2-oxo-2,3-dihydro-1,4-naphthoquinone derivatives in organic solvents, **3**, 466

Reaction of guaianolide achillin with chlorine in methanol, **9**, 1624

Synthesis of two new chloro derivatives of guaianolide grossmisin and the crystal structure of one derivative, **11**, 1902

Reaction of 3(*Z*)-benzoylmethylidene-6-nitro-3,4-dihydro-2*H*-1,4-benzooxazin-2-one with oxalyl chloride, **12**, 2045

**Chlorine compounds**

Rate constants for reactions of Cl abstraction from  $CCl_3CH_2\cdot CHR$  radicals and Br abstraction from  $CCl_3CH_2CHBrR$  ( $R = Bu^i, AcO, OCNC_4H_8, CN$ ) by  $\cdot Re(CO)_5$  radicals, **1**, 46

X-Ray diffraction investigations of  $Ag_2ReCl_6$  and  $Ag_2OsCl_6$ , **7**, 1310

Specific features of resonance electron capture by the molecules of dibenzo-*p*-dioxin and its monochlorinated derivatives, **8**, 1489

Quantum-chemical studies of catalysts immobilized on silica. The complex  $Cu(OSiH_3)_2 \cdot 2H_2O$  as a model of catalytically active polycopperphenylsiloxanes, **9**, 1491

**Chlorine dioxide**

Chlorine dioxide as an oxidant for organoboron compounds, **9**, 1647

Complex formation between chlorine dioxide and 2,2,6,6-tetramethylpiperidin-1-oxyl, **10**, 1687

***N*-Chloroacetylglucosylamines**

*N*-Glycyl- $\beta$ -glycopyranosylamines, derivatives of mono- and disaccharides, and their use for the preparation of carboxylic acid glycoconjugates, **8**, 1454

**Chloroalkanes**

Thermodynamic characteristics of hydrocarbon and chloroalkane adsorption by polymethylsilsequioxane, **12**, 2000

**1-Chloro-4-(isopropylthio)phthalazine**

Nitrile cleavage of heterocycle in the electrochemical reduction of 1-chloro-4-(isopropylthio)phthalazine, **1**, 183

**Chlorosilanones**

Generation and capture of alkylchlorosilanones, **2**, 363

**Chlorotellurate**

Synthesis, crystal structure, and conducting properties of a new molecular conductor  $(DBTTF)_{11}(TeCl_6)_4$ , **2**, 372

**Chloro(triphenylphosphine)gold(I)**

Synthesis, crystal structure, and spectral studies of the molecular complex of [60]fullerene with chloro(triphenylphosphine)gold(I),  $C_{60} \cdot 2[(Ph_3P)AuCl]$ , **2**, 367

**Chromium compounds**

The synthesis of poly(styrenechromiumtricarbonyl) in the presence of triisobutylboron, **7**, 1316

Changes in the acid-base properties of hydrogels of metal oxide hydroxides induced by aging in solutions of electrolytes, **8**, 1323

**Chromones**

Condensation of 2-hydroxyacetophenones with trichloroacetonitrile as a route to 2-trichloromethylchromones and 4-hydroxycoumarins, **3**, 478

Synthesis of ethyl 3-oxo-2-(3,4,5-trifluoro-2,6-dimethoxybenzoyl)butyrate, **6**, 1090

**Circular dichroism spectra**

Separation of racemic *closo*-3,3-( $\eta^{3,2}$ -norbornadienyl)rhodacarboranes into enantiomers by HPLC on chiral stationary phases, **4**, 759

**Cisplatin analogues**

Synthesis, structure, and biological activity of mixed-ligand platinum(II) complexes with aminonitroxides, **9**, 1613

**Clathrochelates**

Molecular and crystal structure of the clathrochelate complex  $FeDm_3(BF)_2 \cdot C_6H_6$  and parameters of its  $^{57}Fe$  Mossbauer spectra, **12**, 2018

**Clusters**

Synthesis, structures, and properties of the molybdenum and tungsten chalcogenide cubane complexes  $(NH_4)_6[M_4Q_4(CN)_{12}] \cdot 6H_2O$  ( $M = Mo$  or  $W$ ;  $Q = S$  or  $Se$ ), **1**, 19

Metallation of the methyl group in *o*-nitrosotoluene: synthesis and the molecular structure of the binuclear complex  $[o-(NO)(CH_2)C_6H_4]_2Pd_2(\mu-OOCF_3)_2$ , **1**, 150

Synthesis, crystal structures, Mössbauer spectra, and redox properties of binuclear and tetranuclear iron-sulfur nitrosyl clusters, **3**, 444

Calculations of the distribution of trace impurities in cylindrical pores, **4**, 609

Allylic isomerization of dichlorobutenes catalyzed by iron-containing nanoparticles stabilized in polymeric matrices, **5**, 852

Synthesis of ferrocenylacetylide derivatives of gold-ruthenium and gold-osmium clusters. Crystal structures of  $M_3(\text{AuPPh}_3)(\text{C}\equiv\text{CFc})(\text{CO})_9$  ( $M = \text{Ru}$  or  $\text{Os}$ ;  $\text{Fc}$  is ferrocenyl), **7**, 1292

Reactions of 1,4-diphenylbut-1-en-3-yne and 1,4-diferrocenylbuta-1,3-diyne with  $\text{Ru}_3(\text{CO})_{10}(\mu\text{-dppm})$ . Unusual structures of the clusters  $\text{Ru}_3(\text{CO})_5(\mu\text{-CO})(\mu\text{-dppm})\{\mu_3\text{-C}_4\text{Ph}_2(\text{CH}=\text{CHPh})_2\}$  (two isomers) and  $\text{Ru}_3(\text{CO})_5(\mu\text{-CO})(\mu\text{-dppm})\{\mu_3\text{-C}_4\text{Fc}_2(\text{C}\equiv\text{CFc})_2\}$ , **7**, 1321

Preparation of highly dispersed copper oxide by thermal destruction of binuclear  $\text{Cu}^{\text{II}}$  monofluoroacetate in zeolite Y cavities, **8**, 1365

Preparation and reactivity of metal-containing monomers. 53. Synthesis and stability of a cluster monomer  $(\mu\text{-H})\text{Os}_3(\mu\text{-OCNMe}_2)(\text{CO})_9\text{PPh}_2\text{CH}_2\text{CH}=\text{CH}_2$  in solution, **8**, 1448

Effect of *n*-octyl acetate on the microstructure of corn starch sols studied by scanning tunneling microscopy, **8**, 1471

New EPR signals of endohedral metallofullerenes, **10**, 1745

Synthesis and the crystal structure of a supramolecular adduct of the cubane cluster  $[\text{ClPdMo}_3\text{Se}_4(\text{H}_2\text{O})_7\text{Cl}_2]^+$  with macrocyclic cavitand cucurbituril, **11**, 1877

#### Cobalt compounds

Electrochemical methylation of a chelate anionic  $\text{Ni}^{\text{I}}$  complex with methylcobaloxime. Partial modeling of the action mechanism of the active center of acetyl-CoA synthase, **1**, 56

Unusual thermal dimerization of trimethylacetate cobalt complexes. Synthesis and structure of  $\text{Co}_8(\mu_4\text{-O})_2(\mu_n\text{-OOCMe}_3)_{12}$ , **5**, 958

Preconcentration of heavy metal impurities from water on chromatographic paper, **8**, 1393

Regularities of formation and catalytic properties of supported cobaltites in the oxidation of CO and hydrocarbons and in the reduction of nitrogen oxides, **9**, 1536

Synthesis of triple-decker iron and cobalt complexes with a central tetramethylphospholyl ligand, **9**, 1637

#### Colloids

Aqueous solutions of colloidal nickel: radiation-chemical preparation, absorption spectra, and properties, **10**, 1715

#### Cometathesis

New synthesis of (*Z*)-5- and (*Z*)-7-monoene components of insect sex pheromones of the Lepidoptera order, **7**, 1301

#### Compensation effect

Isokinetic relationships for nucleophilic substitution reactions at the saturated carbon atom. Reactions in aqueous solutions, **5**, 806

#### Complex formation

Complexation of paramagnetic intermediates formed in the photolysis of 7,7-dimethyl-1,4,5,6-tetraphenyl-2,3-benzo-7-silanorbornadiene: a study by spin chemistry methods, **3**, 421

2-Phenyl-1-boraadamantane complexes. Synthesis and intramolecular dynamics, **3**, 499

Synthesis of new acyclic aminophosphites and their chelate complexes with rhodium(I) and palladium(II), **3**, 533

The reaction of 2-aminomethylphenols and their copper(II) complexes with esters of phosphorus acids, **8**, 1349

Specific features of the interaction of components in the  $\text{DMSO-HBr-Pd}^0$  system, **10**, 1722

New EPR signals of endohedral metallofullerenes, **10**, 1745

Synthesis, structures, and properties of 3,6-di-*tert*-butyl-*o*-benzosemiquinone complexes of copper(I) with 1,5-diaza-3,7-diphosphacyclooctanes, **10**, 1782

Synthesis and structures of complexes of *N*-(2-aminoethyl)diaziridines with transition metal salts, **11**, 1882

#### Complexes

Synthesis, structures, and properties of the molybdenum and tungsten chalcogenide cubane complexes  $(\text{NH}_4)_6[\text{M}_4\text{Q}_4(\text{CN})_{12}] \cdot 6\text{H}_2\text{O}$  ( $M = \text{Mo}$  or  $\text{W}$ ;  $Q = \text{S}$  or  $\text{Se}$ ), **1**, 19

IR study of ion-molecular interactions in the system methanesulfonic acid-ethyl acetate, **2**, 295

Synthesis, crystal structure, and spectral studies of the molecular complex of [60]fullerene with chloro(triphenylphosphine)gold(I),  $\text{C}_{60} \cdot 2[(\text{Ph}_3\text{P})\text{AuCl}]$ , **2**, 367

Magnetic properties of binuclear high-spin trimethylacetate nickel(II) complexes, **3**, 438

2-Phenyl-1-boraadamantane complexes. Synthesis and intramolecular dynamics, **3**, 499

Synthesis of 1,2-bis(1-boraadamant-2-yl)ethane derivatives. Crystal structure of the racemic form, **3**, 503

Synthesis of 1-(cyclopentadienyl)adamantane and the corresponding zirconium complexes, **3**, 508

Enantioselective hydrogenation of  $\beta$ -keto esters catalyzed by chiral binaphthylbisphosphine ruthenium complexes, **4**, 728

Reaction of a naphthalene complex  $\text{C}_{10}\text{H}_8\text{Yb}(\text{THF})_2$  with cyclopentadienyl-substituted alcohols and amines as a convenient synthetic route to the half-sandwich complexes of divalent ytterbium, **4**, 744

Mechanism of methane activation by electrophiles generated in the  $\text{AlBr}_5$  system: an MNDO/PM3 study of the potential energy surface of the  $[\text{AlBr}_5+\text{CH}_4]$  system, **5**, 799

Reactions of photogenerated fluorine atoms with molecules trapped in solid argon. 3. Formation of stabilized  $\cdot\text{NH}_2$  radicals and  $\cdot\text{NH}_2\text{-HF}$  radical-molecule complexes in the reactions of fluorine atoms with  $\text{NH}_3$  molecules, **5**, 829

Molecular hydrides of samarium and europium  $\text{LnH}_2(\text{THF})_2$  ( $\text{Ln} = \text{Sm}$  or  $\text{Eu}$ ): synthesis and properties, **5**, 946

Influence of solvents on the molecular and crystal structure of the complex of 1,3-diallyl-5-[3-(diphenylphosphino)propyl]-1,3,5-triazine-2,4,6-(1*H*,3*H*,5*H*)-trione with palladium(II) dichloride, **7**, 1195

Synthesis of ferrocenylacetylide derivatives of gold-ruthenium and gold-osmium clusters. Crystal structures of  $M_3(\text{AuPPh}_3)(\text{C}\equiv\text{CFc})(\text{CO})_9$  ( $M = \text{Ru}$  or  $\text{Os}$ ;  $\text{Fc}$  is ferrocenyl), **7**, 1292

Study of reactions of some halides, cyclopentadienyl dichlorides, and bis(cyclopentadienyl) chlorides of lanthanides with *trans*-stilbene adducts with alkali metals  $[\text{PhCHCHPh}]^-\text{M}^+$  ( $M = \text{Li}, \text{Na}$ ), **8**, 1436

Uranyl-catalyzed chemiluminescent reaction of  $U^{4+}$  oxidation by dioxygen in aqueous  $HClO_4$  solution, **9**, 1512

Complexes with strong symmetric hydrogen bonds and their solvation in the trifluoroacetic acid—*N,N*-dimethylformamide system studied by IR spectroscopy, **9**, 1526

The reactivity of 3,5-dimethylidene-2,2,6,6-tetramethyl-4-oxopiperidin-1-oxyl and its diamagnetic *N*-methyl analog in nucleophilic addition of amines and Diels—Alder dimerization, **10**, 1682

Complex formation between chlorine dioxide and 2,2,6,6-tetramethylpiperidin-1-oxyl, **10**, 1687

Ion-selective electrodes for determination of phenylalanine based on uranyl complexes of phosphoryl-containing podands, **10**, 1712

Heteroorganic betaines. 5. A DFT study of the structure and reactivity of 6,6-dimethyl-6-silafulvene and silicon-containing organophosphorus betaine  $^-C_5H_4SiMe_2CH_2PMe_3^+$ , **11**, 1823

Synthesis and properties of homoleptic 2,2'-bipyridyl complexes of rare-earth elements. Crystal and molecular structures of the complexes  $Ln(N_2C_{10}H_8)_4$  ( $Ln = Sm, Eu, Yb,$  or  $Lu$ ) and the ionic complex  $[Lu(N_2C_{10}H_8)_4][Li(THF)_4]$ , **11**, 1869

Synthesis and structures of complexes of *N*-(2-aminoethyl)diaziridines with transition metal salts, **11**, 1882

Synthesis and structures of nickel(II) trimethylacetate dimers with coordinated diamines, **11**, 1887

#### H-Complexes

Exchange reaction of oxiranes with  $\beta$ -hydroxyalkyl sulfides, selenides, -amines, and -phosphines (review), **4**, 579

Hydration and protonation of *O*-vinylacetoxime in the gas phase: an *ab initio* study, **4**, 601

#### Composite materials

Fractality of materials based on silica gel, **5**, 778

#### Computer simulation of liquids

Structural properties of liquid *N*-methylformamide, **2**, 238

A simple method for evaluation of the self-consistency of the radial distribution functions and the orientation of water molecules in the first coordination sphere from the results of molecular dynamics calculations, **11**, 1815

#### Condensation

Unusual multi-component condensation in the synthesis of 1,4-dihydro-1,6-naphthyridine derivatives, **1**, 125

Three-component condensation in the synthesis of 4-(2-chlorophenyl)-3-cyano-5-ethoxycarbonyl-6-propyl-3,4-dihydropyridine-2(1*H*)-thione, **1**, 176

Condensation of 2-hydroxyacetophenones with trichloroacetonitrile as a route to 2-trichloromethylchromones and 4-hydroxycoumarins, **3**, 478

Synthesis of 4,6-dinitro-2-trihalogenomethyl-2,3-dihydrobenzo[*b*]furans, **3**, 573

Reactions of cyclopentadienes with phorone, **4**, 724

Synthesis, structure, and properties of piperidinium 3-(4-chlorophenyl)-2-cyano-3-(2-hydroxy-4,4-dimethyl-6-oxocyclohex-1-enyl)thiopropionimide, **4**, 736

Reactions of cyclic enhydrazinoketones with arylidene derivatives of malononitrile. Synthesis of fused *N*-substituted 1,4-dihydropyridines, **7**, 1251

Synthesis of optically active analogs of  $\alpha$ -tocopherol based on (*S*)-(+)-dihydromyrcene, **9**, 1620

Physicochemical features of the formation of siliceous porous mesophases. 3. Conditions of formation and properties of mesoporous silica, **10**, 1669

#### Conductivity

The nature and dynamics of nonlinear excitations in conducting polymers. Polyaniline (review), **2**, 207

Synthesis, crystal structure, and conducting properties of a new molecular conductor  $(DBTTF)_{11}(TeCl_6)_4$ , **2**, 372

#### Conformational analysis

The influence of substituents in the quinone dihydrocycle of anthroneylidene molecules on the polymer chain rigidity, **5**, 794

Amino-substituted *gem*-diphosphonic acids: dissociation mechanism and the structure of species in aqueous solutions, **6**, 1045

Rearrangement products of some 1*R*,4*R*-2-arylidene-*p*-menthan-3-ones in acidic media, their structures, and conformational analysis, **7**, 1218

#### Conformations

Influence of steric and electronic effects of substituents on the molecular structures and conformational flexibility of 1,8-naphthalenedicarboximides, **1**, 70

Photochromic dihetarylethenes. 4. The molecular and crystal structures of 1,2-bis(2-ethyl-5-ethylsulfonylthien-3-yl)perfluorocyclopentene and 1,2-bis[5-(benzooxazol-2-yl)-2-methylthien-3-yl]perfluorocyclopentene, **1**, 77

*Ab initio* study of the structure of 2,2-difluoroethanal in the ground and lowest excited triplet electronic states, **6**, 984

A new mechanism of the dioxygen effect on ESR spectra of polyaniline, **10**, 1742

Synthesis, structures, and properties of 3,6-di-*tert*-butyl-*o*-benzosemiquinone complexes of copper(I) with 1,5-diazas-3,7-diphosphacyclooctanes, **10**, 1782

The kinetics and mechanism of cyclodimerization of 2-alkylthiopropenals, **12**, 1977

#### Conjugation

Ionization potentials of non-metal monosulfides. Conjugation in radical cations containing Group IV elements, **1**, 26

Influence of steric and electronic effects of substituents on the molecular structures and conformational flexibility of 1,8-naphthalenedicarboximides, **1**, 70

Lengthening of O—H distance of the intramolecular O—H...O hydrogen bonds in molecular systems with conjugation, **4**, 758

Electronic absorption spectra of charge-transfer complexes and effects of substituents in radical cations, **6**, 997

The structure of benzoyldimide from X-ray diffraction analysis, **6**, 1068

A quantum-chemical approach to the analysis of intramolecular interactions using the fragment orbitals and MNDO method. Calculations for vinyl fluoride and vinyl iodide, **11**, 1808

#### Coordination

2-Phenyl-1-boraadamantane complexes. Synthesis and intramolecular dynamics, **3**, 499

Synthesis of 1,2-bis(1-boraadamant-2-yl)ethane derivatives. Crystal structure of the racemic form, **3**, 503

Synthesis of new acyclic aminophosphites and their chelate complexes with rhodium(I) and palladium(II), **3**, 533

Coordination of nitroxyl radical probes to the Lewis acid sites on the surface of gallium oxide: a quantum-chemical analysis, **6**, 991

Oxygen effects in aqueous solutions of laccases: absorption spectra and reactivity, **8**, 1464

A spectral study of the interaction of dioxygen with sublimed layers of manganese(II) *meso*-tetraphenylporphyrinate, **9**, 1540

Investigation of structures of mono- and diorgano-substituted oligosiloxanes containing transition metal atoms, **10**, 1789

Acid-base properties of poly(1-vinylazoles) in aqueous solution, **12**, 2013

#### Copolymerization

Ruthenium phosphine complexes as catalysts of alternating copolymerization of ethylene and carbon monoxide, **6**, 1113

#### Copper compounds

Synthesis and liquid crystalline properties of copper tetra-4-(*n*-alkoxycarbonyl)phthalocyanines, **1**, 132

Synthesis of ethyl 3-oxo-2-(3,4,5-trifluoro-2,6-dimethoxybenzoyl)butyrate, **6**, 1090

Synthesis of *N*-substituted 2-(5,6,7,8-tetrafluoro-4-oxo-1,4-dihydroquinolin-3-yl)glyoxylic acids, **7**, 1231

The reaction of 2-aminomethylphenols and their copper(II) complexes with esters of phosphorus acids, **8**, 1349

Preparation of highly dispersed copper oxide by thermal destruction of binuclear Cu<sup>II</sup> monofluoroacetate in zeolite Y cavities, **8**, 1365

Oxygen effects in aqueous solutions of laccases: absorption spectra and reactivity, **8**, 1464

Quantum-chemical studies of catalysts immobilized on silica. The complex Cu(OSiH<sub>3</sub>)<sub>2</sub> · 2H<sub>2</sub>O as a model of catalytically active polycopperphenylsiloxanes, **9**, 1491

Synthesis, structures, and properties of 3,6-di-*tert*-butyl-*o*-benzosemiquinone complexes of copper(I) with 1,5-diaza-3,7-diphosphacyclooctanes, **10**, 1782

Synthesis, structures, and spectral properties of biomimetic azomethine metal chelates with chromophores CuN<sub>2</sub>S<sub>2</sub>, CuN<sub>2</sub>O<sub>2</sub>, and CuN<sub>2</sub>Se<sub>2</sub>. Crystal structure of bis[4-(benzyl)-aldimino-3-methyl-1-phenyl-5-pyrazolothiolato]copper(II), **11**, 1863

The mechanism of formation of copper aluminide in the thermal explosion mode, **12**, 1954

#### Copper-containing oligodiphenylsiloxanes

Investigation of structures of mono- and diorgano-substituted oligosiloxanes containing transition metal atoms, **10**, 1789

#### Corey—Chaykovsky reaction

Heteroorganic betaines. 1. Synthesis of betaines containing the <sup>+</sup>P—C—Si—S<sup>−</sup> and <sup>+</sup>P—C—C—S<sup>−</sup> fragments and their characterization by multinuclear NMR spectroscopy, **5**, 920

Heteroorganic betaines. 4. Photolysis and thermolysis of betaines containing the <sup>+</sup>P—C—Si—S<sup>−</sup> structural fragment, **9**, 1583

#### Corn starch

Microstructure and surface composition of corn starch cryogels with sorbed organic flavoring agents, **2**, 314

Effect of *n*-octyl acetate on the microstructure of corn starch sols studied by scanning tunneling microscopy, **8**, 1471

#### Cross-coupling

Trimethylsilyl derivatives of aliphatic nitro compounds in α,β-C,C-cross-coupling, **5**, 874

Synthesis of derivatives of (*S*)-2-alkanols, components of pheromones of *Drosophila mulleri* and *Rhyzopertha dominica*, from (*S*)-(+)-3,7-dimethylocta-1,6-diene, **11**, 1899

#### Cryochemistry

Reactions of photogenerated fluorine atoms with molecules trapped in solid argon. 3. Formation of stabilized  $\dot{\text{N}}\text{H}_2$  radicals and  $\dot{\text{N}}\text{H}_2\text{—HF}$  radical-molecule complexes in the reactions of fluorine atoms with NH<sub>3</sub> molecules, **5**, 829

#### Cryogels

Microstructure and surface composition of corn starch cryogels with sorbed organic flavoring agents, **2**, 314

#### Crystal structure

Photochromic dihetarylethenes. 4. The molecular and crystal structures of 1,2-bis(2-ethyl-5-ethylsulfonylthien-3-yl)perfluorocyclopentene and 1,2-bis[5-(benzooxazol-2-yl)-2-methylthien-3-yl]perfluorocyclopentene, **1**, 77

Synthesis and crystal structure of a new molecular complex of fullerene C<sub>70</sub>, 4BNDY · 3C<sub>70</sub> · 4C<sub>6</sub>H<sub>6</sub> (BNDY is binaphtho[1,8-*d,e*]-1,3-dithiin-2-ylidene), **1**, 102

Synthesis, crystal structure, and spectral studies of the molecular complex of [60]fullerene with chloro(triphenylphosphine)gold(I), C<sub>60</sub> · 2[(Ph<sub>3</sub>P)AuCl], **2**, 367

Synthesis, crystal structure, and conducting properties of a new molecular conductor (DBTTF)<sub>11</sub>(TeCl<sub>6</sub>)<sub>4</sub>, **2**, 372

Synthesis of 1,2-bis(1-boraadamant-2-yl)ethane derivatives. Crystal structure of the racemic form, **3**, 503

Crystal and molecular structure of 11α-methoxyppuuphenol diacetate, **3**, 563

Synthesis and structure of the complex of 2-(2-pyridyl)-2-oxazoline with PdCl<sub>2</sub>, **3**, 566

Heteroorganic betaines. 2. X-ray diffraction study of betaines containing the <sup>+</sup>P—C—Si—S<sup>−</sup> fragment, **5**, 929

Heteroorganic betaines. 3. Reactions of betaines containing the <sup>+</sup>P—C—Si—S<sup>−</sup> fragment, **5**, 933

Influence of solvents on the molecular and crystal structure of the complex of 1,3-diallyl-5-[3-(diphenylphosphino)propyl]-1,3,5-triazine-2,4,6-(1*H*,3*H*,5*H*)-trione with palladium(II) dichloride, **7**, 1195

Asymmetric nitrogen. 82. Trigger base: study of its complex with HgBr<sub>2</sub> and its methiodide, **7**, 1241

Reactions of aliphatic β-amino-β-(trichloromethyl)vinyl ketones with ethylenediamine. Synthesis and structures of 2-acetylideneimidazolidines, **7**, 1245

Synthesis and X-ray diffraction studies of 3-cyano-2-trifluoromethyl-4*H*-pyrido[1,2-*a*]pyrimidine derivatives, **7**, 1257

Synthesis of ferrocenylacetylde derivatives of gold-ruthenium and gold-osmium clusters. Crystal structures of M<sub>3</sub>(AuPPh<sub>3</sub>)(C≡CFc)(CO)<sub>9</sub> (M = Ru or Os; Fc is ferrocenyl), **7**, 1292

X-Ray diffraction investigations of Ag<sub>2</sub>ReCl<sub>6</sub> and Ag<sub>2</sub>OsCl<sub>6</sub>, **7**, 1310

Heteroorganic betaines. 4. Photolysis and thermolysis of betaines containing the <sup>+</sup>P—C—Si—S<sup>−</sup> structural fragment, **9**, 1583

Reaction of Ru<sub>3</sub>(CO)<sub>12</sub> with 1,3-diferrocenylprop-2-ene-1-one. Crystal and molecular structures of the complexes Ru<sub>3</sub>(CO)<sub>8</sub>(FcC=CHCOFc)<sub>2</sub> and [Ru(CO)<sub>2</sub>Cl(FcC=CHCOFc)]<sub>2</sub>, **9**, 1605

Synthesis, structure, and biological activity of mixed-ligand platinum(II) complexes with aminonitroxides, **9**, 1613



Crystal and molecular structures of six-coordinate germanium difluorides and dibromides containing lactamomethyl C,O-chelating ligands, **10**, 1775

Synthesis and structure of bis(acetylacetonato)germanium(IV) diazide, **10**, 1800

Structure and acid-basic properties of the surface of titanium oxides modified by phosphorus and aluminum and prepared by the alkoxo method. 1. Structural organization of modified titanate systems, **11**, 1803

Synthesis, structures, and spectral properties of biomimetic azomethine metal chelates with chromophores  $\text{CuN}_2\text{S}_2$ ,  $\text{CuN}_2\text{O}_2$ , and  $\text{CuN}_2\text{Se}_2$ . Crystal structure of bis[4-(benzyl)-aldimino-3-methyl-1-phenyl-5-pyrazolothiolato]copper(II), **11**, 1863

Synthesis and the crystal structure of a supramolecular adduct of the cubane cluster  $[\text{ClPdMo}_3\text{Se}_4(\text{H}_2\text{O})_7\text{Cl}_2]^+$  with macrocyclic cavitand cucurbituril, **11**, 1877

Synthesis and structures of complexes of *N*-(2-aminoethyl)diaziridines with transition metal salts, **11**, 1882

Synthesis and structures of nickel(II) trimethylacetate dimers with coordinated diamines, **11**, 1887

Molecular and crystal structure of the clathrochelate complex  $\text{FeDm}_3(\text{BF})_2 \cdot \text{C}_6\text{H}_6$  and parameters of its  $^{57}\text{Fe}$  Mössbauer spectra, **12**, 2018

Reaction of 3(*Z*)-benzoylmethylidene-6-nitro-3,4-dihydro-2*H*-1,4-benzooxazin-2-one with oxalyl chloride, **12**, 2045

Photochemical transformations of 3-alkyl-3-ferrocenylcyclopropenes, **12**, 2059

Synthesis and crystal structure of dimethyl 2-benzoyl-2-ethyl-3-phenylcyclopropane-1,1-dicarboxylate, **12**, 2072

#### Cubane complexes

Synthesis, structures, and properties of the molybdenum and tungsten chalcogenide cubane complexes  $(\text{NH}_4)_6[\text{M}_4\text{Q}_4(\text{CN})_{12}] \cdot 6\text{H}_2\text{O}$  (M = Mo or W; Q = S or Se), **1**, 19

#### 1,4-Cubanedicarboxylic acid dihydrazide

Cubane derivatives. 6. Synthesis of some substituted hydrazides of 1,4-cubanedicarboxylic acid, **9**, 1645

#### Cucurbituril

Synthesis and the crystal structure of a supramolecular adduct of the cubane cluster  $[\text{ClPdMo}_3\text{Se}_4(\text{H}_2\text{O})_7\text{Cl}_2]^+$  with macrocyclic cavitand cucurbituril, **11**, 1877

#### Curium

Photochemistry of f-element ions (review), **12**, 1925

#### Curtius reaction

Synthesis of 1,1-bis(trifluoromethyl)alkyl isocyanates, carbamates, and ureas, **7**, 1202

#### Cyanamide

Nucleophilic substitution of hydrogen in the reaction of 1,2,4-triazin-4-oxides with cyanamide, **6**, 1122

#### 5-Cyanoimino-1,2,4-triazines

Nucleophilic substitution of hydrogen in the reaction of 1,2,4-triazin-4-oxides with cyanamide, **6**, 1122

#### Cyanopyrazoles

Generation of diazo-2-methylenecyclopropane and its 1,3-dipolar cycloaddition to acrylates, **7**, 1207

#### 3-Cyanopyridine-2(1*H*)-thiones

Synthesis of substituted 4-hydroxy-1*H*-thieno[2,3-*b*;4,5-*b'*]dipyridin-2-ones, **2**, 348

#### Cyanoselenoacetamide

Unusual multi-component condensation in the synthesis of 1,4-dihydro-1,6-naphthyridine derivatives, **1**, 125

#### Cyanothioacetamide

Three-component condensation in the synthesis of 4-(2-chlorophenyl)-3-cyano-5-ethoxycarbonyl-6-propyl-3,4-dihydropyridine-2(1*H*)-thione, **1**, 176

*N*-Methylmorpholinium 4-aryl-5-cyano-3-methoxycarbonyl-2-oxo-1,2,3,4-tetrahydropyridine-6-thiolates: synthesis and properties, **3**, 487

Synthesis, structure, and properties of piperidinium 3-(4-chlorophenyl)-2-cyano-3-(2-hydroxy-4,4-dimethyl-6-oxocyclohex-1-enyl)thiopropionimide, **4**, 736

#### Cyclic hydroxamic acids

Reactions of cyclic  $\alpha$ -methoxy nitrones with nucleophilic reagents, **12**, 2031

#### Cyclic sulfates and sulfites

New approach to cyclic sulfites and sulfates through reactions of sulfur oxychlorides with glycidols, **9**, 1575

#### Cyclic voltammetry

Synthesis, structures, and properties of the molybdenum and tungsten chalcogenide cubane complexes  $(\text{NH}_4)_6[\text{M}_4\text{Q}_4(\text{CN})_{12}] \cdot 6\text{H}_2\text{O}$  (M = Mo or W; Q = S or Se), **1**, 19

Electrochemistry of bis(indenyl)dimethylzirconium complex — the precursor of the olefin polymerization catalyst, **1**, 60

Electrochemical synthesis and properties of  $\sigma$ -fluoroacyl and  $\sigma$ -perfluoroalkyl transition metal complexes, **2**, 375

Synthesis, crystal structures, Mössbauer spectra, and redox properties of binuclear and tetranuclear iron-sulfur nitrosyl clusters, **3**, 444

Electrochemical potentials, optical transitions, and frontier orbitals of non-bridged and bridged bent sandwich zirconocene complexes, **6**, 1037

The radical cation of hydrogen sulfide and related organic reactions, **7**, 1178

#### Cyclization

New method for the synthesis of 2-substituted *N,N'*-diacylimidazolidines, **5**, 894

Synthesis of 2-aryl-6-(4-bromophenyl)-4-(2,2-dichlorovinyl)pyridines with the use of 1-aryl-5,5-dichloropenta-2,4-dien-1-ones, **5**, 954

Synthesis of picryl-substituted 1,3,4-oxadiazoles, **9**, 1572

Synthesis of 3-hydroxy-1-methyl-2-(methylthio)pyrrole from methyl isothiocyanate and prop-2-yn-1-ol, **9**, 1634

Synthesis of 5-alkoxy-3-amino-7-nitro-1,2,4-benzotriazine 1-oxides from 1,3,5-trinitrobenzene, **9**, 1640

Reactions of polyfluoroalkenylsulfenyl chlorides with carbonyl compounds, **10**, 1749

#### Cycloaddition

Reaction of 2-(4,5-dihydrofurfuryl)-1,3-diphenyl-1,3-diazol-2-ylidene-phospholidine with *C,N*-diphenylnitrilimine, **1**, 129

[4+2]-Cycloaddition of 3,6-bis(3,5-dimethyl-4-*R*-pyrazol-1-yl)-1,2,4,5-tetrazines with alkenes, **2**, 355

Reactions of 4-morpholino-1,2-naphthoquinone with enamines and *o*-phenylenediamine, **4**, 732

3-Alkenyl-5-ferrocenyl-2-pyrazolines in reactions with azodicarboxylic acid *N*-phenylimide, **5**, 906

Cycloaddition of dialkylgermoles: synthesis and structures of 2,2,3,3-tetracyano-1,4,5,6-tetraphenyl-7-germanorborn-5-enes, **7**, 1275

**Cycloalumination**

Synthesis and transformations of metallocycles. 21. A novel method for the synthesis of 1,1-dialkylcyclopropanes, **6**, 1086

Synthesis and conversions of metallocycles. 22. NMR studies of the mechanism of  $\text{Cp}_2\text{ZrCl}_2$ -catalyzed cycloalumination of olefins with triethylaluminum to form aluminacyclopentanes, **12**, 2051

**Cyclobutenes**

Photochemical transformations of 3-alkyl-3-ferrocenylcyclopropenes, **12**, 2059

 **$\beta$ -Cyclodextrin**

Excimer fluorescence and structures of the inclusion complexes of  $\beta$ -cyclodextrin with naphthalene and its derivatives, **10**, 1699

**Cyclodimerization**

3,5-Bis(ferrocenylmethylene)-1-methyl-4-methylene-piperidine. Synthesis and some chemical properties, **3**, 514

The kinetics and mechanism of cyclodimerization of 2-alkylthiopropanals, **12**, 1977

Photochemical transformations of 3-alkyl-3-ferrocenylcyclopropenes, **12**, 2059

**Cyclohexanone**

Practical synthesis of hex-5-ynoic acid from cyclohexanone, **1**, 81

**Cyclohexene**

Catalytic properties of rhenium(v) complexes with thiourea derivatives in cyclohexene hydrogenation, **10**, 1732

**Cyclohexen-1-ol**

Synthesis, structure, and properties of piperidinium 3-(4-chlorophenyl)-2-cyano-3-(2-hydroxy-4,4-dimethyl-6-oxocyclohex-1-enyl)thiopropionimide, **4**, 736

**2-(Cyclohex-1'-enyl)aniline**

Cyclization of *N*-acetyl-*ortho*-cycloalkenylanilines on treatment with bromine and *N*-bromosuccinimide, **1**, 122

**Cycloocta-1,5-diene**

New synthesis of (*Z*)-5- and (*Z*)-7-monoene components of insect sex pheromones of the Lepidoptera order, **7**, 1301

**Cyclopentadienes**

Reactions of cyclopentadienes with phorone, **4**, 724

Dramatic solvent effect on the volume of the Diels–Alder reaction between tetracyanoethylene and cyclopentadiene, **6**, 1040

**1-(Cyclopentadienyl)adamantane**

Synthesis of 1-(cyclopentadienyl)adamantane and the corresponding zirconium complexes, **3**, 508

**Cyclopentadienylides**

Heteroorganic betaines. 5. A DFT study of the structure and reactivity of 6,6-dimethyl-6-silafulvene and silicon-containing organophosphorus betaine  $^-\text{C}_5\text{H}_4\text{SiMe}_2\text{CH}_2\text{PMe}_3^+$ , **11**, 1823

**Cyclopenta[*b*]thiophenes**

Cyclopenta[*b*]thienyl ligand in organometallic chemistry. Studies of the regioselectivity of the synthesis of new  $\sigma$ -element-substituted cyclopenta[*b*]thiophene derivatives, **7**, 1282

**Cyclopentylanilines**

Synthesis of *para*-cyclopentylanilines from *ortho*-(cyclopent-1'-enyl)anilines, **1**, 174

Synthesis of 3-substituted cyclopenta[*b*]indoles, **10**, 1767

**4-Cyclopentylanilines**

Synthesis of *para*-cyclopentylanilines from *ortho*-(cyclopent-1'-enyl)anilines, **1**, 174

**Cyclophosphine sulfides**

Thermochemistry of heteroatomic compounds. 18. The enthalpies of vaporization, solvation, and formation of isomeric 2,5-dimethyl-1-phenyl-1-thioxophosphorinan-4-ones, **9**, 1522

**Cyclopropanation**

A novel polyfunctional chiral building block derived from (*S*)-ethyl lactate. Application to the synthesis of the sex pheromone of the southern corn rootworm (*Diabrotica undecimpunctata howardi*), **1**, 154

On the mechanism of titanium-catalyzed cyclopropanation of esters with aliphatic organomagnesium compounds. Deuterium distribution in the reaction products of  $(\text{CD}_3)_2\text{CHMgBr}$  with ethyl 3-chloropropionate in the presence of titanium tetraisopropoxide, **2**, 378

Synthesis and transformations of metallocycles. 21. A novel method for the synthesis of 1,1-dialkylcyclopropanes, **6**, 1086

**Cyclopropanols**

On the mechanism of titanium-catalyzed cyclopropanation of esters with aliphatic organomagnesium compounds. Deuterium distribution in the reaction products of  $(\text{CD}_3)_2\text{CHMgBr}$  with ethyl 3-chloropropionate in the presence of titanium tetraisopropoxide, **2**, 378

**Cyclopropylcarbinols**

A novel polyfunctional chiral building block derived from (*S*)-ethyl lactate. Application to the synthesis of the sex pheromone of the southern corn rootworm (*Diabrotica undecimpunctata howardi*), **1**, 154

**Cyclopropylidenes**

Generation of diazo-2-methylenecyclopropane and its 1,3-dipolar cycloaddition to acrylates, **7**, 1207

**Cytotoxicity**

Synthesis, structure, and biological activity of mixed-ligand platinum(II) complexes with aminonitroxides, **9**, 1613

**D****Decamethylruthenocene**

New one-step methods for the synthesis of the metallonium dication  $[\text{Ru}(\eta^5\text{-C}_5\text{Me}_5)(\eta^5\text{:}\sigma\text{-C}_5\text{Me}_3(\text{CH}_2)_2)]^{2+}$  and its heteroannular analog starting from decamethylruthenocene, **3**, 520

***n*-Decanol**

Laser flash photolysis study of the phase transition effect on the kinetics of the triplet-triplet annihilation of tetraphenylporphine in *n*-decanol, **11**, 1831

**Dechlorination**

Nitrile cleavage of heterocycle in the electrochemical reduction of 1-chloro-4-(isopropylthio)phthalazine, **1**, 183

A graphite oxide-based nickel catalyst for reductive dechlorination of polychlorinated aromatic hydrocarbons, **6**, 1017

***N*-Deethylation**

Study of alkaloids from plants of Siberia and Altai. 4. *N*-Deethylation of diterpene alkaloids of the aconitane type, **3**, 557

**Dehydration**

The chemistry of naphthazarin derivatives. 6. Hydration of 2-oxo-2,3-dihydro-1,4-naphthoquinone derivatives in organic solvents, **3**, 466

*peri*-Naphthylenediamines. 27. Transformations of tertiary carbocations stabilized by the 4,5-bis(dimethylamino)-1-naphthyl group, **6**, 1097

Unusual rearrangement upon dehydration of *cis*-4,7-diallyl-4,7-dihydroxy-4,7-dihydro[2.2]paracyclophane, **6**, 1133

#### Dehydroalanine

Asymmetric synthesis of *S*-alkyl-substituted (*R*)-cysteines via a chiral Ni<sup>II</sup> complex of the Schiff's base of dehydroalanine with (*S*)-2-*N*-(*N*-benzylpropyl)aminobenzophenone, **8**, 1460

#### Dehydrobromination

Practical synthesis of hex-5-ynoic acid from cyclohexanone, **1**, 81

Synthesis of [μ-methylenebis(η<sup>5</sup>-3-*tert*-butyl-2-methylinden-1-yl)]dichlorozirconium(iv), **5**, 942

#### *N*-Demethylation

*peri*-Naphthylenediamines. 28. Nitration of 1,8-bis(dimethylamino)naphthalene and 5,6-bis(dimethylamino)acenaphthene in neutral and weakly acidic media. The first case of isolation of *o*-nitro and *o,o'*-dinitro derivatives of "proton sponges", **7**, 1212

*peri*-Naphthylenediamines. 29. 1,8-Bis(dimethylamino)-3-nitro- and -3,6-dinitronaphthalenes and 5,6-bis(dimethylamino)-3-nitro- and -3,8-dinitroacenaphthenes as the first representatives of "proton sponges" *meta*-substituted relative to NMe<sub>2</sub> groups, **8**, 1399

#### Dendrimers

Model solid-state reactions for the formation of a peripheral layer of organometallic dendrimers. Solid-state α-ferrocenylethylation of phenols, **6**, 1106

#### Density functional theory

A DFT study of ethylene polymerization on zirconocene catalysts. 1. Model system [Cp<sub>2</sub>ZrEt]<sup>+</sup> + C<sub>2</sub>H<sub>4</sub>, **7**, 1164

A DFT study of ethylene polymerization on zirconocene catalysts. 2. Substituted zirconocene catalysts, **10**, 1735

Heteroorganic betaines. 5. A DFT study of the structure and reactivity of 6,6-dimethyl-6-silafulvene and silicon-containing organophosphorus betaine <sup>-</sup>C<sub>5</sub>H<sub>4</sub>SiMe<sub>2</sub>CH<sub>2</sub>PMe<sub>3</sub><sup>+</sup>, **11**, 1823

#### *N,N'*-Diacylated imidazolidines

New method for the synthesis of 2-substituted *N,N'*-diacylimidazolidines, **5**, 894

#### Dialkyl sulfates

Synthesis and transformations of metallocycles. 21. A novel method for the synthesis of 1,1-dialkylcyclopropanes, **6**, 1086

#### Dialkyl sulfides

Synthesis of the scalemic form of alkaloid (-)-diphthocarpamine, **3**, 569

#### Dialkyl(cycloalkyl)ammonium dialkyl(cycloalkyl)dithiocarbamates

Thiocarbamylation of amine-containing compounds. 5. The mechanism of reactions of tetramethylthiuram disulfide with aliphatic amines, **2**, 335

#### *N,N'*-Dialkylmethylenebis(nitramines)

Synthesis of *N,N'*-dialkylmethylenebis(nitramines) from *N*-alkylsulfamates, **6**, 1079

#### 1,3-Diallyl-5-[3-(diphenylphosphino)propyl]-1,3,5-triazine-2,4,6(1*H*,3*H*,5*H*)-trione

Influence of solvents on the molecular and crystal structure of the complex of 1,3-diallyl-5-[3-(diphenyl-

phosphino)propyl]-1,3,5-triazine-2,4,6(1*H*,3*H*,5*H*)-trione with palladium(II) dichloride, **7**, 1195

#### Diamines

Two-fragment α-adrenolytics. 3. Addition of primary amines to alkyl divinylphosphinates and phenyl(divinyl)phosphine oxide, **3**, 495

Synthesis and structures of nickel(II) trimethylacetate dimers with coordinated diamines, **11**, 1887

#### Diamonds

Thermodynamics of carbyne (review), **6**, 965

#### Diaryl sulfides

Reaction of sulfenamides with *N,N*-dimethylaniline in the presence of phosphorus(v) oxochloride, **1**, 180

#### Diaryldiazines

Thiocarbamylation of amine-containing compounds. 6. Reactions of tetramethylthiuram disulfide with hydrazones of aromatic aldehydes, **2**, 344

#### 2,6-Diaryl-4-(2,2-dichlorovinyl)pyridines

Synthesis of 2-aryl-6-(4-bromophenyl)-4-(2,2-dichlorovinyl)pyridines with the use of 1-aryl-5,5-dichloropenta-2,4-dien-1-ones, **5**, 954

#### Diastereoisomerism

Rearrangement products of some 1*R*,4*R*-2-arylidene-*p*-menthan-3-ones in acidic media, their structures, and conformational analysis, **7**, 1218

Reactions of cyclic enhydrazinoketones with arylidene derivatives of malononitrile. Synthesis of fused *N*-substituted 1,4-dihydropyridines, **7**, 1251

Unusual transformation of *N*-arylamino-1,4-dihydropyridines, **7**, 1318

Synthesis of optically active hydridocarbonyl triosmium clusters with terpene derivatives as ligands. Molecular structure and absolute configuration of a cluster with a bridging dihydroimidazole ligand, **8**, 1440

Synthesis of optically active analogs of α-tocopherol based on (*S*)-(+)-dihydromyrcene, **9**, 1620

#### Diastereoselectivity

Diastereoselective synthesis of polyfunctional compounds based on the tandem sequence of three *Ad<sub>E</sub>* reactions using cyclic vinyl ethers as first alkene components, **1**, 85

A novel polyfunctional chiral building block derived from (*S*)-ethyl lactate. Application to the synthesis of the sex pheromone of the southern corn rootworm (*Diabrotica undecimpunctata howardi*), **1**, 154

Stereochemical differentiation in the reactions of organometallic reagents with levoglucosenone and some of its dihydro derivatives, **7**, 1237

Asymmetric synthesis of *S*-alkyl-substituted (*R*)-cysteines via a chiral Ni<sup>II</sup> complex of the Schiff's base of dehydroalanine with (*S*)-2-*N*-(*N*-benzylpropyl)aminobenzophenone, **8**, 1460

#### Diatomic molecules

The influence of ultrashort excitations on the vibrational dynamics in a diatomic molecule, **12**, 1960

#### 1,5-Diaza-3,7-diphosphacyclooctanes

Synthesis, structures, and properties of 3,6-di-*tert*-butyl-*o*-benzosemiquinone complexes of copper(I) with 1,5-diaza-3,7-diphosphacyclooctanes, **10**, 1782

#### Diazene oxides

Electrosynthesis of diazene oxides under oxidation of nitramine anions at Pt in MeCN in the presence of nitrosobenzene, **8**, 1421

**Diaziridines**

Synthesis and structures of complexes of *N*-(2-aminoethyl)diaziridines with transition metal salts, **11**, 1882

**Diazomethanes**

The influence of substituents on the kinetics of the reaction of carbonyl oxides with benzaldehyde, **4**, 654

Kinetics, products, and mechanism of the reaction of diphenylcarbonyl oxide with sulfoxides, **9**, 1496

**Diazo-2-methylenecyclopropane**

Generation of diazo-2-methylenecyclopropane and its 1,3-dipolar cycloaddition to acrylates, **7**, 1207

**Dibenzotetrathiofulvalene**

Synthesis, crystal structure, and conducting properties of a new molecular conductor (DBTTF)<sub>11</sub>(TeCl<sub>6</sub>)<sub>4</sub>, **2**, 372

**Dibenzyl disulfides**

Novel synthesis of 2-arylbenzothiazoles, **11**, 1859

**Dibromoamine**

Synthesis of 5-bromo-4-dibromoamino-3-phenylisothiazole and its light-induced conversion into 3,7-diphenyl-bis(isothiazolo[4,5-*b*:4',5'-*e*]pyrazine, **5**, 956

**Dibromo-bis(2,8-dimethyl-6*H*,12*H*-5,11-methanodibenzo[*b*,*f*][1,5]diazocino)mercury(II)**

Asymmetric nitrogen. 82. Tröger base: study of its complex with HgBr<sub>2</sub> and its methiodide, **7**, 1241

**α,α-Dibromobutyrophenone**

Synthesis and crystal structure of dimethyl 2-benzoyl-2-ethyl-3-phenylcyclopropane-1,1-dicarboxylate, **12**, 2072

**5,6-Dibromohexanoic acid**

Practical synthesis of hex-5-ynoic acid from cyclohexanone, **1**, 81

**Dibromoisocyanuric acid**

Synthesis of 5-bromo-4-dibromoamino-3-phenylisothiazole and its light-induced conversion into 3,7-diphenyl-bis(isothiazolo[4,5-*b*:4',5'-*e*]pyrazine, **5**, 956

**Dichlorine monoxide**

The chemistry of naphthazarin derivatives. 6. Hydration of 2-oxo-2,3-dihydro-1,4-naphthoquinone derivatives in organic solvents, **3**, 466

**Dichlorobutenes**

Allylic isomerization of dichlorobutenes catalyzed by iron-containing nanoparticles stabilized in polymeric matrices, **5**, 852

**Dichlorodiphenylmethane**

Synthesis of bis-cyclopentadienyl compounds with a 9,9-fluorenylidene bridge. Crystal and molecular structure of [μ-9,9-Flu(η<sup>5</sup>-Cp)<sub>2</sub>]ZrCl<sub>2</sub>, **7**, 1287

**9,9-Dichlorofluorene**

Synthesis of bis-cyclopentadienyl compounds with a 9,9-fluorenylidene bridge. Crystal and molecular structure of [μ-9,9-Flu(η<sup>5</sup>-Cp)<sub>2</sub>]ZrCl<sub>2</sub>, **7**, 1287

**Dicyclohexyl-18-crown-6**

Extraction of amino acids with di(2-ethylhexyl)phosphoric acid in the presence of dicyclohexyl-18-crown-6, **5**, 952

**Dielectric constants**

The micellar effect of the sodium bis(2-ethylhexyl)sulfosuccinate—decane—water reverse system on the hydrolysis of phosphonic acid esters, **10**, 1696

**Diels—Alder reaction**

Dramatic solvent effect on the volume of the Diels—Alder reaction between tetracyanoethylene and cyclopentadiene, **6**, 1040

Cycloaddition of dialkylgermole: synthesis and structures of 2,2,3,3-tetracyano-1,4,5,6-tetraphenyl-7-germanorborn-5-enes, **7**, 1275

The kinetics and mechanism of cyclodimerization of 2-alkylthiopropenals, **12**, 1977

**Dienophiles**

[4+2]-Cycloaddition of 3,6-bis(3,5-dimethyl-4-*R*-pyrazol-1-yl)-1,2,4,5-tetrazines with alkenes, **2**, 355

**Diethylenetriamine**

Reactions of β-amino-β-polyfluoroalkylvinyl ketones with diethylenetriamine. Simple synthesis of 1,4,8-triazabicyclo[5.3.0]dec-4-ene derivatives, **8**, 1426

**Di(2-ethylhexyl)phosphoric acid**

Extraction of amino acids with di(2-ethylhexyl)phosphoric acid in the presence of dicyclohexyl-18-crown-6, **5**, 952

**1,3-Diferrocenylprop-2-ene-1-one**

Reaction of Ru<sub>3</sub>(CO)<sub>12</sub> with 1,3-diferrocenylprop-2-ene-1-one. Crystal and molecular structures of the complexes Ru<sub>3</sub>(CO)<sub>8</sub>(FcC=CHCOFc)<sub>2</sub> and [Ru(CO)<sub>2</sub>Cl(FcC=CHCOFc)]<sub>2</sub>, **9**, 1605

**Differential scanning calorimetry**

Preparation of highly dispersed copper oxide by thermal destruction of binuclear Cu<sup>II</sup> monofluoroacetate in zeolite Y cavities, **8**, 1365

Synthesis and investigation of polyphenyldimethylsiloxane block copolymers with bimodal chain length distribution of oligodimethylsiloxane blocks, **9**, 1531

**Diffusion**

The influence of hydrophobic amines on hydrolysis of bis(*p*-nitrophenyl) methylphosphonate in micellar solutions of cetylpyridinium bromide, **2**, 270

**Difluoroamine**

Synthesis of (difluoroamino)tetrazoles and [(difluoroamino)alkyl]tetrazoles, **5**, 949

**(Difluoroamino)tetrazoles**

Synthesis of (difluoroamino)tetrazoles and [(difluoroamino)alkyl]tetrazoles, **5**, 949

**2,2-Difluoroethanal**

*Ab initio* study of the structure of 2,2-difluoroethanal in the ground and lowest excited triplet electronic states, **6**, 984

**Difluoromethylphosphonates**

Reactions of ethyl 3-(diethoxyphosphoryl)-3,3-difluoropyruvate with some nucleophilic reagents, **7**, 1255

**Dihetarylethenes**

Photochromic dihetarylethenes. 4. The molecular and crystal structures of 1,2-bis(2-ethyl-5-ethylsulfonylthien-3-yl)perfluorocyclopentene and 1,2-bis[5-(benzooxazol-2-yl)-2-methylthien-3-yl]perfluorocyclopentene, **1**, 77

Photochromic dihetarylethenes. 5. Synthesis, structure, and photochromic properties of 4,4'-disubstituted 1,2-bis[2-ethyl-5-ethylthio(ethylsulfonyl)-3-thienyl]perfluorocyclopentenes, **10**, 1757

**1,3,2-Diheteraphosphorinanes**

Synthesis and biological activity of some 1,3,2-diheteraphosphorinanes and their acyclic analogs, **9**, 1593

**2-(4,5-Dihydrofur-3-yl)-1,3-diphenyl-1,3-diaza-2λ<sup>3</sup>-phospholidine**

Reaction of 2-(4,5-dihydrofur-3-yl)-1,3-diphenyl-1,3-diaza-2λ<sup>3</sup>-phospholidine with *C,N*-diphenylnitrimine, **1**, 129

**2,3-Dihydroperimidine**

The solid-state interaction of organometallic aldehydes with 1,8-naphthylenediamine, **1**, 148

**Dihydropyran**

Diastereoselective synthesis of polyfunctional compounds based on the tandem sequence of three  $Ad_E$  reactions using cyclic vinyl ethers as first alkene components, **1**, 85

**1,4-Dihydropyridazine**

[4+2]-Cycloaddition of 3,6-bis(3,5-dimethyl-4-R-pyrazol-1-yl)-1,2,4,5-tetrazines with alkenes, **2**, 355

**1,4-Dihydropyridines**

Reactions of cyclic enhydrazinoketones with arylidene derivatives of malononitrile. Synthesis of fused *N*-substituted 1,4-dihydropyridines, **7**, 1251

Unusual transformation of *N*-arylamino-1,4-dihydropyridines, **7**, 1318

**Dihydropyrroles**

$^{13}\text{C}$  and  $^1\text{H}$  NMR spectra of substituted dihydropyrroles prepared by the reaction of 2-aminooxazoles and maleimide, **4**, 701

**2,2-Dihydroxy-2,3-dihydro-1,4-naphthoquinone**

The chemistry of naphthazarin derivatives. 6. Hydration of 2-oxo-2,3-dihydro-1,4-naphthoquinone derivatives in organic solvents, **3**, 466

**11,12-Dihydroxydrim-8(9)-en-7-one**

Synthesis of 11-hydroxydrim-8(9)-en-7-one and 11,12-dihydroxydrim-8(9)-en-7-one from drim-8(9)-en-7-one, **1**, 98

**1-(1,2-Dihydroxyethyl)-1-isopropylcyclononadecane**

Unusual macrocyclic diol from *Stellaria media* (L.) Vill., **11**, 1908

 **$\beta$ -Diketones**

Synthesis, structure, and properties of piperidinium 3-(4-chlorophenyl)-2-cyano-3-(2-hydroxy-4,4-dimethyl-6-oxocyclohex-1-enyl)thiopropionimide, **4**, 736

Lengthening of O—H distance of the intramolecular O—H...O hydrogen bonds in molecular systems with conjugation, **4**, 758

Fluorescence and photochemical properties of crystalline boron difluoride  $\beta$ -diketonates, **6**, 1024

The structure of benzooldimedone from X-ray diffraction analysis, **6**, 1068

Synthesis of ethyl 3-oxo-2-(3,4,5-trifluoro-2,6-dimethoxybenzoyl)butyrate, **6**, 1090

Reactions of cyclic enhydrazinoketones with arylidene derivatives of malononitrile. Synthesis of fused *N*-substituted 1,4-dihydropyridines, **7**, 1251

**Dimerization**

3,5-Bis(ferrocenylmethylene)-1-methyl-4-methylene-piperidine. Synthesis and some chemical properties, **3**, 514

The reactivity of 3,5-dimethylidene-2,2,6,6-tetramethyl-4-oxopiperidin-1-oxyl and its diamagnetic *N*-methyl analog in nucleophilic addition of amines and Diels—Alder dimerization, **10**, 1682

New EPR signals of endohedral metallofullerenes, **10**, 1745

**1,4-(Dimethoxycarbonyl)cubane**

Cubane derivatives. 6. Synthesis of some substituted hydrazides of 1,4-cubanedicarboxylic acid, **9**, 1645

**Dimethyl 2-benzoyl-2-ethyl-3-phenylcyclopropane-1,1-dicarboxylate**

Synthesis and crystal structure of dimethyl 2-benzoyl-2-ethyl-3-phenylcyclopropane-1,1-dicarboxylate, **12**, 2072

**Dimethyl benzylidenemalonate**

Synthesis and crystal structure of dimethyl 2-benzoyl-2-ethyl-3-phenylcyclopropane-1,1-dicarboxylate, **12**, 2072

**Dimethyl malonate**

*N*-Methylmorpholinium 4-aryl-5-cyano-3-methoxycarbonyl-2-oxo-1,2,3,4-tetrahydropyridine-6-thiolates: synthesis and properties, **3**, 487

**Dimethyl sulfoxide**

Generation and capture of alkylchlorosilanones, **2**, 363

Specific features of the interaction of components in the DMSO—HBr—Pd<sup>0</sup> system, **10**, 1722

**1-(Dimethylamino)prop-1(2)-ene**

Multiple bond migration with participation of a protophilic agent. 5. Double bond migration in heteroallylic systems, **3**, 415

**5-Dimethylamino-1,3,4-thiadiazole-2-thiol**

Thiocarbonylation of amine-containing compounds. 6. Reactions of tetramethylthiuram disulfide with hydrazones of aromatic aldehydes, **2**, 344

***N,N*-Dimethylanilines**

Reaction of sulfenamides with *N,N*-dimethylaniline in the presence of phosphorus(v) oxochloride, **1**, 180

Photoreduction of *ortho*-benzoquinones in the presence of para-substituted *N,N*-dimethylanilines, **9**, 1506

**Dimethyldioxirane**

Oxidation of alcohols by dimethyldioxirane, **8**, 1332

The kinetic regularities, products, and mechanism of the thermal decomposition of dimethyldioxirane. The contribution of molecular and radical reaction channels, **8**, 1338

***N,N*-Dimethylformamide**

Structural peculiarities of particle solvation in *N,N*-dimethylformamide, **4**, 588

Complexes with strong symmetric hydrogen bonds and their solvation in the trifluoroacetic acid—*N,N*-dimethylformamide system studied by IR spectroscopy, **9**, 1526

**(*R*)-4-(2,6-Dimethylheptyl)benzoic acid**

Absolute configuration and anti-hypercholesterolemic activity of (+)- and (–)-4-(2,6-dimethylheptyl)benzoic acids, **7**, 1313

**(*S*)-(+)-3,7-Dimethylocta-1,6-diene ((*S*)-(+)-dihydromyrcene)**

Synthesis of optically active analogs of  $\alpha$ -tocopherol based on (*S*)-(+)-dihydromyrcene, **9**, 1620

Synthesis of derivatives of (*S*)-2-alkanols, components of pheromones of *Drosophila mulleri* and *Rhyzopertha dominica*, from (*S*)-(+)-3,7-dimethylocta-1,6-diene, **11**, 1899

**(*R*)-3,7-Dimethyloctanol**

Absolute configuration and anti-hypercholesterolemic activity of (+)- and (–)-4-(2,6-dimethylheptyl)benzoic acids, **7**, 1313

**(3*S*)-3,7-Dimethyloctan-2-one**

Synthesis of optically active analogs of  $\alpha$ -tocopherol based on (*S*)-(+)-dihydromyrcene, **9**, 1620

**(3*S*)-3,7-Dimethyloct-6-en-2-one**

Synthesis of (*S*)-6-methylhept-5-en-2-ol, the aggregation pheromone of *Gnathotrichus sulcatus*, **4**, 717

Synthesis of optically active analogs of  $\alpha$ -tocopherol based on (*S*)-(+)-dihydromyrcene, **9**, 1620

**1-(Dimethylphosphino)prop-1(2)-ene**

Multiple bond migration with participation of a protophilic agent. 5. Double bond migration in heteroallylic systems, **3**, 415

**Dimethylsilylene**

Complexation of paramagnetic intermediates formed in the photolysis of 7,7-dimethyl-1,4,5,6-tetraphenyl-2,3-benzo-7-silanorbornadiene: a study by spin chemistry methods, **3**, 421

***N,N*-Dimethylthiobenzamides**

Thiocarbamoylation of amine-containing compounds. 6. Reactions of tetramethylthiuram disulfide with hydrazones of aromatic aldehydes, **2**, 344

***S*-(*N,N*-Dimethylthiocarbamoyl)-*N*-alkyl(dialkyl)(cycloalkyl)-thiohydroxylamines**

Thiocarbamoylation of amine-containing compounds. 5. The mechanism of reactions of tetramethylthiuram disulfide with aliphatic amines, **2**, 335

**4,4-Dimethylthiosemicarbazide**

Thiocarbamoylation of amine-containing compounds. 6. Reactions of tetramethylthiuram disulfide with hydrazones of aromatic aldehydes, **2**, 344

***N,N*-Dimethylthiosemicarbazones**

Thiocarbamoylation of amine-containing compounds. 6. Reactions of tetramethylthiuram disulfide with hydrazones of aromatic aldehydes, **2**, 344

**4,6-Dinitro-2-trihalogenomethyl-2,3-dihydrobenzo[*b*]furans**

Synthesis of 4,6-dinitro-2-trihalogenomethyl-2,3-dihydrobenzo[*b*]furans, **3**, 573

**Diols**

Cyclic phosphorochloridites (chloridates) based on chiral butane-2,3-diol and dihydrobenzoin as reagents for the analysis of enantiomeric compositions of alcohols by <sup>31</sup>P NMR spectroscopy, **2**, 310

Asymmetric reduction of ketones with sodium aluminum hydride modified by various chiral diols, **3**, 460

**Diorganyl sulfides**

Ionization potentials of non-metal monosulfides. Conjugation in radical cations containing Group IV elements, **1**, 26

**Dioxetanes**

Back electron transfer in electron-exchange chemiluminescence of oxyaryl-substituted spiroadamantyl dioxetane, an analog of firefly bioluminescence, **4**, 659

 **$\beta$ -Dioximes**

3-(1,1-Dialkyl-2-hydroxyethyl)-5-hydroxyamino-5-trifluoromethyl- $\Delta_2$ -isoxazolines: the first representatives of  $\beta$ -dioximes existing in the cyclic form, **11**, 1910

**1,4-Dioxines**

The method of introducing correction factors into parameters of atom-atom potentials of intermolecular interaction used for calculation of thermodynamic characteristics of adsorption, **4**, 685

Reactions of 4-morpholino-1,2-naphthoquinone with enamines and *o*-phenylenediamine, **4**, 732

Specific features of resonance electron capture by the molecules of dibenzo-*p*-dioxin and its monochlorinated derivatives, **8**, 1489

 **$\beta,\beta'$ -Dioxo ester**

Synthesis of ethyl 3-oxo-2-(3,4,5-trifluoro-2,6-dimethoxybenzoyl)butyrate, **6**, 1090

**Dioxygen**

Formation of formic and acetic acids by low-temperature condensation of a mixture of methane and water vapor dissociated in MW discharge, **2**, 380

Complexation of paramagnetic intermediates formed in the photolysis of 7,7-dimethyl-1,4,5,6-tetraphenyl-2,3-benzo-7-silanorbornadiene: a study by spin chemistry methods, **3**, 421

The kinetics of oxidation of 1-chloro-2-(4-isopropylphenyl)-2-methylpropane by molecular oxygen, **6**, 1130

Oxygen effects in aqueous solutions of laccases: absorption spectra and reactivity, **8**, 1464

Uranyl-catalyzed chemiluminescent reaction of U<sup>4+</sup> oxidation by dioxygen in aqueous HClO<sub>4</sub> solution, **9**, 1512

A spectral study of the interaction of dioxygen with sublimed layers of manganese(II) *meso*-tetraphenylporphyrinate, **9**, 1540

A new mechanism of the dioxygen effect on ESR spectra of polyaniline, **10**, 1742

**Diphenylamines**

The influence of surfactants on the acid-base and redox properties of reagents of the diphenylamine series, **8**, 1380

***C,N*-Diphenylnitrilimine**

Reaction of 2-(4,5-dihydrofuran-3-yl)-1,3-diphenyl-1,3-diazol-2- $\lambda^3$ -phospholidine with *C,N*-diphenylnitrilimine, **1**, 129

***gem*-Diphosphonates**

Amino-substituted *gem*-diphosphonic acids: dissociation mechanism and the structure of species in aqueous solutions, **6**, 1045

**1,3-Dipolar cycloaddition**

Reactions of heterocyclic paramagnetic aldonitrone, 2,2,5,5-tetramethyl-3-imidazoline-1-oxyl 3-oxide, with alkynes, **1**, 116

Generation of diazo-2-methylenecyclopropane and its 1,3-dipolar cycloaddition to acrylates, **7**, 1207

**Dipole moments**

Thermochemistry of heteroatomic compounds. 17. Theoretical calculations of vaporization enthalpies for alkylphosphines and alkyl(aryl)phosphines, **1**, 33

Hydration and protonation of *O*-vinylacetoxime in the gas phase: an *ab initio* study, **4**, 601

**Disodium *o*-benzeneditelluroolate**

Synthesis of 2-substituted benzo-1,3-ditelluroles, **6**, 1127

**Dissociation mechanisms**

The kinetics of chemical reactions in the products of dissociation of the CO<sub>2</sub>-H<sub>2</sub> gas mixture in microwave discharge, **4**, 669

Amino-substituted *gem*-diphosphonic acids: dissociation mechanism and the structure of species in aqueous solutions, **6**, 1045

**Dissociative electron capture**

Processes of dissociative electron capture by 20-hydroxyecdysone molecules, **4**, 713

Specific features of resonance electron capture by the molecules of dibenzo-*p*-dioxin and its monochlorinated derivatives, **8**, 1489

**Disulfonium dications**

Synthetic potentialities of sulfonylsulfonium salts: a new approach to the preparation of disulfonium dications, **8**, 1415

**Dithienylethenes**

Photochromic dihetarylethenes. 4. The molecular and crystal structures of 1,2-bis(2-ethyl-5-ethylsulfonylthien-3-yl)perfluorocyclopentene and 1,2-bis[5-(benzooxazol-2-yl)-2-methylthien-3-yl]perfluorocyclopentene, **1**, 77

**Dithiobisamines**

Iodosulfenylation of olefins with sulfenamides in the presence of metal iodides, **9**, 1557

**Dodecacarbonyltriruthenium**

Reaction of  $\text{Ru}_3(\text{CO})_{12}$  with 1,3-diferrocenylprop-2-ene-1-one. Crystal and molecular structures of the complexes  $\text{Ru}_3(\text{CO})_8(\text{FcC}=\text{CHCOFc})_2$  and  $[\text{Ru}(\text{CO})_2\text{Cl}(\text{FcC}=\text{CHCOFc})]_2$ , **9**, 1605

**3(Z)-Dodecen-12-olide**

Synthesis of 3(Z)-dodecen-12-olide — an aggregation pheromone of the flat grain beetle *Cryptolestes pusillus* (Coleoptera: Cucujidae), **7**, 1297

**Dolichols**

A new version of the conversion of plant polyprenols into ( $\pm$ )-terpenols of the dolichol series, **8**, 1485

Synthesis of dolichyl phosphates with a fluorescent label in the  $\gamma$ -isoprene unit of the chain, **12**, 2065

**Donor-acceptor bond**

Acid-base properties of poly(1-vinylazoles) in aqueous solution, **12**, 2013

**Donor-acceptor complexes**

Coordination of nitroxyl radical probes to the Lewis acid sites on the surface of gallium oxide: a quantum-chemical analysis, **6**, 991

Oxygen effects in aqueous solutions of laccases: absorption spectra and reactivity, **8**, 1464

**Donor-acceptor electron-transport system**

Specific features of the interaction of components in the DMSO—HBr—Pd<sup>0</sup> system, **10**, 1722

Acid-base properties of poly(1-vinylazoles) in aqueous solution, **12**, 2013

**Drimane sesquiterpenoids**

Synthesis of 11-hydroxydrim-8(9)-en-7-one and 11,12-dihydroxydrim-8(9)-en-7-one from drim-8(9)-en-7-one, **1**, 98

Synthesis of isodrimenin from drim-8-en-7-one, **3**, 546

**Dubinín—Radushkevich equation**

Determination of the adsorption volume and surface of carbon adsorbents with developed mesoporosity, **4**, 692

**Dynamic NMR spectroscopy**

2-Phenyl-1-boraadamantane complexes. Synthesis and intramolecular dynamics, **3**, 499

*N,N*-Bis(*tert*-butyldimethylsilyloxy)aminobenzene as a new synthetic equivalent of nitrosobenzene, **9**, 1649

Synthesis and conversions of metallocycles. 22. NMR studies of the mechanism of  $\text{Cp}_2\text{ZrCl}_2$ -catalyzed cycloaluminum of olefins with triethylaluminum to form aluminacyclopentanes, **12**, 2051

**Dysprosium**

Photochemistry of f-element ions (review), **12**, 1925

**E****Ecdysteroids**

Processes of dissociative electron capture by 20-hydroxyecdysone molecules, **4**, 713

A new phytoecdysteroid, **11**, 1923

**Effective charge**

Structure and acid-basic properties of the surface of titanium oxides modified by phosphorus and aluminum and

prepared by the alkoxy method. 1. Structural organization of modified titanate systems, **11**, 1803

Structure and acid-basic properties of the surface of titanium oxides modified by phosphorus and aluminum and prepared by the alkoxy method. 2. Study of the active surface of titanium oxides, **12**, 2003

**Eicosanoids**

Synthetic study of hepoxilins. 9. Stereoselective total synthesis of trioxilin (10*S*,11*S*,12*S*)-B<sub>3</sub>, **3**, 549

**Electric discharge in gases**

Formation of formic and acetic acids by low-temperature condensation of a mixture of methane and water vapor dissociated in MW discharge, **2**, 380

The formation of formic acid upon low-temperature condensation of  $\text{CO}_2\text{—H}_2$  and  $\text{CO—H}_2\text{O}$  gas mixtures dissociated in electric discharge, **4**, 642

The kinetics of chemical reactions in the products of dissociation of the  $\text{CO}_2\text{—H}_2$  gas mixture in microwave discharge, **4**, 669

The formation of formic acid upon low-temperature condensation of a methane—carbon dioxide mixture dissociated in a microwave discharge, **5**, 823

**Electrochemical reduction**

Nitrile cleavage of heterocycle in the electrochemical reduction of 1-chloro-4-(isopropylthio)phthalazine, **1**, 183

Electrochemical reduction of some methanofullerenes. On the mechanism of the retro-Bingel reaction, **3**, 427

Peculiarities of electroreduction of *trans*-2-allyl-6-methyl(allyl,phenyl)-1,2,3,6-tetrahydropyridines, **12**, 2037

**Electrochemical synthesis**

Electrochemical methylation of a chelate anionic Ni<sup>I</sup> complex with methylcobaloxime. Partial modeling of the action mechanism of the active center of acetyl-CoA synthase, **1**, 56

Electrochemical synthesis and properties of  $\sigma$ -fluoroacyl and  $\sigma$ -perfluoroalkyl transition metal complexes, **2**, 375

The radical cation of hydrogen sulfide and related organic reactions, **7**, 1178

**Electroconductivity**

The nature and dynamics of nonlinear excitations in conducting polymers. Polyaniline (review), **2**, 207

Homopolycondensation of 1-halogenopropane-2-thiones, **2**, 332

Sulfurization of polymers. 2. Polythienothiophene and related structures from polyethylene and elemental sulfur, **5**, 863

**Electron affinity**

Quantum-chemical studies of catalysts immobilized on silica. The complex  $\text{Cu}(\text{OSiH}_3)_2 \cdot 2\text{H}_2\text{O}$  as a model of catalytically active polycopperphenylsiloxanes, **9**, 1491

**Electron density**

Electron density distribution in the crystal of the Meisenheimer complex of potassium 3-methyl-5',7'-dinitro-5',8'-dihydrospiro(1,3-oxazolidine-2,8'-quinolinide) based on X-ray diffraction data at 153 K, **3**, 452

Molecular and crystal structure of the clathrochelate complex  $\text{FeDm}_3(\text{BF})_2 \cdot \text{C}_6\text{H}_6$  and parameters of its <sup>57</sup>Fe Mössbauer spectra, **12**, 2018

**Electron impact**

Mass spectra of new groups of functionalized heterocycles. 3. 3-Alkyl- and 5-alkyl-2-thienylamines, **9**, 1548

**Electron microscopy**

Microstructure and surface composition of corn starch cryogels with sorbed organic flavoring agents, **2**, 314

**Electron transfer**

Back electron transfer in electron-exchange chemiluminescence of oxyaryl-substituted spiroadamantyl dioxetane, an analog of firefly bioluminescence, **4**, 659

Oxygen effects in aqueous solutions of laccases: absorption spectra and reactivity, **8**, 1464

**Electron transitions**

Electrochemical potentials, optical transitions, and frontier orbitals of non-bridged and bridged bent sandwich zirconocene complexes, **6**, 1037

**Electronegativity**

Electronegativity of atoms of ring-containing molecules—NMR spectroscopy data correlations: a description within the framework of topological index approach, **3**, 402

**Electronic absorption spectra**

Synthesis and crystal structure of a new molecular complex of fullerene  $C_{70}$ ,  $4BNDY \cdot 3C_{70} \cdot 4C_6H_6$  (BNDY is binaphtho[1,8-*d,e*]-1,3-dithiin-2-ylidene), **1**, 102

Effect of  $\gamma$ -substitution on the thermoluminescence properties of terbium(III) acetylacetonate complexes with 1,10-phenanthroline, **2**, 291

Formation of color centers and paramagnetic species by alkaline hydrolysis of polydiphenylsulfophthalide, **2**, 298

Electronic absorption spectra of charge-transfer complexes and effects of substituents in radical cations, **6**, 997

Calculation of activation-controlled reaction rate constants from parameters of electronic absorption spectra of ion pairs, **6**, 1002

Electrochemical potentials, optical transitions, and frontier orbitals of non-bridged and bridged bent sandwich zirconocene complexes, **6**, 1037

Oxygen effects in aqueous solutions of laccases: absorption spectra and reactivity, **8**, 1464

A spectral study of the interaction of dioxygen with sublimed layers of manganese(II) *meso*-tetraphenylporphyrinate, **9**, 1540

Color centers in poly(arylenesulfophthalides) and the ground state of Muller's hydrocarbon molecule, **10**, 1676

Aqueous solutions of colloidal nickel: radiation-chemical preparation, absorption spectra, and properties, **10**, 1715

Photochromic dihetarylethenes. 5. Synthesis, structure, and photochromic properties of 4,4'-disubstituted 1,2-bis[2-ethyl-5-ethylthio(ethylsulfonyl)-3-thienyl]perfluorocyclopentenes, **10**, 1757

**Electronic excitation**

Kinetics of the radiative relaxation of the highly excited  $C_{60}^{+*}$  ion, **2**, 276

**Electronic states**

*Ab initio* study of the structure of 2,2-difluoroethanal in the ground and lowest excited triplet electronic states, **6**, 984

The influence of ultrashort excitations on the vibrational dynamics in a diatomic molecule, **12**, 1960

**Electronic structure**

X-Ray spectroscopic study of graphite fluoride  $(C_2F)_n$  intercalated with benzene, **4**, 709

Electronic structure and stability of polymorphous modifications of titanium monocarbide, **10**, 1796

**Electrooxidation**

Electrosynthesis of diazene oxides under oxidation of nitramine anions at Pt in MeCN in the presence of nitrosobenzene, **8**, 1421

**Electrophile-induced activation**

Mechanism of methane activation by electrophiles generated in the  $AlBr_3$  system: an MNDO/PM3 study of the potential energy surface of the  $[AlBr_3 + CH_4]$  system, **5**, 799

**Electrophilic addition**

Diastereoselective synthesis of polyfunctional compounds based on the tandem sequence of three  $Ad_E$  reactions using cyclic vinyl ethers as first alkene components, **1**, 85

Iodosulfenylation of olefins with sulfenamides in the presence of metal iodides, **9**, 1557

**Electrophilic nitration**

2-Polyfluoroalkylchromones. 5. Nitration and chlorination of 2-trifluoromethylchromones, **12**, 2074

**Electrophilic rearrangement**

Reversible  $C \rightleftharpoons N$  migration of the ethoxycarbonyl group in pyridinium ylides, **8**, 1490

**Electrophysical properties of surface**

Properties of polymer track membranes modified by grafting with poly(2-methyl-5-vinylpyridine) and poly(*N*-isopropylacrylamide), **5**, 856

**Elimination**

On the mechanism of titanium-catalyzed cyclopropanation of esters with aliphatic organomagnesium compounds. Deuterium distribution in the reaction products of  $(CD_3)_2CHMgBr$  with ethyl 3-chloropropionate in the presence of titanium tetraisopropoxide, **2**, 378

Synthesis of 3-substituted cyclopenta[*b*]indoles, **10**, 1767

**Enamines**

[4+2]-Cycloaddition of 3,6-bis(3,5-dimethyl-4-*R*-pyrazol-1-yl)-1,2,4,5-tetrazines with alkenes, **2**, 355

Reactions of 4-morpholino-1,2-naphthoquinone with enamines and *o*-phenylenediamine, **4**, 732

**Enaminoketones**

Reactions of heterocyclic paramagnetic aldonitrone, 2,2,5,5-tetramethyl-3-imidazoline-1-oxyl 3-oxide, with alkynes, **1**, 116

Reactions of chloro-substituted enaminoketones, *viz.*, derivatives of imidazolidine nitroxides, with sodium cyanide, **5**, 899

**Enantiomer discrimination**

Cyclic phosphorochloridites (chloridates) based on chiral butane-2,3-diol and dihydrobenzoin as reagents for the analysis of enantiomeric compositions of alcohols by  $^{31}P$  NMR spectroscopy, **2**, 310

Asymmetric reduction of ketones with sodium aluminum hydride modified by various chiral diols, **3**, 460

Enantioselective hydrogenation of  $\beta$ -keto esters catalyzed by chiral binaphthylbisphosphine ruthenium complexes, **4**, 728

Separation of racemic *closo*-3,3-( $\eta^{3,2}$ -norbornadienyl)rhodacarboranes into enantiomers by HPLC on chiral stationary phases, **4**, 759

Efficient resolution of ( $\pm$ )-pantolactone by inclusion crystallization with the use of chiral 1,1,2-triphenylethane-1,2-diol, **8**, 1483

**"Ene" addition**

3-Alkenyl-5-ferrocenyl-2-pyrazolines in reactions with azodicarboxylic acid *N*-phenylimide, **5**, 906



**Ene hydrazinoketones**

Reactions of cyclic enhydrazinoketones with arylidene derivatives of malononitrile. Synthesis of fused *N*-substituted 1,4-dihydropyridines, **7**, 1251

**Energy transfer**

Pyrene sensitized phosphorescence enhanced by the heavy atom effect in the water—heptane—sodium dodecyl sulfate—pentanol microemulsion, **9**, 1518

**Enthalpy of formation**

Thermodynamics of carbyne (review), **6**, 965

Thermochemistry of heteroatomic compounds. 18. The enthalpies of vaporization, solvation, and formation of isomeric 2,5-dimethyl-1-phenyl-1-thioxophosphorinan-4-ones, **9**, 1522

**Enthalpy of reaction**

Dramatic solvent effect on the volume of the Diels—Alder reaction between tetracyanoethylene and cyclopentadiene, **6**, 1040

**Enthalpy of solvation**

Dramatic solvent effect on the volume of the Diels—Alder reaction between tetracyanoethylene and cyclopentadiene, **6**, 1040

Thermochemistry of heteroatomic compounds. 18. The enthalpies of vaporization, solvation, and formation of isomeric 2,5-dimethyl-1-phenyl-1-thioxophosphorinan-4-ones, **9**, 1522

**Enthalpy of vaporization**

Thermochemistry of heteroatomic compounds. 17. Theoretical calculations of vaporization enthalpies for alkylphosphines and alkyl(aryl)phosphines, **1**, 33

Thermochemistry of heteroatomic compounds. 18. The enthalpies of vaporization, solvation, and formation of isomeric 2,5-dimethyl-1-phenyl-1-thioxophosphorinan-4-ones, **9**, 1522

**Entropy**

Thermodynamic quantities of adsorption described by Freundlich isotherm, **1**, 178

Thermodynamic properties of some polymeric forms of fullerite C<sub>60</sub> at temperatures ranging from 0 to 320 K, **2**, 280

Thermodynamic parameters of adsorption of adamantane and its derivatives on graphitized thermal carbon black, **12**, 1988

**Enzymatic catalysis**

Oxygen effects in aqueous solutions of laccases: absorption spectra and reactivity, **8**, 1464

**Epichlorohydrin**

Synthesis and nitration of condensation products of sulfamates with aliphatic amines and formaldehyde, **6**, 1082

**Episulfonium ion**

Diastereoselective synthesis of polyfunctional compounds based on the tandem sequence of three *Ad<sub>E</sub>* reactions using cyclic vinyl ethers as first alkene components, **1**, 85

**Epoxides**

Synthesis of (*S*)-6-methylhept-5-en-2-ol, the aggregation pheromone of *Gnathotrichus sulcatus*, **4**, 717

Reactions of chloro-substituted enaminketones, *viz.*, derivatives of imidazolidine nitroxides, with sodium cyanide, **5**, 899

**Epoxyalcohols**

New approach to cyclic sulfites and sulfates through reactions of sulfur oxychlorides with glycidols, **9**, 1575

**ESR spectroscopy**

Rate constants for reactions of Cl abstraction from CCl<sub>4</sub> by CCl<sub>3</sub>CH<sub>2</sub>·CHR radicals and Br abstraction from CCl<sub>3</sub>CH<sub>2</sub>CHBrR (R = Bu<sup>n</sup>, AcO, OCNC<sub>4</sub>H<sub>8</sub>, CN) by ·Re(CO)<sub>5</sub> radicals, **1**, 46

The nature and dynamics of nonlinear excitations in conducting polymers. Polyaniline (review), **2**, 207

Formation of color centers and paramagnetic species by alkaline hydrolysis of polydiphenylenesulfophthalide, **2**, 298

Homopolycondensation of 1-halogenopropane-2-thiones, **2**, 332

Formation of formic and acetic acids by low-temperature condensation of a mixture of methane and water vapor dissociated in MW discharge, **2**, 380

Evaluation of MNDO approximation in quantum-chemical calculations of *g*-tensors of free radicals, **4**, 605

The formation of formic acid upon low-temperature condensation of CO<sub>2</sub>—H<sub>2</sub> and CO—H<sub>2</sub>O gas mixtures dissociated in electric discharge, **4**, 642

The kinetics of chemical reactions in the products of dissociation of the CO<sub>2</sub>—H<sub>2</sub> gas mixture in microwave discharge, **4**, 669

ESR study of the photolysis of C<sub>60</sub>Cl<sub>6</sub>, **4**, 753

The formation of formic acid upon low-temperature condensation of a methane—carbon dioxide mixture dissociated in a microwave discharge, **5**, 823

Reactions of photogenerated fluorine atoms with molecules trapped in solid argon. 3. Formation of stabilized ·NH<sub>2</sub> radicals and ·NH<sub>2</sub>—HF radical-molecule complexes in the reactions of fluorine atoms with NH<sub>3</sub> molecules, **5**, 829

ESR study of spin-adducts of phosphoryl radicals with methano[60]fullerenes, **5**, 843

A study of alkyl radicals in the matrix of polycrystalline n-alkane  $\gamma$ -irradiated at 77 K. 1. Effect of chain length on ESR spectra of  $\gamma$ -irradiated linear alkanes, **6**, 1028

Models of slow rotational mobility of paramagnetic probes in glassy media, **6**, 1059

The radical cation of hydrogen sulfide and related organic reactions, **7**, 1178

Preparation of highly dispersed copper oxide by thermal destruction of binuclear Cu<sup>II</sup> monofluoroacetate in zeolite Y cavities, **8**, 1365

Determination of the rate constants of addition of ·P(O)(OPr<sup>i</sup>)<sub>2</sub> radicals to fullerenes C<sub>60</sub> and C<sub>70</sub>, **9**, 1642

A new mechanism of the dioxygen effect on ESR spectra of polyaniline, **10**, 1742

New EPR signals of endohedral metallofullerenes, **10**, 1745

Synthesis, structures, and properties of 3,6-di-*tert*-butyl-*o*-benzosemiquinone complexes of copper(I) with 1,5-diaza-3,7-diphosphacyclooctanes, **10**, 1782

Investigation of structures of mono- and diorgano-substituted oligosiloxanes containing transition metal atoms, **10**, 1789

Synthesis, structures, and spectral properties of biomimetic azomethine metal chelates with chromophores CuN<sub>2</sub>S<sub>2</sub>, CuN<sub>2</sub>O<sub>2</sub>, and CuN<sub>2</sub>Se<sub>2</sub>. Crystal structure of bis[4-(benzyl)-aldimino-3-methyl-1-phenyl-5-pyrazolothiolato]copper(II), **11**, 1863

Synthesis and properties of homoleptic 2,2'-bipyridyl complexes of rare-earth elements. Crystal and molecular struc-

tures of the complexes  $\text{Ln}(\text{N}_2\text{C}_{10}\text{H}_8)_4$  ( $\text{Ln} = \text{Sm}, \text{Eu}, \text{Yb}$ , or  $\text{Lu}$ ) and the ionic complex  $[\text{Lu}(\text{N}_2\text{C}_{10}\text{H}_8)_4][\text{Li}(\text{THF})_4]$ , **11**, 1869

#### Esterase inhibitors

Synthesis and biological activity of some 1,3,2-diheteraphosphorinanes and their acyclic analogs, **9**, 1593

#### Esters, of carboxylic acids

Reactions of calix[4]resorcinolarene anions with esters of carboxylic acids in  $\text{H}_2\text{O}$ —DMF solvent, **2**, 261

Some features of an  $\text{SmI}_2$ — $(\text{Me}_2\text{N})_3\text{P}$ —THF system. Transformation of esters into dimethylamides, **2**, 329

On the mechanism of titanium-catalyzed cyclopropanation of esters with aliphatic organomagnesium compounds. Deuterium distribution in the reaction products of  $(\text{CD}_3)_2\text{CHMgBr}$  with ethyl 3-chloropropionate in the presence of titanium tetrakisopropoxide, **2**, 378

Isokinetic relationships for nucleophilic substitution reactions at the saturated carbon atom. Reactions in aqueous solutions, **5**, 806

Oxidation of aliphatic alcohols with the lead tetraacetate—metal halide system under mechanical activation, **11**, 1842

#### Esters, of phosphorus acids

Kinetics of alkaline hydrolysis of ethyl *p*-nitrophenyl ethylphosphonate in the reverse micellar system: sodium dodecyl sulfate—hexanol—water, **2**, 265

The reaction of 2-aminomethylphenols and their copper(II) complexes with esters of phosphorus acids, **8**, 1349

Catalytic activity of aminomethylated calix[4]resorcinolarene aggregates in hydrolysis of esters of phosphorus acids, **8**, 1355

#### 3-Ethoxalyl-5,6,7,8-tetrafluoroquinolin-4-ones

Synthesis of *N*-substituted 2-(5,6,7,8-tetrafluoro-4-oxo-1,4-dihydroquinolin-3-yl)glyoxylic acids, **7**, 1231

#### Ethoxide anion

Reactions of 4-chloromethyl-1,3,2-dioxathiolane 2-oxides with sodium phenoxide. A reinvestigation, **10**, 1753

#### Ethoxyethene ("vinylethyl ether")

Synthesis of 3-hydroxy-1-methyl-2-(methylthio)pyrrole from methyl isothiocyanate and prop-2-yn-1-ol, **9**, 1634

#### 1-(1-Ethoxyethoxy)allene

Synthesis of 3-hydroxy-1-methyl-2-(methylthio)pyrrole from methyl isothiocyanate and prop-2-yn-1-ol, **9**, 1634

#### 2-(1-Ethoxyethoxy)buta-2,3-dienimidothioate

Synthesis of 3-hydroxy-1-methyl-2-(methylthio)pyrrole from methyl isothiocyanate and prop-2-yn-1-ol, **9**, 1634

#### Ethyl acetate

IR study of ion-molecular interactions in the system methanesulfonic acid—ethyl acetate, **2**, 295

#### Ethyl alkyl(phenyl)phosphinites

Two-fragment  $\alpha$ -adrenolytics. 2. Synthesis of alkyl(phenyl)- $[\omega$ -(*N*-phenylpiperazino)alkyl]phosphine oxides, **3**, 490

#### Ethyl 4-(*R*-amino)-2-oxo-3-pentafluorobenzoylbut-3-enoates

Synthesis of *N*-substituted 2-(5,6,7,8-tetrafluoro-4-oxo-1,4-dihydroquinolin-3-yl)glyoxylic acids, **7**, 1231

#### Ethyl butyrolacetate

Three-component condensation in the synthesis of 4-(2-chlorophenyl)-3-cyano-5-ethoxycarbonyl-6-propyl-3,4-dihydropyridine-2(1*H*)-thione, **1**, 176

#### Ethyl 4-chloro-3-hydroxybutyrate

Enantioselective hydrogenation of  $\beta$ -keto esters catalyzed by chiral binaphthylbisphosphine ruthenium complexes, **4**, 728

#### Ethyl 3-(diethoxyphosphoryl)-3,3-difluoro-2-oxopropionate

Reactions of ethyl 3-(diethoxyphosphoryl)-3,3-difluoropyruvate with some nucleophilic reagents, **7**, 1255

#### (*S*)-(–)-Ethyl lactate

A novel polyfunctional chiral building block derived from (*S*)-ethyl lactate. Application to the synthesis of the sex pheromone of the southern corn rootworm (*Diabrotica undecimpunctata howardi*), **1**, 154

#### Ethyl pentafluorobenzoylpyruvate

Synthesis of *N*-substituted 2-(5,6,7,8-tetrafluoro-4-oxo-1,4-dihydroquinolin-3-yl)glyoxylic acids, **7**, 1231

#### Ethylbenzene

Regularities of formation and catalytic properties of supported cobaltites in the oxidation of CO and hydrocarbons and in the reduction of nitrogen oxides, **9**, 1536

#### Ethylene

Effect of substituents on the catalytic properties of bis(cyclopentadienyl)zirconium dichloride complexes with polymethylaluminumoxane and  $\text{AlBu}_3/\text{CPh}_3\text{B}(\text{C}_6\text{F}_5)_4$  cocatalysts in ethylene polymerization, **2**, 303

Ruthenium phosphine complexes as catalysts of alternating copolymerization of ethylene and carbon monoxide, **6**, 1113

A DFT study of ethylene polymerization on zirconocene catalysts. 1. Model system  $[\text{Cp}_2\text{ZrEt}]^+ + \text{C}_2\text{H}_4$ , **7**, 1164

Highly active three-component catalytic systems based on dialkylzirconocenes, triisobutylaluminum, and perfluorophenyl borates for synthesis of low-molecular-weight polyethylene, **7**, 1185

New synthesis of (*Z*)-5- and (*Z*)-7-monoene components of insect sex pheromones of the Lepidoptera order, **7**, 1301

An *ab initio* quantum-chemical study of proton addition to  $\text{F}$ -,  $\text{CH}_3$ -, and  $\text{CF}_3$ -substituted ethylene derivatives, **8**, 1327

#### Ethylenediamine

Reactions of aliphatic  $\beta$ -amino- $\beta$ -(trichloromethyl)vinyl ketones with ethylenediamine. Synthesis and structures of 2-acetylidenimidazolidines, **7**, 1245

#### *N*-[1-(Ethylothio)ethylidene]urea

Reaction of (alkylthio)chloroacetylenes with thiourea, **7**, 1319

#### Europium

Molecular hydrides of samarium and europium  $\text{LnH}_2(\text{THF})_2$  ( $\text{Ln} = \text{Sm}$  or  $\text{Eu}$ ): synthesis and properties, **5**, 946

Photochemistry of f-element ions (review), **12**, 1925

#### EXAFS spectroscopy

An EXAFS study of the molecular structure of heterometallic chalcogenide clusters, **8**, 1389

Synthesis, structures, and spectral properties of biomimetic azomethine metal chelates with chromophores  $\text{CuN}_2\text{S}_2$ ,  $\text{CuN}_2\text{O}_2$ , and  $\text{CuN}_2\text{Se}_2$ . Crystal structure of bis[4-(benzyl)-aldimino-3-methyl-1-phenyl-5-pyrazolothiolato]copper(II), **11**, 1863

#### Exchange reactions

Exchange reaction of oxiranes with  $\beta$ -hydroxyalkyl sulfides, selenides, -amines, and -phosphines (review), **4**, 579

#### Excimer fluorescence

Excimer fluorescence and structures of the inclusion complexes of  $\beta$ -cyclodextrin with naphthalene and its derivatives, **10**, 1699

#### Excited states

Back electron transfer in electron-exchange chemiluminescence of oxyaryl-substituted spiroadamantyl dioxetane, an analog of firefly bioluminescence, **4**, 659

**Extraction**

Extraction of amino acids with di(2-ethylhexyl)phosphoric acid in the presence of dicyclohexyl-18-crown-6, **5**, 952

New EPR signals of endohedral metallofullerenes, **10**, 1745

**F****FAB mass spectrometry**

New flavonoid oligoside from *Aconitum barbatum* Pers., **11**, 1905

**g-Factor**

The nature and dynamics of nonlinear excitations in conducting polymers. Polyaniline (review), **2**, 207

**Fatty acids**

Structural characterization of gentiobiosyl diglycerides from *Bacillus pumilus* associated with ascidia *Halocynthia aurantium*, **1**, 169

**Femtochemistry**

The influence of ultrashort excitations on the vibrational dynamics in a diatomic molecule, **12**, 1960

**Ferracarboranes**

Electrophilic substitution reactions of ferracarborane 3-( $\eta^5$ -Cp)-4-SMe<sub>2</sub>-3,1,2-FeC<sub>2</sub>B<sub>9</sub>H<sub>10</sub>, **9**, 1598

**Ferrocenes**

3,5-Bis(ferrocenylmethylene)-1-methyl-4-methylene-piperidine. Synthesis and some chemical properties, **3**, 514

3-Alkenyl-5-ferrocenyl-2-pyrazolines in reactions with azodicarboxylic acid *N*-phenylimide, **5**, 906

Synthesis of ferrocenylacetylide derivatives of gold-ruthenium and gold-osmium clusters. Crystal structures of M<sub>3</sub>(AuPPh<sub>3</sub>)(C≡CFc)(CO)<sub>9</sub> (M = Ru or Os; Fc is ferrocenyl), **7**, 1292

Reactions of 1,4-diphenylbut-1-en-3-yne and 1,4-diferrocenylbuta-1,3-diyne with Ru<sub>3</sub>(CO)<sub>10</sub>( $\mu$ -dppm). Unusual structures of the clusters Ru<sub>3</sub>(CO)<sub>5</sub>( $\mu$ -CO)( $\mu$ -dppm){ $\mu_3$ -C<sub>4</sub>Ph<sub>2</sub>(CH=CHPh)<sub>2</sub>} (two isomers) and Ru<sub>3</sub>(CO)<sub>5</sub>( $\mu$ -CO)( $\mu$ -dppm){ $\mu_3$ -C<sub>4</sub>Fc<sub>2</sub>(C≡CFc)<sub>2</sub>}}, **7**, 1321

Photochemical transformations of 3-alkyl-3-ferrocenyl-cyclopropenes, **12**, 2059

**Ferromagnetism**

Magnetic properties of binuclear high-spin trimethylacetate nickel(II) complexes, **3**, 438

**Flash photolysis**

Kinetics, products, and mechanism of the reaction of diphenylcarbonyl oxide with sulfoxides, **9**, 1496

**Flash radiolysis**

Oxygen effects in aqueous solutions of laccases: absorption spectra and reactivity, **8**, 1464

**Flavonoids**

New flavonoid oligoside from *Aconitum barbatum* Pers., **11**, 1905

**Fluoral**

Synthesis of 4,6-dinitro-2-trihalogenomethyl-2,3-dihydrobenzo[*b*]furans, **3**, 573

**Fluorescence**

The mechanisms of photochromic transformations of 2-indolylfulgides, **6**, 1020

Fluorescence and photochemical properties of crystalline boron difluoride  $\beta$ -diketonates, **6**, 1024

Excimer fluorescence and structures of the inclusion complexes of  $\beta$ -cyclodextrin with naphthalene and its derivatives, **10**, 1699

Photoinitiated processes in 1-*p*-tolylsulfonylazo-2,4,6,8-tetrakis(*tert*-butyl)phenoxazine, **12**, 1981

Synthesis of dolichyl phosphates with a fluorescent label in the  $\gamma$ -isoprene unit of the chain, **12**, 2065

**Fluorination products**

Laser flash photolysis of fluorinated arylazides in neutral and acidic solutions, **1**, 50

Electrochemical synthesis and properties of  $\sigma$ -fluoroacetyl and  $\sigma$ -perfluoroalkyl transition metal complexes, **2**, 375

Proton affinities of fluoro derivatives of benzene, toluene, and *m*-xylene from *ab initio* MP2 calculations, **11**, 1820

**Fluorine atoms**

Reactions of photogenerated fluorine atoms with molecules trapped in solid argon. 3. Formation of stabilized  $\cdot$ NH<sub>2</sub> radicals and  $\cdot$ NH<sub>2</sub>-HF radical-molecule complexes in the reactions of fluorine atoms with NH<sub>3</sub> molecules, **5**, 829

Synthesis of (difluoroamino)tetrazoles and [(difluoroamino)alkyl]tetrazoles, **5**, 949

**Force field**

Molecular structures of acetylene derivatives of tin. 6. Molecular structure of bis(trimethylstannyl)acetylene and analysis of vibrational spectra of its isotopomers by scaling of quantum-chemical force field, **4**, 620

**Formaldehyde**

Synthesis of [ $\mu$ -methylenebis( $\eta^5$ -3-*tert*-butyl-2-methylinden-1-yl)]dichlorozirconium(IV), **5**, 942

Synthesis of *N,N'*-dialkylmethylenebis(nitramines) from *N*-alkylsulfamates, **6**, 1079

**Formation of the N—N bond**

New approach to the synthesis of benzo[*e*][1,2,3,4]tetrazine 1,3-dioxides, **3**, 482

**Formic acid**

Formation of formic and acetic acids by low-temperature condensation of a mixture of methane and water vapor dissociated in MW discharge, **2**, 380

The formation of formic acid upon low-temperature condensation of CO<sub>2</sub>-H<sub>2</sub> and CO-H<sub>2</sub>O gas mixtures dissociated in electric discharge, **4**, 642

The formation of formic acid upon low-temperature condensation of a methane-carbon dioxide mixture dissociated in a microwave discharge, **5**, 823

**Formyl derivatives of benzothiacrown compounds**

Template effect in the synthesis of formyl derivatives of benzothiacrown compounds, **11**, 1853

***N*-Formylgalactosamine**

Gangliosides from the starfish *Evasterias echinosoma*: identification of a disialoganglioside containing 8-*O*-methyl-*N*-acetylneuraminic acid and *N*-formylgalactosamine, **1**, 159

**Fractal dimension**

Fractality of materials based on silica gel, **5**, 778

**Fragmentation**

3,5-Bis(ferrocenylmethylene)-1-methyl-4-methylene-piperidine. Synthesis and some chemical properties, **3**, 514

Mass spectra of new groups of functionalized heterocycles. 3. 3-Alkyl- and 5-alkyl-2-thienylamines, **9**, 1548

**Free energy of electron transfer**

Photoreduction of *ortho*-benzoquinones in the presence of para-substituted *N,N*-dimethylanilines, **9**, 1506

**Free radicals**

- Stable vinylnitroxyl radicals, pyrroline derivatives, **1**, 106
- Formation of color centers and paramagnetic species by alkaline hydrolysis of polydiphenylenesulfophthalide, **2**, 298
- The chemistry of naphthazarin derivatives. 6. Hydration of 2-oxo-2,3-dihydro-1,4-naphthoquinone derivatives in organic solvents, **3**, 466
- Evaluation of MNDO approximation in quantum-chemical calculations of  $g$ -tensors of free radicals, **4**, 605
- The formation of formic acid upon low-temperature condensation of  $\text{CO}_2\text{--H}_2$  and  $\text{CO--H}_2\text{O}$  gas mixtures dissociated in electric discharge, **4**, 642
- ESR study of spin-adducts of phosphoryl radicals with methano[60]fullerenes, **5**, 843
- Reactions of photogenerated fluorine atoms with molecules trapped in solid argon. 3. Formation of stabilized  $\cdot\text{NH}_2$  radicals and  $\cdot\text{NH}_2\text{--HF}$  radical-molecule complexes in the reactions of fluorine atoms with  $\text{NH}_3$  molecules, **5**, 829
- A study of alkyl radicals in the matrix of polycrystalline  $n$ -alkane  $\gamma$ -irradiated at 77 K. 1. Effect of chain length on ESR spectra of  $\gamma$ -irradiated linear alkanes, **6**, 1028
- Models of slow rotational mobility of paramagnetic probes in glassy media, **6**, 1059
- Oxidation of alcohols by dimethyldioxirane, **8**, 1332
- Identification of intermediates in the reaction of 2-thenyl halides with magnesium, **9**, 1544
- Determination of the rate constants of addition of  $\cdot\text{P(O)(OPr}^i)_2$  radicals to fullerenes  $\text{C}_{60}$  and  $\text{C}_{70}$ , **9**, 1642

**Fullerenes**

- Synthesis and crystal structure of a new molecular complex of fullerene  $\text{C}_{70}$ ,  $4\text{BNDY} \cdot 3\text{C}_{70} \cdot 4\text{C}_6\text{H}_6$  (BNDY is binaphtho[1,8-*d,e*]-1,3-dithiin-2-ylidene), **1**, 102
- Kinetics of the radiative relaxation of the highly excited  $\text{C}_{60}^{+*}$  ion, **2**, 276
- Synthesis, crystal structure, and spectral studies of the molecular complex of [60]fullerene with chloro(triphenylphosphine)gold(I),  $\text{C}_{60} \cdot 2[(\text{Ph}_3\text{P})\text{AuCl}]$ , **2**, 367
- Electrochemical reduction of some methanofullerenes. On the mechanism of the retro-Bingel reaction, **3**, 427
- ESR study of spin-adducts of phosphoryl radicals with methano[60]fullerenes, **5**, 843
- Thermodynamics of carbyne (review), **6**, 965
- Determination of the rate constants of addition of  $\cdot\text{P(O)(OPr}^i)_2$  radicals to fullerenes  $\text{C}_{60}$  and  $\text{C}_{70}$ , **9**, 1642
- Synthesis of phosphorylated methanofullerenes, **12**, 2048

**Fullerenyl radical**

- ESR study of the photolysis of  $\text{C}_{60}\text{Cl}_6$ , **4**, 753
- ESR study of spin-adducts of phosphoryl radicals with methano[60]fullerenes, **5**, 843

**Fullerite  $\text{C}_{60}$** 

- Thermodynamic properties of some polymeric forms of fullerite  $\text{C}_{60}$  at temperatures ranging from 0 to 320 K, **2**, 280

**G****Gallium oxide**

- Coordination of nitroxyl radical probes to the Lewis acid sites on the surface of gallium oxide: a quantum-chemical analysis, **6**, 991

**Gangliosides**

- Gangliosides from the starfish *Evasterias echinosoma*: identification of a disialoganglioside containing 8-*O*-methyl-*N*-acetylneuraminic acid and *N*-formylgalactosamine, **1**, 159
- Hematoside with 8-*O*-methyl-*N*-glycolylneuraminic acid from the starfish *Linckia laevigata*, **1**, 165

**Gas liquid chromatography**

- Evaluation of the polarity and boiling points of nitrogen-containing heterocyclic compounds by gas-chromatography, **2**, 325

**Gas-phase electron diffraction**

- Molecular structures of acetylene derivatives of tin. 7. Bis(trimethylstannyl)acetylene: analysis of electron diffraction data taking into account nonlinear relations between Cartesian and internal vibrational coordinates, **4**, 631

**Gas phase reactions**

- Reactivity of functional groups toward  $\text{H}^+$  and  $\text{SiMe}_3^+$  ions, **3**, 570

**GC-MS analysis**

- Ozonides of perfluorooct-1-ene and perfluorooct-2-ene, **6**, 1103

**Gene therapy**

- Cationic amphiphiles of both lipid and nonlipid nature in gene therapy (review), **3**, 385

**Gentiobiosyl diglycerides**

- Structural characterization of gentiobiosyl diglycerides from *Bacillus pumilus* associated with ascidia *Halocynthia aurantium*, **1**, 169

**Germanium compounds**

- Synthesis, crystal and molecular structures, and stereochemical nonrigidity of *N*-(chlorodimethylgermylmethyl)- and *N*-(bromodimethylgermylmethyl)-*N*-[(*S*)-1-phenylethyl]acetamides and *N*-(chlorodimethylgermylmethyl)-4-phenyl-2-pyrrolidone, **1**, 140
- Cycloaddition of dialkylgermoles: synthesis and structures of 2,2,3,3-tetracyano-1,4,5,6-tetraphenyl-7-germanorborn-5-enes, **7**, 1275
- Crystal and molecular structures of six-coordinate germanium difluorides and dibromides containing lactamomethyl C,O-chelating ligands, **10**, 1775
- Synthesis and structure of bis(acetylacetonato)germanium(IV) diazide, **10**, 1800

**Germylenes**

- Cycloaddition of dialkylgermoles: synthesis and structures of 2,2,3,3-tetracyano-1,4,5,6-tetraphenyl-7-germanorborn-5-enes, **7**, 1275

**Glass transition temperature**

- Synthesis of phthalide-containing dihalogeno derivatives and polyarylene ether ketones based on them, **6**, 1093

**Glycerol**

- Models of slow rotational mobility of paramagnetic probes in glassy media, **6**, 1059

**Glycoconjugates**

- N*-Glycyl- $\beta$ -glycopyranosylamines, derivatives of mono- and disaccharides, and their use for the preparation of carboxylic acid glycoconjugates, **8**, 1454

**Glycolipids**

- Structural characterization of gentiobiosyl diglycerides from *Bacillus pumilus* associated with ascidia *Halocynthia aurantium*, **1**, 169

A novel approach to functionalization of allyl aglycon. Effective synthesis of selectively protected 2-aminoethyl lactoside, a common building block for the synthesis of carbohydrate chains of glycolipids, **7**, 1305

#### Glycosides

A novel approach to functionalization of allyl aglycon. Effective synthesis of selectively protected 2-aminoethyl lactoside, a common building block for the synthesis of carbohydrate chains of glycolipids, **7**, 1305

Asterosaponin P<sub>2</sub> from the Far-Eastern starfish *Patiria (Asterina) pectinifera*, **10**, 1794

New flavonoid oligoside from *Aconitum barbatum* Pers., **11**, 1905

#### Glycosyl nitrates

The use of cesium dibenzyl and diphenyl phosphates for stereoselective synthesis of glycosyl phosphate derivatives, **11**, 1895

#### Glycosyl phosphates

The synthesis of *N*-acetyl- $\beta$ -L-fucosamine-1-phosphate and uridine 5'-diphospho-*N*-acetyl- $\beta$ -L-fucosamine, **11**, 1891

The use of cesium dibenzyl and diphenyl phosphates for stereoselective synthesis of glycosyl phosphate derivatives, **11**, 1895

#### Gold

Synthesis of ferrocenylacetylide derivatives of gold-ruthenium and gold-osmium clusters. Crystal structures of M<sub>3</sub>(AuPPh<sub>3</sub>)(C $\equiv$ C<sub>2</sub>Fc)(CO)<sub>9</sub> (M = Ru or Os; Fc is ferrocenyl), **7**, 1292

#### Grafting

Properties of polymer track membranes modified by grafting with poly(2-methyl-5-vinylpyridine) and poly(*N*-isopropylacrylamide), **5**, 856

Chemical dynamics of  $\equiv$ SiOC $\cdot$ O radicals grafted on the activated silica surface, **11**, 1834

#### Graphite

Thermodynamics of carbyne (review), **6**, 965

#### Graphite modification

X-Ray spectroscopic study of graphite fluoride (C<sub>2</sub>F)<sub>*n*</sub> intercalated with benzene, **4**, 709

A graphite oxide-based nickel catalyst for reductive dechlorination of polychlorinated aromatic hydrocarbons, **6**, 1017

#### Graphitized thermal carbon black

The cell effect in adamantane adsorption on graphitized thermal carbon black, **5**, 847

Thermodynamic parameters of adsorption of adamantane and its derivatives on graphitized thermal carbon black, **12**, 1988

#### Green's function

The influence of ultrashort excitations on the vibrational dynamics in a diatomic molecule, **12**, 1960

#### Guaianolides

Reaction of guaianolide achillin with chlorine in methanol, **9**, 1624

Synthesis of two new chloro derivatives of guaianolide grossmisin and the crystal structure of one derivative, **11**, 1902

#### Guanidine

Synthesis of 5-alkoxy-3-amino-7-nitro-1,2,4-benzotriazine 1-oxides from 1,3,5-trinitrobenzene, **9**, 1640

## H

#### Haloalkanes

Isokinetic relationships for nucleophilic substitution reactions at the saturated carbon atom. Reactions in aqueous solutions, **5**, 806

#### Halobenzenes

The method of introducing correction factors into parameters of atom-atom potentials of intermolecular interaction used for calculation of thermodynamic characteristics of adsorption, **4**, 685

Proton affinities of fluoro derivatives of benzene, toluene, and *m*-xylene from *ab initio* MP2 calculations, **11**, 1820

#### Halocarboxylic acids

Electrochemical reduction of some methanofullerenes. On the mechanism of the retro-Bingel reaction, **3**, 427

#### 3-(2-Haloethyl)pyrazoles

Reactions of spirocyclopropane-containing 1- and 2-pyrazolines with electrophilic reagents, **3**, 472

#### Haloforms

Isokinetic relationships for nucleophilic substitution reactions at the saturated carbon atom. Reactions in aqueous solutions, **5**, 806

#### Halogenophilic attack

Reaction of (alkylthio)chloroacetylenes with thiourea, **7**, 1319

#### 1-Halogenopropane-2-thiones

Homopolycondensation of 1-halogenopropane-2-thiones, **2**, 332

#### Harmonic oscillator

The influence of ultrashort excitations on the vibrational dynamics in a diatomic molecule, **12**, 1960

#### Heat capacity

Thermodynamic properties of some polymeric forms of fullerite C<sub>60</sub> at temperatures ranging from 0 to 320 K, **2**, 280

Thermodynamics of carbyne (review), **6**, 965

Thermodynamic parameters of excess and absolute adsorption of CH<sub>4</sub> and SF<sub>6</sub> on carbons, **12**, 1993

#### Hematoside

Hematoside with 8-*O*-methyl-*N*-glycolylneuraminic acid from the starfish *Linckia laevigata*, **1**, 165

#### Henry's constants

The method of introducing correction factors into parameters of atom-atom potentials of intermolecular interaction used for calculation of thermodynamic characteristics of adsorption, **4**, 685

The cell effect in adamantane adsorption on graphitized thermal carbon black, **5**, 847

Thermodynamic parameters of adsorption of adamantane and its derivatives on graphitized thermal carbon black, **12**, 1988

#### Hepoxilins

Synthetic study of hepoxilins. 9. Stereoselective total synthesis of trioxilin (10*S*,11*S*,12*S*)-B<sub>3</sub>, **3**, 549

#### Hetero polyacids

Reduction of the photoexcited uranyl ion by water. 1. U<sup>IV</sup> and H<sub>2</sub>O<sub>2</sub> formation, **2**, 285

Study of the state of rhodium in the potassium rhodiumundecatungstosilicate/alumina system by diffuse-reflectance IR spectroscopy, **7**, 1174

*n*-Alkane isomerization on heteropolyacids. 1. The influence of acid-base properties of alumina systems on the state of supported 12-tungstophosphoric heteropolyacid in Pt-containing catalysts and their activity in *n*-pentane isomerization, **10**, 1726

Photochemistry of f-element ions (review), **12**, 1925

#### Heterocyclic compounds

Nitrile cleavage of heterocycle in the electrochemical reduction of 1-chloro-4-(isopropylthio)phthalazine, **1**, 183

Thermal stability of high-energy compounds (review), **2**, 234

The influence of alkyl substituents on the chromatographic indicator of self-association of *N*-containing heterocyclic compounds, **2**, 321

Evaluation of the polarity and boiling points of nitrogen-containing heterocyclic compounds by gas-chromatography, **2**, 325

Reactions of ethyl 3-(diethoxyphosphoryl)-3,3-difluoropyruvate with some nucleophilic reagents, **7**, 1255

#### Hetero-1,3-dienes

[4+2]-Cycloaddition of 3,6-bis(3,5-dimethyl-4-*R*-pyrazol-1-yl)-1,2,4,5-tetrazines with alkenes, **2**, 355

3-Alkenyl-5-ferrocenyl-2-pyrazolines in reactions with azodicarboxylic acid *N*-phenylimide, **5**, 906

#### Heterofunctional condensation

Synthesis of difunctional organooxasilacycloalkanes, **8**, 1430

#### Heterogeneous catalysis

Temperature hysteresis phenomena in heterogeneous catalysis, **8**, 1373

Quantum-chemical studies of catalysts immobilized on silica. The complex  $\text{Cu}(\text{OSiH}_3)_2 \cdot 2\text{H}_2\text{O}$  as a model of catalytically active polycopperphenylsiloxanes, **9**, 1491

#### Heterometallic complexes

Chemistry of vinylidene complexes. 15. Transmetalation of  $\mu$ -vinylidene MnPd complexes. Synthesis, X-ray diffraction analysis, and mass spectrometric study of the  $(\eta^5\text{-C}_5\text{H}_5)\text{MnFe}_2(\mu_3\text{-C}=\text{CHPh})(\text{CO})_8$  cluster, **3**, 526

Photochemical reaction of the heterometallic complex  $(\mu\text{-H})\text{Os}_3\{\mu\text{-O}_2\text{CC}_5\text{H}_4\text{Mn}(\text{CO})_3\}(\text{CO})_{10}$  with triphenylphosphine, **4**, 747

Synthesis of ferrocenylacetylides derivatives of gold-ruthenium and gold-osmium clusters. Crystal structures of  $\text{M}_3(\text{AuPPh}_3)(\text{C}\equiv\text{CFc})(\text{CO})_9$  ( $\text{M} = \text{Ru}$  or  $\text{Os}$ ;  $\text{Fc}$  is ferrocenyl), **7**, 1292

#### (20*R*,22*R*)-3 $\alpha$ ,4 $\beta$ ,14 $\alpha$ ,20,22,25-Hexahydroxy-5- $\beta$ -cholest-7-en-6-one

A new phytoecdysteroid, **11**, 1923

#### Hexamethylenetetramine

Solvent isotope effects on the solubility of argon and pair interactions in aqueous solution of hexamethylenetetramine, **8**, 1383

#### Hexanitrohexaazaisowurtzitane

Kinetics of thermal decomposition of hexanitrohexaazaisowurtzitane, **5**, 812

#### Hexynoic acid

Practical synthesis of hex-5-ynoic acid from cyclohexanone, **1**, 81

#### High-energy compounds

Thermal stability of high-energy compounds (review), **2**, 234

#### High-performance liquid chromatography

Separation of racemic *closo*-3,3-( $\eta^{3,2}$ -norbornadienyl)rhodacarboranes into enantiomers by HPLC on chiral stationary phases, **4**, 759

#### Hindered rotation

2-Phenyl-1-boraadamantane complexes. Synthesis and intramolecular dynamics, **3**, 499

#### Histidine

Reagents for addressed modification of biopolymers. 11. The synthesis of  $\text{N}^{\text{Im}}$ -2,4-dinitrophenyl derivatives of histidine and urocanic and imidazolylacetic acids for anchoring imidazole residues to oligonucleotides, **3**, 540

#### Homoallylic alcohols

Stereoselective synthesis of homoallylic alcohols of the [2.2]paracyclophane series and their use as auxiliary reagents in asymmetric allylboration of aldehydes, **5**, 912

#### Homopolycondensation

Homopolycondensation of 1-halogenopropane-2-thiones, **2**, 332

#### Host—guest complexes

Extraction of amino acids with di(2-ethylhexyl)phosphoric acid in the presence of dicyclohexyl-18-crown-6, **5**, 952

Efficient resolution of ( $\pm$ )-pantolactone by inclusion crystallization with the use of chiral 1,1,2-triphenylethane-1,2-diol, **8**, 1483

#### Hydration

Hydration and protonation of *O*-vinylacetoxime in the gas phase: an *ab initio* study, **4**, 601

The micellar effect of the sodium bis(2-ethylhexyl)sulfosuccinate—decane—water reverse system on the hydrolysis of phosphonic acid esters, **10**, 1696

#### Hydrazides

Synthesis of 3-carbamoyl-1,2,4-triazoles, **8**, 1481

#### Hydrazines

An alternative channel of reductive condensation of trichloromethylarenes with hydrazines, **5**, 886

Reactions of cyclic enhydrazinoketones with arylidene derivatives of malononitrile. Synthesis of fused *N*-substituted 1,4-dihydropyridines, **7**, 1251

Cubane derivatives. 6. Synthesis of some substituted hydrazides of 1,4-cubanedicarboxylic acid, **9**, 1645

A synergetic effect in nitrous acid formation by sonolysis of nitric acid in the presence of nitrous oxide, **12**, 2077

#### Hydrazones

Thiocarbamoylation of amine-containing compounds. 6. Reactions of tetramethylthiuram disulfide with hydrazones of aromatic aldehydes, **2**, 344

#### Hydrides

Molecular hydrides of samarium and europium  $\text{LnH}_2(\text{THF})_2$  ( $\text{Ln} = \text{Sm}$  or  $\text{Eu}$ ): synthesis and properties, **5**, 946

#### Hydroboration

Synthesis of 1,2-bis(1-boraadamant-2-yl)ethane derivatives. Crystal structure of the racemic form, **3**, 503

Chlorine dioxide as an oxidant for organoboron compounds, **9**, 1647

#### Hydrocarbons

The kinetic regularities, products, and mechanism of the thermal decomposition of dimethyldioxirane. The contribution of molecular and radical reaction channels, **8**, 1338

Thermodynamic characteristics of hydrocarbon and chloroalkane adsorption by polymethylsilsequioxane, **12**, 2000

**Hydrochlorination**

Reactions of spirocyclopropane-containing 1- and 2-pyrazolines with electrophilic reagents, **3**, 472

**Hydrogel**

Changes in the acid-base properties of hydrogels of metal oxide hydroxides induced by aging in solutions of electrolytes, **8**, 1323

**Hydrogen**

Synthesis of *para*-cyclopentylanilines from *ortho*-(cyclopent-1'-enyl)anilines, **1**, 174

Formation of formic and acetic acids by low-temperature condensation of a mixture of methane and water vapor dissociated in MW discharge, **2**, 380

The formation of formic acid upon low-temperature condensation of CO<sub>2</sub>-H<sub>2</sub> and CO-H<sub>2</sub>O gas mixtures dissociated in electric discharge, **4**, 642

The kinetics of chemical reactions in the products of dissociation of the CO<sub>2</sub>-H<sub>2</sub> gas mixture in microwave discharge, **4**, 669

The formation of formic acid upon low-temperature condensation of a methane-carbon dioxide mixture dissociated in a microwave discharge, **5**, 823

Kinetic analysis of photoelectrochemical hydrogen evolution over p-type silicon in acidic aqueous solutions of electrolytes, **10**, 1707

**Hydrogen bonds**

Structural properties of liquid *N*-methylformamide, **2**, 238

IR study of ion-molecular interactions in the system methanesulfonic acid-ethyl acetate, **2**, 295

Exchange reaction of oxiranes with β-hydroxyalkyl sulfides, selenides, -amines, and -phosphines (review), **4**, 579

Amino-substituted *gem*-diphosphonic acids: dissociation mechanism and the structure of species in aqueous solutions, **6**, 1045

Complexes with strong symmetric hydrogen bonds and their solvation in the trifluoroacetic acid-*N,N*-dimethylformamide system studied by IR spectroscopy, **9**, 1526

**Hydrogen bromide**

Specific features of the interaction of components in the DMSO-HBr-Pd<sup>0</sup> system, **10**, 1722

**Hydrogen peroxide**

Isotope effect in the formation of hydrogen peroxide by the sonolysis of light and heavy water, **4**, 649

**1,3-Hydrogen shift**

Multiple bond migration with participation of a protophilic agent. 4. Double bond migration in 3-methylthioprop-1-ene and 3-methoxyprop-1-ene: a comparative study, **3**, 408

Multiple bond migration with participation of a protophilic agent. 5. Double bond migration in heteroallylic systems, **3**, 415

**Hydrogen sulfide**

Ionization potentials of non-metal monosulfides. Conjugation in radical cations containing Group IV elements, **1**, 26

The radical cation of hydrogen sulfide and related organic reactions, **7**, 1178

**Hydrogenation**

Synthetic study of hepoxilins. 9. Stereoselective total synthesis of trioxilin (10*S*,11*S*,12*S*)-B<sub>3</sub>, **3**, 549

Enantioselective hydrogenation of β-keto esters catalyzed by chiral binaphthylbisphosphine ruthenium complexes, **4**, 728

Stereochemical differentiation in the reactions of organometallic reagents with levoglucosenone and some of its dihydro derivatives, **7**, 1237

Synthesis of 3(*Z*)-dodecen-12-olide — an aggregation pheromone of the flat grain beetle *Cryptolestes pusillus* (Coleoptera: *Cucujidae*), **7**, 1297

Temperature hysteresis phenomena in heterogeneous catalysis, **8**, 1373

Synthesis of optically active analogs of α-tocopherol based on (*S*)-(+)-dihydromyrcene, **9**, 1620

Catalytic properties of rhenium(v) complexes with thiourea derivatives in cyclohexene hydrogenation, **10**, 1732

**Hydrogen-deuterium exchange**

On the mechanism of titanium-catalyzed cyclopropanation of esters with aliphatic organomagnesium compounds. Deuterium distribution in the reaction products of (CD<sub>3</sub>)<sub>2</sub>CHMgBr with ethyl 3-chloropropionate in the presence of titanium tetraisopropoxide, **2**, 378

<sup>13</sup>C and <sup>1</sup>H NMR spectra of substituted dihydropyrroles prepared by the reaction of 2-aminooxazoles and maleimide, **4**, 701

**Hydrogenolysis**

Molecular hydrides of samarium and europium LnH<sub>2</sub>(THF)<sub>2</sub> (Ln = Sm or Eu): synthesis and properties, **5**, 946

**Hydrolysis**

Kinetics of alkaline hydrolysis of ethyl *p*-nitrophenyl ethylphosphonate in the reverse micellar system: sodium dodecyl sulfate-hexanol-water, **2**, 265

The influence of hydrophobic amines on hydrolysis of bis(*p*-nitrophenyl) methylphosphonate in micellar solutions of cetylpyridinium bromide, **2**, 270

Formation of color centers and paramagnetic species by alkaline hydrolysis of polydiphenylenesulfophthalide, **2**, 298

New one-step methods for the synthesis of the metallonium dication [Ru(η<sup>5</sup>-C<sub>5</sub>Me<sub>5</sub>)(η<sup>5</sup>:σ-C<sub>5</sub>Me<sub>3</sub>(CH<sub>2</sub>)<sub>2</sub>)]<sup>2+</sup> and its heteroannular analog starting from decamethylruthenocene, **3**, 520

Nucleophilic substitution of hydrogen in the reaction of 1,2,4-triazin-4-oxides with cyanamide, **6**, 1122

Synthesis of *N*-substituted 2-(5,6,7,8-tetrafluoro-4-oxo-1,4-dihydroquinolin-3-yl)glyoxylic acids, **7**, 1231

The reaction of 2-aminomethylphenols and their copper(II) complexes with esters of phosphorus acids, **8**, 1349

Catalytic activity of aminomethylated calix[4]resorsinolarene aggregates in hydrolysis of esters of phosphorus acids, **8**, 1355

The influence of the structure of tetracoordinate phosphorus acid esters on the catalytic effect of the sodium dodecyl sulfate-hexanol-water ternary reverse micellar system, **8**, 1360

Synthetic potentialities of sulfonylsulfonium salts: a new approach to the preparation of disulfonium dications, **8**, 1415

Synthesis of difunctional organooxasilacycloalkanes, **8**, 1430

The catalytic effect of the cationic surfactant-polyethylene imine-water system in the hydrolysis of *O*-alkyl *O*-*p*-nitrophenylchloromethylphosphonates, **9**, 1501

"Anhydrolycaconitine," a new diterpene alkaloid from *Aconitum septentrionale* K., **9**, 1629

The micellar effect of the sodium bis(2-ethylhexyl)sulfosuccinate—decane—water reverse system on the hydrolysis of phosphonic acid esters, **10**, 1696

#### Hydroxide ion

Multiple bond migration with participation of a protophilic agent. 4. Double bond migration in 3-methylthioprop-1-ene and 3-methoxyprop-1-ene: a comparative study, **3**, 408

Multiple bond migration with participation of a protophilic agent. 5. Double bond migration in heteroallylic systems, **3**, 415

Acid-base properties of poly(1-vinylazoles) in aqueous solution, **12**, 2013

#### $\beta$ -Hydroxy esters

Enantioselective hydrogenation of  $\beta$ -keto esters catalyzed by chiral binaphthylbisphosphine ruthenium complexes, **4**, 728

#### 4-Hydroxyalk-2-enonitriles

Nucleophilic addition of 2-hydroxyquinoxaline to acetylenes, **4**, 740

#### $\beta$ -Hydroxyalkylamines

Exchange reaction of oxiranes with  $\beta$ -hydroxyalkyl sulfides, selenides, -amines, and -phosphines (review), **4**, 579

#### Hydroxyalkylation

Reactions of ethyl 3-(diethoxyphosphoryl)-3,3-difluoropyruvate with some nucleophilic reagents, **7**, 1255

#### $\beta$ -Hydroxyalkylphosphines, selenides, and sulfides

Exchange reaction of oxiranes with  $\beta$ -hydroxyalkyl sulfides, selenides, -amines, and -phosphines (review), **4**, 579

#### 4-Hydroxyalk-2-ynonitriles

Nucleophilic addition of 2-hydroxyquinoxaline to acetylenes, **4**, 740

#### 4-Hydroxycoumarins

Condensation of 2-hydroxyacetophenones with trichloroacetonitrile as a route to 2-trichloromethylchromones and 4-hydroxycoumarins, **3**, 478

#### 20-Hydroxyecdysone

A new phytoecdysteroid, **11**, 1923

#### Hydroxyl radicals

Formation of formic and acetic acids by low-temperature condensation of a mixture of methane and water vapor dissociated in MW discharge, **2**, 380

The kinetics of chemical reactions in the products of dissociation of the CO<sub>2</sub>—H<sub>2</sub> gas mixture in microwave discharge, **4**, 669

The formation of formic acid upon low-temperature condensation of a methane—carbon dioxide mixture dissociated in a microwave discharge, **5**, 823

#### 3-Hydroxy-1-methyl-2-(methylthio)pyrrole

Synthesis of 3-hydroxy-1-methyl-2-(methylthio)pyrrole from methyl isothiocyanate and prop-2-yn-1-ol, **9**, 1634

#### 2-Hydroxy-1,4-naphthoquinone

The chemistry of naphthazarin derivatives. 6. Hydration of 2-oxo-2,3-dihydro-1,4-naphthoquinone derivatives in organic solvents, **3**, 466

#### 2-Hydroxyquinoxaline

Nucleophilic addition of 2-hydroxyquinoxaline to acetylenes, **4**, 740

#### 4-Hydroxy-1*H*-thieno[2,3-*b*;4,5-*b'*]dipyridin-2-ones

Synthesis of substituted 4-hydroxy-1*H*-thieno[2,3-*b*;4,5-*b'*]dipyridin-2-ones, **2**, 348

#### 3-Hydroxy-2,2,5-trimethylimidazolidin-4-one

Reaction of DL-2-aminopropiohydroxamic acid with acetone: selective synthesis of 3-hydroxy-2,2,5-trimethylimidazolidin-4-one, **1**, 182

#### Hyperconjugation

Ionization potentials of non-metal monosulfides. Conjugation in radical cations containing Group IV elements, **1**, 26

#### Hypercoordination

Unexpected formation of a dimeric cation-anionic complex of hypercoordinated tin in the reaction of bis[(2-oxopyrrolidino)methyl]tin dichloride with AgBF<sub>4</sub>, **4**, 755

Stabilization of nonclassical types of valence bond orientation at the carbon atom in organoboron compounds, **5**, 783

#### Hypotensive activity — see Physiological activity

Two-fragment  $\alpha$ -adrenolytics. 2. Synthesis of alkyl(phenyl)-[ $\omega$ -(*N*-phenylpiperazino)alkyl]phosphine oxides, **3**, 490

Two-fragment  $\alpha$ -adrenolytics. 3. Addition of primary amines to alkyl divinylphosphinates and phenyl(divinyl)phosphine oxide, **3**, 495

## I

#### Imidazole derivatives

Evaluation of the polarity and boiling points of nitrogen-containing heterocyclic compounds by gas-chromatography, **2**, 325

Reagents for addressed modification of biopolymers. 11. The synthesis of N<sup>Im</sup>-2,4-dinitrophenyl derivatives of histidine and urocanic and imidazolylacetic acids for anchoring imidazole residues to oligonucleotides, **3**, 540

Relationship of energy characteristics and the Randic indices of imidazole and some azolides of sulfonic acids with chromatographic retention, **8**, 1395

Reactions of cyclic  $\alpha$ -methoxy nitrones with nucleophilic reagents, **12**, 2031

#### Imidazolidines

Reaction of DL-2-aminopropiohydroxamic acid with acetone: selective synthesis of 3-hydroxy-2,2,5-trimethylimidazolidin-4-one, **1**, 182

New method for the synthesis of 2-substituted *N,N'*-diacylimidazolidines, **5**, 894

Reactions of chloro-substituted enaminketones, *viz.*, derivatives of imidazolidine nitroxides, with sodium cyanide, **5**, 899

#### Imidazoline derivatives

Stable vinylnitroxyl radicals, pyrroline derivatives, **1**, 106

Reactions of heterocyclic paramagnetic aldonitrone, 2,2,5,5-tetramethyl-3-imidazoline-1-oxyl 3-oxide, with alkynes, **1**, 116

Reactions of ethyl 3-(diethoxyphosphoryl)-3,3-difluoropyruvate with some nucleophilic reagents, **7**, 1255

Protonation of 1,2-disubstituted imidazolines and other products of condensation of 2-ethylhexanoic acid with diethylenetriamine and triethylenetetramine, **12**, 2007

#### Imidazolylacetic acid

Reagents for addressed modification of biopolymers. 11. The synthesis of N<sup>Im</sup>-2,4-dinitrophenyl derivatives of histidine and urocanic and imidazolylacetic acids for anchoring imidazole residues to oligonucleotides, **3**, 540



**Inclusion complexes**

Excimer fluorescence and structures of the inclusion complexes of  $\beta$ -cyclodextrin with naphthalene and its derivatives, **10**, 1699

**Inclusion crystallization**

Efficient resolution of ( $\pm$ )-pantolactone by inclusion crystallization with the use of chiral 1,1,2-triphenylethane-1,2-diol, **8**, 1483

**Indenes**

Synthesis of [ $\mu$ -methylenebis( $\eta^5$ -3-*tert*-butyl-2-methylinden-1-yl)]dichlorozirconium(iv), **5**, 942

**Indium(III) compounds**

Changes in the acid-base properties of hydrogels of metal oxide hydroxides induced by aging in solutions of electrolytes, **8**, 1323

**Indole derivatives**

The mechanisms of photochromic transformations of 2-indolylfulgides, **6**, 1020

Reactions of ethyl 3-(diethoxyphosphoryl)-3,3-difluoropyruvate with some nucleophilic reagents, **7**, 1255

**Indolines**

Reactions of ethyl 3-(diethoxyphosphoryl)-3,3-difluoropyruvate with some nucleophilic reagents, **7**, 1255

**2-Indolylfulgides**

The mechanisms of photochromic transformations of 2-indolylfulgides, **6**, 1020

**Inductive effect**

Effect of substituents on the catalytic properties of bis(cyclopentadienyl)zirconium dichloride complexes with polymethylaluminumoxane and  $\text{AlBu}_3/\text{CPh}_3\text{B}(\text{C}_6\text{F}_5)_4$  cocatalysts in ethylene polymerization, **2**, 303

Electronic absorption spectra of charge-transfer complexes and effects of substituents in radical cations, **6**, 997

A quantum-chemical approach to the analysis of intramolecular interactions using the fragment orbitals and MNDO method. Calculations for vinyl fluoride and vinyl iodide, **11**, 1808

**Insecticides**

Efficient synthesis of methyl (+)-(1*S*,3*R*)-3-(2,2-dimethoxycarbonyl)ethyl-2,2-dimethylcyclopropane-1-carboxylate from (+)-4 $\alpha$ -acetyl-2-carene, **8**, 1473

**Interatomic distances**

Lengthening of O—H distance of the intramolecular O—H...O hydrogen bonds in molecular systems with conjugation, **4**, 758

Structure and acid-basic properties of the surface of titanium oxides modified by phosphorus and aluminum and prepared by the alkoxo method. 1. Structural organization of modified titanate systems, **11**, 1803

**Intercalated compounds**

X-Ray spectroscopic study of graphite fluoride ( $\text{C}_2\text{F}$ )<sub>*n*</sub> intercalated with benzene, **4**, 709

**Intermolecular cyclization**

Reactions of cyclopentadienes with phorone, **4**, 724

**Intermolecular interactions**

Synthesis and crystal structure of a new molecular complex of fullerene  $\text{C}_{70}$ ,  $4\text{BNDY} \cdot 3\text{C}_{70} \cdot 4\text{C}_6\text{H}_6$  (BNDY is binaphtho[1,8-*d,e*]-1,3-dithiin-2-ylidene), **1**, 102

Structural properties of liquid *N*-methylformamide, **2**, 238

Synthesis, crystal structure, and spectral studies of the molecular complex of [60]fullerene with chloro(triphenylphosphine)gold(i),  $\text{C}_{60} \cdot 2[(\text{Ph}_3\text{P})\text{AuCl}]$ , **2**, 367

Structural peculiarities of particle solvation in *N,N*-dimethylformamide, **4**, 588

A simple method for evaluation of the self-consistency of the radial distribution functions and the orientation of water molecules in the first coordination sphere from the results of molecular dynamics calculations, **11**, 1815

**Internal energy**

Thermodynamic quantities of adsorption described by Freundlich isotherm, **1**, 178

**Internal rotation barrier**

The kinetics and mechanism of cyclodimerization of 2-alkylthiopropenals, **12**, 1977

**Intramolecular H-complexes**

Synthesis and IR spectra of 5-phenyl-2-(1-phenyl-2-trichloroacetyl)pyrrole, **11**, 1914

**Intramolecular coordination**

Unexpected formation of a dimeric cation-anionic complex of hypercoordinated tin in the reaction of bis[(2-oxopyrrolidino)methyl]tin dichloride with  $\text{AgBF}_4$ , **4**, 755

Crystal and molecular structures of six-coordinate germanium difluorides and dibromides containing lactamomethyl C,O-chelating ligands, **10**, 1775

**Intramolecular cyclization**

Cyclization of *N*-acetyl-*ortho*-cycloalkenylanilines on treatment with bromine and *N*-bromosuccinimide, **1**, 122

Synthesis of substituted 4-hydroxy-1*H*-thieno[2,3-*b*;4,5-*b'*]dipyridin-2-ones, **2**, 348

Synthesis of 4,6-dinitro-2-trihalogenomethyl-2,3-dihydrobenzo[*b*]furans, **3**, 573

Synthesis and X-ray diffraction studies of 3-cyano-2-trifluoromethyl-4*H*-pyrido[1,2-*a*]pyrimidine derivatives, **7**, 1257

Synthesis of substituted 2-amino-1,3-thiazine-6-thiones, **11**, 1917

**Intramolecular Friedel—Crafts alkylation**

*peri*-Naphthylenediamines. 27. Transformations of tertiary carbocations stabilized by the 4,5-bis(dimethylamino)-1-naphthyl group, **6**, 1097

**Intramolecular hydrogen bond**

Lengthening of O—H distance of the intramolecular O—H...O hydrogen bonds in molecular systems with conjugation, **4**, 758

The structure of benzoyldimedone from X-ray diffraction analysis, **6**, 1068

Photoinitiated processes in 1-*p*-tolylsulfonylazo-2,4,6,8-tetrakis(*tert*-butyl)phenoxazine, **12**, 1981

**Intramolecular interactions**

Thermal stability of high-energy compounds (review), **2**, 234

A study of alkyl radicals in the matrix of polycrystalline *n*-alkane  $\gamma$ -irradiated at 77 K. 1. Effect of chain length on ESR spectra of  $\gamma$ -irradiated linear alkanes, **6**, 1028

Asymmetric nitrogen. 82. Trigger base: study of its complex with  $\text{HgBr}_2$  and its methiodide, **7**, 1241

A quantum-chemical approach to the analysis of intramolecular interactions using the fragment orbitals and MNDO method. Calculations for vinyl fluoride and vinyl iodide, **11**, 1808

**Intramolecular rearrangements**

Reactions of ruthenium and osmium cluster carbonyls with heteroatom-substituted and functionalized alkynes (review), **1**, 1

Acetylide derivatives of transition metal cluster carbonyls (review), **7**, 1135

**Iodination**

Direct iodination of 3- and 4-nitropyrazoles with a reagent based on iodine monochloride and silver sulfate, **8**, 1475

**Iodoamination of alkenes**

Synthesis of 3-substituted cyclopenta[*b*]indoles, **10**, 1767

**3-Iodo-1,2,3,3a,4,8b-hexahydrocyclopenta[*b*]indoles**

Synthesis of 3-substituted cyclopenta[*b*]indoles, **10**, 1767

**Iodomethane**

*peri*-Naphthylenediamines. 28. Nitration of 1,8-bis(dimethylamino)naphthalene and 5,6-bis(dimethylamino)acenaphthene in neutral and weakly acidic media. The first case of isolation of *o*-nitro and *o,o'*-dinitro derivatives of "proton sponges", **7**, 1212

*peri*-Naphthylenediamines. 30. 1,2,8-Tris(dimethylamino)naphthalene and some other 2-amino derivatives of "proton sponge", **8**, 1406

**Iodosulfenylation**

Iodosulfenylation of olefins with sulfenamides in the presence of metal iodides, **9**, 1557

**Iodosulfides**

Iodosulfenylation of olefins with sulfenamides in the presence of metal iodides, **9**, 1557

**Ion exchange**

The reaction of *C*-phenylcalix[4]resorcinarene-based polymer with quaternary ammonium and potassium cations, **8**, 1468

**Ion pairs**

Calculation of activation-controlled reaction rate constants from parameters of electronic absorption spectra of ion pairs, **6**, 1002

**Ion solvation**

Structural peculiarities of particle solvation in *N,N*-dimethylformamide, **4**, 588

**Ionization potentials**

Ionization potentials of non-metal monosulfides. Conjugation in radical cations containing Group IV elements, **1**, 26

Substituent effects in radical cations of linear oligosilanes, **2**, 256

Electronic absorption spectra of charge-transfer complexes and effects of substituents in radical cations, **6**, 997

**Ion-molecular interactions**

IR study of ion-molecular interactions in the system methanesulfonic acid—ethyl acetate, **2**, 295

**Ions interactions**

Standardization of pH measurements based on the ion interaction approach, **4**, 680

Resonance capture of electrons by substituted pyrazoline molecules, **4**, 705

Processes of dissociative electron capture by 20-hydroxyecdysone molecules, **4**, 713

**Ion-selective electrodes**

Ion-selective electrodes for determination of phenylalanine based on uranyl complexes of phosphoryl-containing podands, **10**, 1712

**IR spectroscopy**

Properties of surface acid sites of ZrO<sub>2</sub> and SO<sub>4</sub>/ZrO<sub>2</sub>-based systems studied by diffuse-reflectance Fourier-transform IR spectroscopy: adsorption of acetonitrile-d<sub>3</sub>, **1**, 39

Synthesis of 11-hydroxydrim-8(9)-en-7-one and 11,12-dihydroxydrim-8(9)-en-7-one from drim-8(9)-en-7-one, **1**, 98

Synthesis and crystal structure of a new molecular complex of fullerene C<sub>70</sub>, 4BNDY · 3C<sub>70</sub> · 4C<sub>6</sub>H<sub>6</sub> (BNDY is binaphtho[1,8-*d,e*]-1,3-dithiin-2-ylidene), **1**, 102

Stable vinylnitroxyl radicals, pyrroline derivatives, **1**, 106

Unusual multi-component condensation in the synthesis of 1,4-dihydro-1,6-naphthyridine derivatives, **1**, 125

Reaction of 2-(4,5-dihydrofur-3-yl)-1,3-diphenyl-1,3-diaz-2λ<sup>3</sup>-phospholidine with *C,N*-diphenylnitrilimine, **1**, 129

A novel polyfunctional chiral building block derived from (*S*)-ethyl lactate. Application to the synthesis of the sex pheromone of the southern corn rootworm (*Diabrotica undecimpunctata howardi*), **1**, 154

Effect of  $\gamma$ -substitution on the thermoluminescence properties of terbium(III) acetylacetonate complexes with 1,10-phenanthroline, **2**, 291

Homopolycondensation of 1-halogenopropane-2-thiones, **2**, 332

Synthesis, crystal structure, and spectral studies of the molecular complex of [60]fullerene with chloro(triphenylphosphine)gold(I), C<sub>60</sub> · 2[(Ph<sub>3</sub>P)AuCl], **2**, 367

The chemistry of naphthazarin derivatives. 6. Hydration of 2-oxo-2,3-dihydro-1,4-naphthoquinone derivatives in organic solvents, **3**, 466

Condensation of 2-hydroxyacetophenones with trichloroacetonitrile as a route to 2-trichloromethylchromones and 4-hydroxycoumarins, **3**, 478

Two-fragment  $\alpha$ -adrenolytics. 2. Synthesis of alkyl(phenyl)-[ $\omega$ -(*N*-phenylpiperazino)alkyl]phosphine oxides, **3**, 490

Synthesis of new acyclic aminophosphites and their chelate complexes with rhodium(I) and palladium(II), **3**, 533

Synthesis, structure, and properties of piperidinium 3-(4-chlorophenyl)-2-cyano-3-(2-hydroxy-4,4-dimethyl-6-oxocyclohex-1-enyl)thiopropionimide, **4**, 736

Photochemical reaction of the heterometallic complex ( $\mu$ -H)Os<sub>3</sub>{ $\mu$ -O<sub>2</sub>CC<sub>5</sub>H<sub>4</sub>Mn(CO)<sub>3</sub>}(CO)<sub>10</sub> with triphenylphosphine, **4**, 747

Sulfurization of polymers. 2. Polythienothiophene and related structures from polyethylene and elemental sulfur, **5**, 863

Amino-substituted *gem*-diphosphonic acids: dissociation mechanism and the structure of species in aqueous solutions, **6**, 1045

*P,S*-Ligands. Complexes of *P,P,P',P'*-tetraphenylethylene-diphosphine monosulfide with PdCl<sub>2</sub>, **6**, 1116

Synthesis of 2-substituted benzo-1,3-ditelluroles, **6**, 1127

Study of the state of rhodium in the potassium rhodiumundecatungstosilicate/alumina system by diffuse-reflectance IR spectroscopy, **7**, 1174

Highly active three-component catalytic systems based on dialkylzirconocenes, triisobutylaluminum, and perfluorophenyl borates for synthesis of low-molecular-weight polyethylene, **7**, 1185

Rearrangement products of some 1*R*,4*R*-2-arylidene-*p*-menthan-3-ones in acidic media, their structures, and conformational analysis, **7**, 1218

Reactions of aliphatic  $\beta$ -amino- $\beta$ -(trichloromethyl)vinyl ketones with ethylenediamine. Synthesis and structures of 2-acetylideneimidazolidines, **7**, 1245

New synthesis of (*Z*)-5- and (*Z*)-7-monoene components of insect sex pheromones of the Lepidoptera order, **7**, 1301

Reactions of  $\beta$ -amino- $\beta$ -polyfluoroalkylvinyl ketones with diethylenetriamine. Simple synthesis of 1,4,8-triazabicyclo[5.3.0]dec-4-ene derivatives, **8**, 1426

Synthesis of difunctional organooxasilacycloalkanes, **8**, 1430

Synthesis of optically active hydridocarbonyl triosmium clusters with terpene derivatives as ligands. Molecular structure and absolute configuration of a cluster with a bridging dihydroimidazole ligand, **8**, 1440

A new version of the conversion of plant polyprenols into ( $\pm$ )-terpenols of the dolichol series, **8**, 1485

*N*-(2-Nitroxyethyl)nicotinamide (Nicorandil) as a monomer in quaternization polymerization, **8**, 1487

Complexes with strong symmetric hydrogen bonds and their solvation in the trifluoroacetic acid—*N,N*-dimethylformamide system studied by IR spectroscopy, **9**, 1526

A spectral study of the interaction of dioxygen with sublimed layers of manganese(II) *meso*-tetraphenylporphyrinate, **9**, 1540

Pivaloylpyruvic acid as a new acylating reagent for amines, **9**, 1552

Reaction of Ru<sub>3</sub>(CO)<sub>12</sub> with 1,3-diferrocenylprop-2-ene-1-one. Crystal and molecular structures of the complexes Ru<sub>3</sub>(CO)<sub>8</sub>(FcC=CHCOFc)<sub>2</sub> and [Ru(CO)<sub>2</sub>Cl(FcC=CHCOFc)]<sub>2</sub>, **9**, 1605

*n*-Alkane isomerization on heteropolyacids. 1. The influence of acid-base properties of alumina systems on the state of supported 12-tungstophosphoric heteropolyacid in Pt-containing catalysts and their activity in *n*-pentane isomerization, **10**, 1726

Thioureidoquinazolin-4(3*H*)-ones. 1. Acid-induced recyclization of 3-(*N,N'*-dialkylthioureido)quinazolin-4(3*H*)-ones into 1,3,4-thiadiazoles, **10**, 1763

Investigation of structures of mono- and diorgano-substituted oligosiloxanes containing transition metal atoms, **10**, 1789

Structure and acid-basic properties of the surface of titanium oxides modified by phosphorus and aluminum and prepared by the alkoxo method. 1. Structural organization of modified titanate systems, **11**, 1803

Synthesis, structures, and spectral properties of biomimetic azomethine metal chelates with chromophores CuN<sub>2</sub>S<sub>2</sub>, CuN<sub>2</sub>O<sub>2</sub>, and CuN<sub>2</sub>Se<sub>2</sub>. Crystal structure of bis[4-(benzyl)-aldimino-3-methyl-1-phenyl-5-pyrazolothiolato]copper(II), **11**, 1863

Synthesis and IR spectra of 5-phenyl-2-(1-phenyl-2-trichloroacetylenyl)pyrrole, **11**, 1914

The kinetics and mechanism of cyclodimerization of 2-alkylthiopropenals, **12**, 1977

Structure and acid-basic properties of the surface of titanium oxides modified by phosphorus and aluminum and prepared by the alkoxo method. 2. Study of the active surface of titanium oxides, **12**, 2003

Protonation of 1,2-disubstituted imidazolines and other products of condensation of 2-ethylhexanoic acid with diethylenetriamine and triethylenetetramine, **12**, 2007

Synthesis of phosphorylated methanofullerenes, **12**, 2048

Synthesis of dolichyl phosphates with a fluorescent label in the  $\gamma$ -isoprene unit of the chain, **12**, 2065

2-Polyfluoroalkylchromones. 5. Nitration and chlorination of 2-trifluoromethylchromones, **12**, 2074

### IR spectroscopy (diffuse-reflectance)

Properties of surface acid sites of ZrO<sub>2</sub> and SO<sub>4</sub>/ZrO<sub>2</sub>-based systems studied by diffuse-reflectance Fourier-transform IR spectroscopy: adsorption of acetonitrile-d<sub>3</sub>, **1**, 39

Study of the state of rhodium in the potassium rhodiumundecatungstosilicate/alumina system by diffuse-reflectance IR spectroscopy, **7**, 1174

*n*-Alkane isomerization on heteropolyacids. 1. The influence of acid-base properties of alumina systems on the state of supported 12-tungstophosphoric heteropolyacid in Pt-containing catalysts and their activity in *n*-pentane isomerization, **10**, 1726

### Iron complexes

Synthesis, crystal structures, Mössbauer spectra, and redox properties of binuclear and tetranuclear iron-sulfur nitrosyl clusters, **3**, 444

Chemistry of vinylidene complexes. 15. Transmetalation of  $\mu$ -vinylidene MnPd complexes. Synthesis, X-ray diffraction analysis, and mass spectrometric study of the ( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>)MnFe<sub>2</sub>( $\mu_3$ -C=CHPh)(CO)<sub>8</sub> cluster, **3**, 526

Addition of halogenoacetic esters to aldehydes and ketones in the presence of Fe(CO)<sub>5</sub>, **4**, 722

Allylic isomerization of dichlorobutenes catalyzed by iron-containing nanoparticles stabilized in polymeric matrices, **5**, 852

Influence of the cation on the properties of binuclear iron nitrosyl complexes. Synthesis and crystal structure of [Pr<sup>n</sup><sub>4</sub>N]<sub>2</sub>[Fe<sub>2</sub>S<sub>2</sub>(NO)<sub>4</sub>], **6**, 1109

Changes in the acid-base properties of hydrogels of metal oxide hydroxides induced by aging in solutions of electrolytes, **8**, 1323

Synthesis of triple-decker iron and cobalt complexes with a central tetramethylphospholyl ligand, **9**, 1637

Molecular and crystal structure of the clathrochelate complex FeDm<sub>3</sub>(BF)<sub>2</sub>·C<sub>6</sub>H<sub>6</sub> and parameters of its <sup>57</sup>Fe Mössbauer spectra, **12**, 2018

### Isobutyrophenone

Asymmetric reduction of ketones with sodium aluminum hydride modified by various chiral diols, **3**, 460

### Isocyanates

Synthesis of 1,1-bis(trifluoromethyl)alkyl isocyanates, carbamates, and ureas, **7**, 1202

### Isoindole derivatives

3,6-Didecyloxyphthalonitrile as a starting compound for the selective synthesis of phthalocyanines of the ABAB type, **12**, 2027

### Isokinetic relationship

Isokinetic relationships for nucleophilic substitution reactions at the saturated carbon atom. Reactions in aqueous solutions, **5**, 806

Isokinetic relationships for nucleophilic substitution at the saturated carbon atom. Reactions with anions in the gas phase and various solvents, **12**, 1968

**Isomerism**

Functionally substituted sulfur-containing compounds. 12. Reactions of 2-[(organylthio)methyl]oxiranes with aliphatic alcohols in the presence of boron trifluoride etherate, **5**, 879

Heteroorganic betaines. 3. Reactions of betaines containing the  $^+P-C-Si-S^-$  fragment, **5**, 933

Rearrangement products of some 1*R*,4*R*-2-arylidene-*p*-menthan-3-ones in acidic media, their structures, and conformational analysis, **7**, 1218

Synthesis of difunctional organooxasilacycloalkanes, **8**, 1430

Proton affinities of fluoro derivatives of benzene, toluene, and *m*-xylene from *ab initio* MP2 calculations, **11**, 1820

**Isomerization**

Photochemistry of arylhydrazides in solution, **4**, 666

Allylic isomerization of dichlorobutenes catalyzed by iron-containing nanoparticles stabilized in polymeric matrices, **5**, 852

Generation of diazo-2-methylenecyclopropane and its 1,3-dipolar cycloaddition to acrylates, **7**, 1207

Preparation and reactivity of metal-containing monomers. 53. Synthesis and stability of a cluster monomer  $(\mu-H)Os_3(\mu-OCNMe_2)(CO)_9PPh_2CH_2CH=CH_2$  in solution, **8**, 1448

Specific features of resonance electron capture by the molecules of dibenzo-*p*-dioxin and its monochlorinated derivatives, **8**, 1489

Synthesis of 3-hydroxy-1-methyl-2-(methylthio)pyrrole from methyl isothiocyanate and prop-2-yn-1-ol, **9**, 1634

*n*-Alkane isomerization on heteropolyacids. 1. The influence of acid-base properties of alumina systems on the state of supported 12-tungstophosphoric heteropolyacid in Pt-containing catalysts and their activity in *n*-pentane isomerization, **10**, 1726

Isomerization of *n*-pentane and *n*-hexane on modified zeolites, **11**, 1838

Reactions of sulfenamides with alkynes in the presence of phosphorus(v) oxohalides, **11**, 1846

Photoinitiated processes in 1-*p*-tolylsulfonylazo-2,4,6,8-tetrakis(*tert*-butyl)phenoxazine, **12**, 1981

**Isopinocampheol**

Chlorine dioxide as an oxidant for organoboron compounds, **9**, 1647

**Isoprenoid vinyl alcohols**

Synthesis of optically active analogs of  $\alpha$ -tocopherol based on (*S*)-(+)-dihydromyrcene, **9**, 1620

**5(3)-Isopropenyl-3(5)-cyanopyrazole**

Generation of diazo-2-methylenecyclopropane and its 1,3-dipolar cycloaddition to acrylates, **7**, 1207

**Isostere of adsorption**

Thermodynamic parameters of excess and absolute adsorption of  $CH_4$  and  $SF_6$  on carbons, **12**, 1993

**Isotherm of adsorption**

Thermodynamic quantities of adsorption described by Freundlich isotherm, **1**, 178

Determination of the adsorption volume and surface of carbon adsorbents with developed mesoporosity, **4**, 692

Fractality of materials based on silica gel, **5**, 778

Structure and acid-basic properties of the surface of titanium oxides modified by phosphorus and aluminum and prepared by the alkoxo method. 1. Structural organization of modified titanate systems, **11**, 1803

Thermodynamic characteristics of hydrocarbon and chloroalkane adsorption by polymethylsilsesquioxane, **12**, 2000

**Isothiocyanates**

Thiocarbamylation of amine-containing compounds. 5. The mechanism of reactions of tetramethylthiuram disulfide with aliphatic amines, **2**, 335

Synthesis of 3-hydroxy-1-methyl-2-(methylthio)pyrrole from methyl isothiocyanate and prop-2-yn-1-ol, **9**, 1634

**Isotope composition**

Stabilization of ammonium dinitramide in the liquid phase, **12**, 1974

**Isotope effects**

Isotope effect in the formation of hydrogen peroxide by the sonolysis of light and heavy water, **4**, 649

Solvent isotope effects on the solubility of argon and pair interactions in aqueous solution of hexamethylenetetramine, **8**, 1383

 **$\Delta^2$ -Isoxazolines**

3-(1,1-Dialkyl-2-hydroxyethyl)-5-hydroxyamino-5-trifluoromethyl- $\Delta^2$ -isoxazolines: the first representatives of  $\beta$ -dioximes existing in the cyclic form, **11**, 1910

**J****Julia—Johnson rearrangement**

A novel polyfunctional chiral building block derived from (*S*)-ethyl lactate. Application to the synthesis of the sex pheromone of the southern corn rootworm (*Diabrotica undecimpunctata howardi*), **1**, 154

**K** **$\beta$ -Keto esters**

Enantioselective hydrogenation of  $\beta$ -keto esters catalyzed by chiral binaphthylbisphosphine ruthenium complexes, **4**, 728

**Keto—gem-diol equilibrium**

The chemistry of naphthazarin derivatives. 6. Hydration of 2-oxo-2,3-dihydro-1,4-naphthoquinone derivatives in organic solvents, **3**, 466

**Keto-enol tautomerism**

Synthesis of 3-hydroxy-1-methyl-2-(methylthio)pyrrole from methyl isothiocyanate and prop-2-yn-1-ol, **9**, 1634

**Ketones**

Practical synthesis of hex-5-ynoic acid from cyclohexanone, **1**, 81

Reaction of DL-2-aminopropiohydroxamic acid with acetone: selective synthesis of 3-hydroxy-2,2,5-trimethylimidazolidin-4-one, **1**, 182

Microstructure and surface composition of corn starch cryogels with sorbed organic flavoring agents, **2**, 314

Asymmetric reduction of ketones with sodium aluminum hydride modified by various chiral diols, **3**, 460

Addition of halogenoacetic esters to aldehydes and ketones in the presence of  $Fe(CO)_5$ , **4**, 722

3-Alkenyl-5-ferrocenyl-2-pyrazolines in reactions with azodicarboxylic acid *N*-phenylimide, **5**, 906

The chemistry of *N,N*-bis(trialkylsilyloxy)enamines. 2. Alkylation of primary amines with *N,N*-bis(trimethylsilyloxy)enamines, **7**, 1261

Reactions of polyfluoroalkenylsulfenyl chlorides with carbonyl compounds, **10**, 1749

Oxidation of aliphatic alcohols with the lead tetraacetate—metal halide system under mechanical activation, **11**, 1842

#### Kinetic isotope effects

The first step of oxidation of alkylbenzenes by permanganates in acidic aqueous solutions (review), **5**, 761

#### Kinetics

Thermal stability of high-energy compounds (review), **2**, 234

Reactions of calix[4]resorcinolarene anions with esters of carboxylic acids in H<sub>2</sub>O—DMF solvent, **2**, 261

Kinetics of alkaline hydrolysis of ethyl *p*-nitrophenyl ethylphosphonate in the reverse micellar system: sodium dodecyl sulfate—hexanol—water, **2**, 265

The influence of hydrophobic amines on hydrolysis of bis(*p*-nitrophenyl) methylphosphonate in micellar solutions of cetylpyridinium bromide, **2**, 270

Effect of substituents on the catalytic properties of bis(cyclopentadienyl)zirconium dichloride complexes with polymethylaluminum and AlBu<sub>3</sub><sup>i</sup>/CPh<sub>3</sub>B(C<sub>6</sub>F<sub>5</sub>)<sub>4</sub> cocatalysts in ethylene polymerization, **2**, 303

Exchange reaction of oxiranes with β-hydroxyalkyl sulfides, selenides, -amines, and -phosphines (review), **4**, 579

The influence of substituents on the kinetics of the reaction of carbonyl oxides with benzaldehyde, **4**, 654

The kinetics of chemical reactions in the products of dissociation of the CO<sub>2</sub>—H<sub>2</sub> gas mixture in microwave discharge, **4**, 669

The first step of oxidation of alkylbenzenes by permanganates in acidic aqueous solutions (review), **5**, 761

Kinetics of thermal decomposition of hexanitrohexaazaisowurtzitane, **5**, 812

Kinetics of oxidation of alkanes and their derivatives by *n*-decaneperisulfonic acid, **5**, 819

Highly active three-component catalytic systems based on dialkylzirconocenes, triisobutylaluminum, and perfluorophenyl borates for synthesis of low-molecular-weight polyethylene, **7**, 1185

The kinetic regularities, products, and mechanism of the thermal decomposition of dimethyldioxirane. The contribution of molecular and radical reaction channels, **8**, 1338

Catalytic activity of aminomethylated calix[4]resorcinolarene aggregates in hydrolysis of esters of phosphorus acids, **8**, 1355

The influence of the structure of tetracoordinate phosphorus acid esters on the catalytic effect of the sodium dodecyl sulfate—hexanol—water ternary reverse micellar system, **8**, 1360

Kinetics, products, and mechanism of the reaction of diphenylcarbonyl oxide with sulfoxides, **9**, 1496

The catalytic effect of the cationic surfactant—polyethylene imine—water system in the hydrolysis of *O*-alkyl *O*-*p*-nitrophenylchloromethylphosphonates, **9**, 1501

Uranyl-catalyzed chemiluminescent reaction of U<sup>4+</sup> oxidation by dioxygen in aqueous HClO<sub>4</sub> solution, **9**, 1512

The reactivity of 3,5-dimethylidene-2,2,6,6-tetramethyl-4-oxopiperidin-1-oxyl and its diamagnetic *N*-methyl analog in nucleophilic addition of amines and Diels—Alder dimerization, **10**, 1682

The micellar effect of the sodium bis(2-ethylhexyl)sulfosuccinate—decane—water reverse system on the hydrolysis of phosphonic acid esters, **10**, 1696

Kinetic analysis of photoelectrochemical hydrogen evolution over *p*-type silicon in acidic aqueous solutions of electrolytes, **10**, 1707

A new mechanism of the dioxygen effect on ESR spectra of polyaniline, **10**, 1742

Laser flash photolysis study of the phase transition effect on the kinetics of the triplet-triplet annihilation of tetraphenylporphine in *n*-decanol, **11**, 1831

Stabilization of ammonium dinitramide in the liquid phase, **12**, 1974

The kinetics and mechanism of cyclodimerization of 2-alkylthiopropenals, **12**, 1977

Synthesis and conversions of metallocycles. 22. NMR studies of the mechanism of Cp<sub>2</sub>ZrCl<sub>2</sub>-catalyzed cycloaluminum of olefins with triethylaluminum to form aluminacyclopentanes, **12**, 2051

## L

#### Laccases

Oxygen effects in aqueous solutions of laccases: absorption spectra and reactivity, **8**, 1464

#### Lanthanides

Molecular hydrides of samarium and europium LnH<sub>2</sub>(THF)<sub>2</sub> (Ln = Sm or Eu): synthesis and properties, **5**, 946

Synthesis and some properties of lanthanum, neodymium, and samarium *tert*-butoxycuprates [(Bu<sup>t</sup>O)<sub>5</sub>Cu<sub>2</sub>Ln]<sub>2</sub>, **7**, 1270

Study of reactions of some halides, cyclopentadienyl dichlorides, and bis(cyclopentadienyl) chlorides of lanthanides with *trans*-stilbene adducts with alkali metals [PhCHCHPh]<sup>·-</sup>M<sup>+</sup> (M = Li, Na), **8**, 1436

New EPR signals of endohedral metallofullerenes, **10**, 1745

Synthesis and properties of homoleptic 2,2'-bipyridyl complexes of rare-earth elements. Crystal and molecular structures of the complexes Ln(N<sub>2</sub>C<sub>10</sub>H<sub>8</sub>)<sub>4</sub> (Ln = Sm, Eu, Yb, or Lu) and the ionic complex [Lu(N<sub>2</sub>C<sub>10</sub>H<sub>8</sub>)<sub>4</sub>][Li(THF)<sub>4</sub>], **11**, 1869

Photochemistry of f-element ions (review), **12**, 1925

#### Lappaconitine

Study of alkaloids from plants of Siberia and Altai. 4. *N*-Deethylation of diterpene alkaloids of the aconitane type, **3**, 557

#### Laser photolysis

Laser flash photolysis of fluorinated arylazides in neutral and acidic solutions, **1**, 50

Laser flash photolysis study of the phase transition effect on the kinetics of the triplet-triplet annihilation of tetraphenylporphine in *n*-decanol, **11**, 1831

#### Lattice-gas model

Calculations of the distribution of trace impurities in cylindrical pores, **4**, 609

#### Lead compounds

Preconcentration of heavy metal impurities from water on chromatographic paper, **8**, 1393

Different reactivities of regioisomeric azimines, adducts of phthalimidonitrene with 5-bromospiro[1-pyrazoline-3,1'-cyclopropane], **11**, 1919

Oxidation of aliphatic alcohols with the lead tetraacetate—metal halide system under mechanical activation, **11**, 1842

**Levoglucosenone**

Stereochemical differentiation in the reactions of organo-metallic reagents with levoglucosenone and some of its dihydro derivatives, **7**, 1237

**Lewis acids**

Diastereoselective synthesis of polyfunctional compounds based on the tandem sequence of three  $Ad_E$  reactions using cyclic vinyl ethers as first alkene components, **1**, 85

Coordination of nitroxyl radical probes to the Lewis acid sites on the surface of gallium oxide: a quantum-chemical analysis, **6**, 991

**Ligand activation**

Synthesis of optically active hydridocarbonyl trisium clusters with terpene derivatives as ligands. Molecular structure and absolute configuration of a cluster with a bridging dihydroimidazole ligand, **8**, 1440

**Lipofection**

Cationic amphiphiles of both lipid and nonlipid nature in gene therapy (review), **3**, 385

**Liquid crystalline phases**

Synthesis and liquid crystalline properties of copper tetra-4-(*n*-alkoxycarbonyl)phthalocyanines, **1**, 132

**Lithiation**

Synthesis of 2-substituted benzo-1,3-ditelluroles, **6**, 1127

Synthesis of 3-hydroxy-1-methyl-2-(methylthio)pyrrole from methyl isothiocyanate and prop-2-yn-1-ol, **9**, 1634

**Lithium bromide**

Fractality of materials based on silica gel, **5**, 778

**Low-temperature condensation**

Formation of formic and acetic acids by low-temperature condensation of a mixture of methane and water vapor dissociated in MW discharge, **2**, 380

The formation of formic acid upon low-temperature condensation of  $CO_2-H_2$  and  $CO-H_2O$  gas mixtures dissociated in electric discharge, **4**, 642

The formation of formic acid upon low-temperature condensation of a methane-carbon dioxide mixture dissociated in a microwave discharge, **5**, 823

**Luminescence**

Photochemistry of arylhydrazides in solution, **4**, 666

Fluorescence and photochemical properties of crystalline boron difluoride  $\beta$ -diketonates, **6**, 1024

Synthesis and properties of paramagnetic derivatives of linear and fused polyaromatic compounds, **8**, 1409

Photochemistry of f-element ions (review), **12**, 1925

**M****Macrocyclic metabolite**

Unusual macrocyclic diol from *Stellaria media* (L.) Vill., **11**, 1908

**Macrokinetics**

The mechanism of formation of copper aluminide in the thermal explosion mode, **12**, 1954

**Magnetic properties**

The nature and dynamics of nonlinear excitations in conducting polymers. Polyaniline (review), **2**, 207

Complexation of paramagnetic intermediates formed in the photolysis of 7,7-dimethyl-1,4,5,6-tetraphenyl-2,3-benzo-7-silanobornadiene: a study by spin chemistry methods, **3**, 421

Magnetic properties of binuclear high-spin trimethylacetate nickel(II) complexes, **3**, 438

Synthesis and properties of paramagnetic derivatives of linear and fused polyaromatic compounds, **8**, 1409

Synthesis and properties of homoleptic 2,2'-bipyridyl complexes of rare-earth elements. Crystal and molecular structures of the complexes  $Ln(N_2C_{10}H_8)_4$  ( $Ln = Sm, Eu, Yb, \text{ or } Lu$ ) and the ionic complex  $[Lu(N_2C_{10}H_8)_4][Li(THF)_4]$ , **11**, 1869

Synthesis and structures of nickel(II) trimethylacetate dimers with coordinated diamines, **11**, 1887

**Manganese compounds**

Chemistry of vinylidene complexes. 15. Transmetallation of  $\mu$ -vinylidene MnPd complexes. Synthesis, X-ray diffraction analysis, and mass spectrometric study of the  $(\eta^5-C_5H_5)MnFe_2(\mu_3-C=CHPh)(CO)_8$  cluster, **3**, 526

Photochemical reaction of the heterometallic complex  $(\mu-H)Os_3\{\mu-O_2CC_5H_4Mn(CO)_3\}(CO)_{10}$  with triphenylphosphine, **4**, 747

Stereochemical differentiation in the reactions of organo-metallic reagents with levoglucosenone and some of its dihydro derivatives, **7**, 1237

A new version of the conversion of plant polyprenols into ( $\pm$ )-terpenols of the dolichol series, **8**, 1485

A spectral study of the interaction of dioxygen with sublimed layers of manganese(II) *meso*-tetraphenylporphyrinate, **9**, 1540

**Mannich reaction**

Synthesis of *N,N'*-dialkylmethylenebis(nitramines) from *N*-alkylsulfamates, **6**, 1079

**Marine metabolites**

Gangliosides from the starfish *Evasterias echinosoma*: identification of a disialoganglioside containing 8-*O*-methyl-*N*-acetylneuraminic acid and *N*-formylgalactosamine, **1**, 159

Hematoside with 8-*O*-methyl-*N*-glycolylneuraminic acid from the starfish *Linckia laevigata*, **1**, 165

Structural characterization of gentiobiosyl diglycerides from *Bacillus pumilus* associated with ascidia *Halocynthia aurantium*, **1**, 169

Crystal and molecular structure of 11 $\alpha$ -methoxypuupehenol diacetate, **3**, 563

Asterosaponin  $P_2$  from the Far-Eastern starfish *Patiria (Asterina) pectinifera*, **10**, 1794

**MAS  $^{29}Si$  NMR spectroscopy**

Physicochemical features of the formation of siliceous porous mesophases. 3. Conditions of formation and properties of mesoporous silica, **10**, 1669

**Mass spectrometry**

Chemistry of vinylidene complexes. 15. Transmetallation of  $\mu$ -vinylidene MnPd complexes. Synthesis, X-ray diffraction analysis, and mass spectrometric study of the  $(\eta^5-C_5H_5)MnFe_2(\mu_3-C=CHPh)(CO)_8$  cluster, **3**, 526

Synthesis of new acyclic aminophosphites and their chelate complexes with rhodium(I) and palladium(II), **3**, 533

Reactivity of functional groups toward  $H^+$  and  $SiMe_3^+$  ions, **3**, 570

Resonance capture of electrons by substituted pyrazoline molecules, **4**, 705

Processes of dissociative electron capture by 20-hydroxyecdysone molecules, **4**, 713

Synthesis and transformations of metallocycles. 21. A novel method for the synthesis of 1,1-dialkylcyclopropanes, **6**, 1086

New synthesis of (*Z*)-5- and (*Z*)-7-monoene components of insect sex pheromones of the Lepidoptera order, **7**, 1301

A novel approach to functionalization of allyl aglycon. Effective synthesis of selectively protected 2-aminoethyl lactoside, a common building block for the synthesis of carbohydrate chains of glycolipids, **7**, 1305

Synthesis of optically active hydridocarbonyl triosmium clusters with terpene derivatives as ligands. Molecular structure and absolute configuration of a cluster with a bridging dihydroimidazole ligand, **8**, 1440

Specific features of resonance electron capture by the molecules of dibenzo-*p*-dioxin and its monochlorinated derivatives, **8**, 1489

Mass spectra of new groups of functionalized heterocycles. 3. 3-Alkyl- and 5-alkyl-2-thienylamines, **9**, 1548

Pivaloylpyruvic acid as a new acylating reagent for amines, **9**, 1552

Specific features of the interaction of components in the DMSO—HBr—Pd<sup>0</sup> system, **10**, 1722

Photochromic dihetarylethenes. 5. Synthesis, structure, and photochromic properties of 4,4'-disubstituted 1,2-bis[2-ethyl-5-ethylthio(ethylsulfonyl)-3-thienyl]perfluorocyclopentenes, **10**, 1757

Unusual macrocyclic diol from *Stellaria media* (L.) Vill., **11**, 1908

#### pH Measurements

Non-ideal properties of the TRIS—TRIS·HCl—NaCl—H<sub>2</sub>O buffer system in the 0—40 °C temperature interval. Application of the Pitzer equations, **4**, 674

Standardization of pH measurements based on the ion interaction approach, **4**, 680

#### Mechanical activation

Oxidation of aliphatic alcohols with the lead tetraacetate—metal halide system under mechanical activation, **11**, 1842

#### Meisenheimer complexes

Electron density distribution in the crystal of the Meisenheimer complex of potassium 3-methyl-5',7'-dinitro-5',8'-dihydrospiro(1,3-oxazolidine-2,8'-quinolinide) based on X-ray diffraction data at 153 K, **3**, 452

#### Meldrum's acid

*N*-Methylmorpholinium 4-aryl-5-cyano-3-methoxycarbonyl-2-oxo-1,2,3,4-tetrahydropyridine-6-thiolates: synthesis and properties, **3**, 487

#### Mercaptanes

The radical cation of hydrogen sulfide and related organic reactions, **7**, 1178

Novel synthesis of 2-arylbenzothiazoles, **11**, 1859

#### Mercuration

Electrophilic substitution reactions of ferracarborane 3-(η<sup>5</sup>-Cp)-4-SMe<sub>2</sub>-3,1,2-FeC<sub>2</sub>B<sub>9</sub>H<sub>10</sub>, **9**, 1598

#### Mesogens

Synthesis and liquid crystalline properties of copper tetra-4-(*n*-alkoxycarbonyl)phthalocyanines, **1**, 132

#### Mesophases

Synthesis and liquid crystalline properties of copper tetra-4-(*n*-alkoxycarbonyl)phthalocyanines, **1**, 132

Physicochemical features of the formation of siliceous porous mesophases. 3. Conditions of formation and properties of mesoporous silica, **10**, 1669

#### Mesopores

Physicochemical features of the formation of siliceous porous mesophases. 3. Conditions of formation and properties of mesoporous silica, **10**, 1669

Structure and acid-basic properties of the surface of titanium oxides modified by phosphorus and aluminum and prepared by the alkoxy method. 1. Structural organization of modified titanate systems, **11**, 1803

Thermodynamic parameters of excess and absolute adsorption of CH<sub>4</sub> and SF<sub>6</sub> on carbons, **12**, 1993

#### Metal acetylides

Acetylide derivatives of transition metal cluster carbonyls (review), **7**, 1135

#### Metal chelates

Synthesis of new acyclic aminophosphites and their chelate complexes with rhodium(I) and palladium(II), **3**, 533

#### Metal cluster carbonyls

Acetylide derivatives of transition metal cluster carbonyls (review), **7**, 1135

#### Metal-complex catalysis

Synthesis and conversions of metallocycles. 22. NMR studies of the mechanism of Cp<sub>2</sub>ZrCl<sub>2</sub>-catalyzed cycloalumination of olefins with triethylaluminum to form aluminaacyclopentanes, **12**, 2051

#### Metallation

Metallation of the methyl group in *o*-nitrosotoluene: synthesis and the molecular structure of the binuclear complex [*o*-(NO)(CH<sub>2</sub>)C<sub>6</sub>H<sub>4</sub>]<sub>2</sub>Pd<sub>2</sub>(μ-OCCF<sub>3</sub>)<sub>2</sub>, **1**, 150

#### Metalloenes

Effect of substituents on the catalytic properties of bis(cyclopentadienyl)zirconium dichloride complexes with polymethylaluminoxane and AlBu<sub>3</sub>/CPh<sub>3</sub>B(C<sub>6</sub>F<sub>5</sub>)<sub>4</sub> cocatalysts in ethylene polymerization, **2**, 303

New one-step methods for the synthesis of the metallonium dication [Ru(η<sup>5</sup>-C<sub>5</sub>Me<sub>5</sub>)(η<sup>5</sup>:σ:σ-C<sub>5</sub>Me<sub>3</sub>(CH<sub>2</sub>)<sub>2</sub>)]<sup>2+</sup> and its heteroannular analog starting from decamethylruthenocene, **3**, 520

Electrochemical potentials, optical transitions, and frontier orbitals of non-bridged and bridged bent sandwich zirconocene complexes, **6**, 1037

Highly active three-component catalytic systems based on dialkylzirconocenes, triisobutylaluminum, and perfluorophenyl borates for synthesis of low-molecular-weight polyethylene, **7**, 1185

#### Metallofullerenes

New EPR signals of endohedral metallofullerenes, **10**, 1745

#### Metallonium dications

New one-step methods for the synthesis of the metallonium dication [Ru(η<sup>5</sup>-C<sub>5</sub>Me<sub>5</sub>)(η<sup>5</sup>:σ:σ-C<sub>5</sub>Me<sub>3</sub>(CH<sub>2</sub>)<sub>2</sub>)]<sup>2+</sup> and its heteroannular analog starting from decamethylruthenocene, **3**, 520

#### Metals

Specific features of the interaction of components in the DMSO—HBr—Pd<sup>0</sup> system, **10**, 1722

#### Methanation

Temperature hysteresis phenomena in heterogeneous catalysis, **8**, 1373

**Methane**

Formation of formic and acetic acids by low-temperature condensation of a mixture of methane and water vapor dissociated in MW discharge, **2**, 380

Determination of the adsorption volume and surface of carbon adsorbents with developed mesoporosity, **4**, 692

Stabilization of nonclassical types of valence bond orientation at the carbon atom in organoboron compounds, **5**, 783

Mechanism of methane activation by electrophiles generated in the  $\text{AlBr}_5$  system: an MNDO/PM3 study of the potential energy surface of the  $[\text{AlBr}_5+\text{CH}_4]$  system, **5**, 799

The formation of formic acid upon low-temperature condensation of a methane—carbon dioxide mixture dissociated in a microwave discharge, **5**, 823

Thermodynamic parameters of excess and absolute adsorption of  $\text{CH}_4$  and  $\text{SF}_6$  on carbons, **12**, 1993

**Methanesulfonic acid**

IR study of ion-molecular interactions in the system methanesulfonic acid—ethyl acetate, **2**, 295

**Methanofullerenes**

Electrochemical reduction of some methanofullerenes. On the mechanism of the retro-Bingel reaction, **3**, 427

ESR study of spin-adducts of phosphoryl radicals with methano[60]fullerenes, **5**, 843

**1-Methoxycycloalkenes**

Diastereoselective synthesis of polyfunctional compounds based on the tandem sequence of three  $A_{dE}$  reactions using cyclic vinyl ethers as first alkene components, **1**, 85

**1-Methoxyprop-1(2)-ene**

Multiple bond migration with participation of a protophilic agent. 4. Double bond migration in 3-methylthioprop-1-ene and 3-methoxyprop-1-ene: a comparative study, **3**, 408

Multiple bond migration with participation of a protophilic agent. 5. Double bond migration in heteroallylic systems, **3**, 415

**Methyl isothiocyanate**

Synthesis of 3-hydroxy-1-methyl-2-(methylthio)pyrrole from methyl isothiocyanate and prop-2-yn-1-ol, **9**, 1634

**Methyl 1-methyldispiro[2.0.2.1]heptane-1-carboxylate**

Generation of diazo-2-methylenecyclopropane and its 1,3-dipolar cycloaddition to acrylates, **7**, 1207

**8-O-Methyl-N-acetylneuraminic acid**

Gangliosides from the starfish *Evasterias echinosoma*: identification of a disialoganglioside containing 8-O-methyl-N-acetylneuraminic acid and N-formylgalactosamine, **1**, 159

**Methylation**

*peri*-Naphthylenediamines. 30. 1,2,8-Tris(dimethylamino)-naphthalene and some other 2-amino derivatives of "proton sponge", **8**, 1406

**D,L- $\alpha$ -Methylbenzylamine**

The chemistry of *N,N*-bis(trialkylsilyloxy)enamines. 2. Alkylation of primary amines with *N,N*-bis(trimethylsilyloxy)enamines, **7**, 1261

**Methylcobaloxime**

Electrochemical methylation of a chelate anionic  $\text{Ni}^{\text{I}}$  complex with methylcobaloxime. Partial modeling of the action mechanism of the active center of acetyl-CoA synthase, **1**, 56

**Methylcyclopentadiene**

Reactions of cyclopentadienes with phorone, **4**, 724

**N-(Methylenecyclopropyl)-N-nitroso-urea**

Generation of diazo-2-methylenecyclopropane and its 1,3-dipolar cycloaddition to acrylates, **7**, 1207

**N-(Methylenecyclopropyl)urea**

Generation of diazo-2-methylenecyclopropane and its 1,3-dipolar cycloaddition to acrylates, **7**, 1207

**(S)-6-Methylhept-5-en-2-ol**

Synthesis of (*S*)-6-methylhept-5-en-2-ol, the aggregation pheromone of *Gnathotrichus sulcatus*, **4**, 717

**(S)-4-Methylhex-5-en-1-ol**

Synthesis of derivatives of (*S*)-2-alkanols, components of pheromones of *Drosophila mulleri* and *Rhyzopertha dominica*, from (*S*)-(+)-3,7-dimethylocta-1,6-diene, **11**, 1899

**6-Methyl-6-methoxycarbonyl-1-methylene-4,5-diazaspiro[2.4]hept-4-ene**

Generation of diazo-2-methylenecyclopropane and its 1,3-dipolar cycloaddition to acrylates, **7**, 1207

**N-Methylmorpholine**

Unusual multi-component condensation in the synthesis of 1,4-dihydro-1,6-naphthyridine derivatives, **1**, 125

*N*-Methylmorpholinium 4-aryl-5-cyano-3-methoxycarbonyl-2-oxo-1,2,3,4-tetrahydropyridine-6-thiolates: synthesis and properties, **3**, 487

**N-Methylmorpholine oxide**

Aqueous solution of *N*-methylmorpholine *N*-oxide as a stationary liquid phase in steam chromatography, **6**, 1071

**Methylnitropyrazoles**

Direct iodination of 3- and 4-nitropyrazoles with a reagent based on iodine monochloride and silver sulfate, **8**, 1475

**Methyloxasilacycloalkanes**

Synthesis of difunctional organooxasilacycloalkanes, **8**, 1430

**2-Methyl-1-(oximino)-3-azanonane**

The chemistry of *N,N*-bis(trialkylsilyloxy)enamines. 2. Alkylation of primary amines with *N,N*-bis(trimethylsilyloxy)enamines, **7**, 1261

**trans-6-Methyl(propyl,phenyl)-2-propyl-1,2,3,6-tetrahydropyridine**

Peculiarities of electroreduction of *trans*-2-allyl-6-methyl(allyl,phenyl)-1,2,3,6-tetrahydropyridines, **12**, 2037

**5-Methyl-1,3a,4,8b-tetrahydrocyclopenta[b]indole**

Synthesis of 3-substituted cyclopenta[*b*]indoles, **10**, 1767

**Methylthioprop-1(2)-enes**

Multiple bond migration with participation of a protophilic agent. 4. Double bond migration in 3-methylthioprop-1-ene and 3-methoxyprop-1-ene: a comparative study, **3**, 408

Multiple bond migration with participation of a protophilic agent. 5. Double bond migration in heteroallylic systems, **3**, 415

**(10R)-10-Methyltridecan-2-one**

A novel polyfunctional chiral building block derived from (*S*)-ethyl lactate. Application to the synthesis of the sex pheromone of the southern corn rootworm (*Diabrotica undecimpunctata howardi*), **1**, 154

**Methylmanganese iodide**

Stereochemical differentiation in the reactions of organometallic reagents with levoglucosenone and some of its dihydro derivatives, **7**, 1237

**Micellar catalysis**

Kinetics of alkaline hydrolysis of ethyl *p*-nitrophenyl ethylphosphonate in the reverse micellar system: sodium dodecyl sulfate—hexanol—water, **2**, 265



The influence of the structure of tetracoordinate phosphorus acid esters on the catalytic effect of the sodium dodecyl sulfate—hexanol—water ternary reverse micellar system, **8**, 1360

The catalytic effect of the cationic surfactant—polyethylene imine—water system in the hydrolysis of *O*-alkyl *O*-*p*-nitrophenylchloromethylphosphonates, **9**, 1501

#### Micellar systems

Distribution of nonionic compounds between the gas phase and sodium dodecyl sulfate micelles, **2**, 251

Reactions of calix[4]resorcinolarene anions with esters of carboxylic acids in H<sub>2</sub>O—DMF solvent, **2**, 261

Kinetics of alkaline hydrolysis of ethyl *p*-nitrophenyl ethylphosphonate in the reverse micellar system: sodium dodecyl sulfate—hexanol—water, **2**, 265

The influence of hydrophobic amines on hydrolysis of bis(*p*-nitrophenyl) methylphosphonate in micellar solutions of cetylpyridinium bromide, **2**, 270

Catalytic activity of aminomethylated calix[4]resorcinolarene aggregates in hydrolysis of esters of phosphorus acids, **8**, 1355

The influence of the structure of tetracoordinate phosphorus acid esters on the catalytic effect of the sodium dodecyl sulfate—hexanol—water ternary reverse micellar system, **8**, 1360

#### Michael reactions

Reactions of cyclopentadienes with phorone, **4**, 724

Reactions of cyclic enhydrazinoketones with arylidene derivatives of malononitrile. Synthesis of fused *N*-substituted 1,4-dihydropyridines, **7**, 1251

#### Microcrystallites

Structure and acid-basic properties of the surface of titanium oxides modified by phosphorus and aluminum and prepared by the alkoxo method. 1. Structural organization of modified titanate systems, **11**, 1803

#### Microemulsions

Kinetics of alkaline hydrolysis of ethyl *p*-nitrophenyl ethylphosphonate in the reverse micellar system: sodium dodecyl sulfate—hexanol—water, **2**, 265

Pyrene sensitized phosphorescence enhanced by the heavy atom effect in the water—heptane—sodium dodecyl sulfate—pentanol microemulsion, **9**, 1518

The micellar effect of the sodium bis(2-ethylhexyl)sulfosuccinate—decane—water reverse system on the hydrolysis of phosphonic acid esters, **10**, 1696

#### Micropores

Nonideality of binary mixtures in the adsorbent micropores, **6**, 1006

Adsorption deformation in the microporous carbon adsorbent—benzene system and porous structure of adsorbents, **6**, 1012

Thermodynamic parameters of excess and absolute adsorption of CH<sub>4</sub> and SF<sub>6</sub> on carbons, **12**, 1993

#### Mixed *N*'-alkyl(dialkyl)(cycloalkyl)-*N,N*-dimethylthiuram disulfides

Thiocarbamoylation of amine-containing compounds. 5. The mechanism of reactions of tetramethylthiuram disulfide with aliphatic amines, **2**, 335

#### Molar refraction

Thermochemistry of heteroatomic compounds. 17. Theoretical calculations of vaporization enthalpies for alkylphosphines and alkyl(aryl)phosphines, **1**, 33

Thermochemistry of heteroatomic compounds. 18. The enthalpies of vaporization, solvation, and formation of isomeric 2,5-dimethyl-1-phenyl-1-thioxophosphorinan-4-ones, **9**, 1522

#### Molecular asymmetry

Asymmetric nitrogen. 82. Trigger base: study of its complex with HgBr<sub>2</sub> and its methiodide, **7**, 1241

3,6-Didecyloxyphthalonitrile as a starting compound for the selective synthesis of phthalocyanines of the ABAB type, **12**, 2027

#### Molecular beams

Kinetics of the radiative relaxation of the highly excited C<sub>60</sub><sup>+\*</sup> ion, **2**, 276

#### Molecular clusters

New EPR signals of endohedral metallofullerenes, **10**, 1745

#### Molecular complexes

Synthesis and crystal structure of a new molecular complex of fullerene C<sub>70</sub>, 4BNDY·3C<sub>70</sub>·4C<sub>6</sub>H<sub>6</sub> (BNDY is binaphtho[1,8-*d,e*]-1,3-dithiin-2-ylidene), **1**, 102

Efficient resolution of (±)-pantolactone by inclusion crystallization with the use of chiral 1,1,2-triphenylethane-1,2-diol, **8**, 1483

#### Molecular mobility

Models of slow rotational mobility of paramagnetic probes in glassy media, **6**, 1059

#### Molecular statistical calculations

The cell effect in adamantane adsorption on graphitized thermal carbon black, **5**, 847

Thermodynamic parameters of adsorption of adamantane and its derivatives on graphitized thermal carbon black, **12**, 1988

#### Molecular structure

Influence of steric and electronic effects of substituents on the molecular structures and conformational flexibility of 1,8-naphthalenedicarboximides, **1**, 70

Photochromic dihetarylethenes. 4. The molecular and crystal structures of 1,2-bis(2-ethyl-5-ethylsulfonylthien-3-yl)perfluorocyclopentene and 1,2-bis[5-(benzooxazol-2-yl)-2-methylthien-3-yl]perfluorocyclopentene, **1**, 77

Synthesis and crystal structure of a new molecular complex of fullerene C<sub>70</sub>, 4BNDY·3C<sub>70</sub>·4C<sub>6</sub>H<sub>6</sub> (BNDY is binaphtho[1,8-*d,e*]-1,3-dithiin-2-ylidene), **1**, 102

Metallation of the methyl group in *o*-nitrosotoluene: synthesis and the molecular structure of the binuclear complex [*o*-(NO)(CH<sub>2</sub>)C<sub>6</sub>H<sub>4</sub>]<sub>2</sub>Pd<sub>2</sub>(μ-OCCF<sub>3</sub>)<sub>2</sub>, **1**, 150

Electron density distribution in the crystal of the Meisenheimer complex of potassium 3-methyl-5',7'-dinitro-5',8'-dihydrospiro(1,3-oxazolidine-2,8'-quinolinide) based on X-ray diffraction data at 153 K, **3**, 452

Crystal and molecular structure of 11α-methoxyppuuphenol diacetate, **3**, 563

Hydration and protonation of *O*-vinylacetoxime in the gas phase: an *ab initio* study, **4**, 601

Molecular structures of acetylene derivatives of tin. 6. Molecular structure of bis(trimethylstannyl)acetylene and analysis of vibrational spectra of its isotopomers by scaling of quantum-chemical force field, **4**, 620

Molecular structures of acetylene derivatives of tin. 7. Bis(trimethylstannyl)acetylene: analysis of electron diffraction data taking into account nonlinear relations between Cartesian and internal vibrational coordinates, **4**, 631

$^{13}\text{C}$  and  $^1\text{H}$  NMR spectra of substituted dihydropyrroles prepared by the reaction of 2-aminooxazoles and maleimide, **4**, 701

Synthesis, structure, and properties of piperidinium 3-(4-chlorophenyl)-2-cyano-3-(2-hydroxy-4,4-dimethyl-6-oxocyclohex-1-enyl)thiopropionimide, **4**, 736

Allylic isomerization of dichlorobutenes catalyzed by iron-containing nanoparticles stabilized in polymeric matrices, **5**, 852

Heteroorganic betaines. 2. X-ray diffraction study of betaines containing the  $^+\text{P}-\text{C}-\text{Si}-\text{S}^-$  fragment, **5**, 929

Heteroorganic betaines. 3. Reactions of betaines containing the  $^+\text{P}-\text{C}-\text{Si}-\text{S}^-$  fragment, **5**, 933

Acetylide derivatives of transition metal cluster carbonyls (review), **7**, 1135

Influence of solvents on the molecular and crystal structure of the complex of 1,3-diallyl-5-[3-(diphenylphosphino)propyl]-1,3,5-triazine-2,4,6(1*H*,3*H*,5*H*)-trione with palladium(II) dichloride, **7**, 1195

Asymmetric nitrogen. 82. Tröger base: study of its complex with  $\text{HgBr}_2$  and its methiodide, **7**, 1241

Reactions of aliphatic  $\beta$ -amino- $\beta$ -(trichloromethyl)vinyl ketones with ethylenediamine. Synthesis and structures of 2-acetylidenimidazolines, **7**, 1245

Synthesis and X-ray diffraction studies of 3-cyano-2-trifluoromethyl-4*H*-pyrido[1,2-*a*]pyrimidine derivatives, **7**, 1257

An EXAFS study of the molecular structure of heterometallic chalcogenide clusters, **8**, 1389

Synthesis of optically active hydridocarbonyl triosmium clusters with terpene derivatives as ligands. Molecular structure and absolute configuration of a cluster with a bridging dihydroimidazole ligand, **8**, 1440

Heteroorganic betaines. 4. Photolysis and thermolysis of betaines containing the  $^+\text{P}-\text{C}-\text{Si}-\text{S}^-$  structural fragment, **9**, 1583

Reaction of  $\text{Ru}_3(\text{CO})_{12}$  with 1,3-diferrocenylprop-2-ene-1-one. Crystal and molecular structures of the complexes  $\text{Ru}_3(\text{CO})_8(\text{FcC}=\text{CHCOFc})_2$  and  $[\text{Ru}(\text{CO})_2\text{Cl}(\text{FcC}=\text{CHCOFc})]_2$ , **9**, 1605

Synthesis, structure, and biological activity of mixed-ligand platinum(II) complexes with aminonitroxides, **9**, 1613

Photochromic dihetarylethenes. 5. Synthesis, structure, and photochromic properties of 4,4'-disubstituted 1,2-bis[2-ethyl-5-ethylthio(ethylsulfonyl)-3-thienyl]perfluorocyclopentenes, **10**, 1757

Unusual condensation of *N*-phenylsemiquinonediimine ligands coordinated to the  $\text{Ni}^{\text{II}}$  atom with an acetone molecule to form a heterocycle, **10**, 1771

Crystal and molecular structures of six-coordinate germanium difluorides and dibromides containing lactamomethyl C,O-chelating ligands, **10**, 1775

Synthesis and structure of bis(acetylacetonato)germanium(IV) diazide, **10**, 1800

Heteroorganic betaines. 5. A DFT study of the structure and reactivity of 6,6-dimethyl-6-silafulvene and silicon-containing organophosphorus betaine  $^-\text{C}_5\text{H}_4\text{SiMe}_2\text{CH}_2\text{PMe}_3^+$ , **11**, 1823

Synthesis and properties of homoleptic 2,2'-bipyridyl complexes of rare-earth elements. Crystal and molecular struc-

tures of the complexes  $\text{Ln}(\text{N}_2\text{C}_{10}\text{H}_8)_4$  ( $\text{Ln} = \text{Sm}, \text{Eu}, \text{Yb}$ , or  $\text{Lu}$ ) and the ionic complex  $[\text{Lu}(\text{N}_2\text{C}_{10}\text{H}_8)_4][\text{Li}(\text{THF})_4]$ , **11**, 1869

Synthesis and structures of complexes of *N*-(2-aminoethyl)diaziridines with transition metal salts, **11**, 1882

Synthesis and structures of nickel(II) trimethylacetate dimers with coordinated diamines, **11**, 1887

Photoinitiated processes in 1-*p*-tolylsulfonylazo-2,4,6,8-tetrakis(*tert*-butyl)phenoxazine, **12**, 1981

Molecular and crystal structure of the clathrochelate complex  $\text{FeDm}_3(\text{BF})_2 \cdot \text{C}_6\text{H}_6$  and parameters of its  $^{57}\text{Fe}$  Mössbauer spectra, **12**, 2018

Reaction of 3(*Z*)-benzoylmethylidene-6-nitro-3,4-dihydro-2*H*-1,4-benzoxazin-2-one with oxalyl chloride, **12**, 2045

Photochemical transformations of 3-alkyl-3-ferrocenylcyclopropenes, **12**, 2059

### Molecular vibrations

Molecular structures of acetylene derivatives of tin. 7. Bis(trimethylstannyl)acetylene: analysis of electron diffraction data taking into account nonlinear relations between Cartesian and internal vibrational coordinates, **4**, 631

### Molybdenum compounds

Synthesis, structures, and properties of the molybdenum and tungsten chalcogenide cubane complexes  $(\text{NH}_4)_6[\text{M}_4\text{Q}_4(\text{CN})_{12}] \cdot 6\text{H}_2\text{O}$  ( $\text{M} = \text{Mo}$  or  $\text{W}$ ;  $\text{Q} = \text{S}$  or  $\text{Se}$ ), **1**, 19

An EXAFS study of the molecular structure of heterometallic chalcogenide clusters, **8**, 1389

Synthesis and the crystal structure of a supramolecular adduct of the cubane cluster  $[\text{ClPdMo}_3\text{Se}_4(\text{H}_2\text{O})_7\text{Cl}_2]^+$  with macrocyclic cavitand cucurbituril, **11**, 1877

### Monosaccharides

*N*-Glycyl- $\beta$ -glycopyranosylamines, derivatives of mono- and disaccharides, and their use for the preparation of carboxylic acid glycoconjugates, **8**, 1454

### Monoterpenoids

Synthesis of (*S*)-6-methylhept-5-en-2-ol, the aggregation pheromone of *Gnathotrichus sulcatus*, **4**, 717

Aqueous solution of *N*-methylmorpholine *N*-oxide as a stationary liquid phase in steam chromatography, **6**, 1071

Synthesis of optically active hydridocarbonyl triosmium clusters with terpene derivatives as ligands. Molecular structure and absolute configuration of a cluster with a bridging dihydroimidazole ligand, **8**, 1440

Synthesis of optically active analogs of  $\alpha$ -tocopherol based on (*S*)-(+)-dihydromyrcene, **9**, 1620

Chlorine dioxide as an oxidant for organoboron compounds, **9**, 1647

Synthesis of derivatives of (*S*)-2-alkanols, components of pheromones of *Drosophila mulleri* and *Rhyzopertha dominica*, from (*S*)-(+)-3,7-dimethylocta-1,6-diene, **11**, 1899

### Monothiooxamides

Synthesis of 3-carbamoyl-1,2,4-triazoles, **8**, 1481

### Monte Carlo method

Structural properties of liquid *N*-methylformamide, **2**, 238

Structural peculiarities of particle solvation in *N,N*-dimethylformamide, **4**, 588

The influence of substituents in the quinone dihydrocycle of anthroneylidene molecules on the polymer chain rigidity, **5**, 794

**5-Morpholinobenzo[*a*]phenazine**

Reactions of 4-morpholino-1,2-naphthoquinone with enamines and *o*-phenylenediamine, **4**, 732

**4-Morpholino-1,2-naphthoquinone**

Reactions of 4-morpholino-1,2-naphthoquinone with enamines and *o*-phenylenediamine, **4**, 732

**Mössbauer spectroscopy**

Synthesis, crystal structures, Mössbauer spectra, and redox properties of binuclear and tetranuclear iron-sulfur nitrosyl clusters, **3**, 444

Influence of the cation on the properties of binuclear iron nitrosyl complexes. Synthesis and crystal structure of  $[\text{Pr}^{\text{n}}_4\text{N}]_2[\text{Fe}_2\text{S}_2(\text{NO})_4]$ , **6**, 1109

Molecular and crystal structure of the clathrochelate complex  $\text{FeDm}_3(\text{BF})_2 \cdot \text{C}_6\text{H}_6$  and parameters of its  $^{57}\text{Fe}$  Mössbauer spectra, **12**, 2018

**Müller's hydrocarbon**

Formation of color centers and paramagnetic species by alkaline hydrolysis of polydiphenylsulfophthalide, **2**, 298

Color centers in poly(arylenesulfophthalides) and the ground state of Müller's hydrocarbon molecule, **10**, 1676

## N

**Naphthalene derivatives**

Influence of steric and electronic effects of substituents on the molecular structures and conformational flexibility of 1,8-naphthalenedicarboximides, **1**, 70

The solid-state interaction of organometallic aldehydes with 1,8-naphthylenediamine, **1**, 148

Reaction of a naphthalene complex  $\text{C}_{10}\text{H}_8\text{Yb}(\text{THF})_2$  with cyclopentadienyl-substituted alcohols and amines as a convenient synthetic route to the half-sandwich complexes of divalent ytterbium, **4**, 744

*peri*-Naphthylenediamines. 28. Nitration of 1,8-bis(dimethylamino)naphthalene and 5,6-bis(dimethylamino)acenaphthene in neutral and weakly acidic media. The first case of isolation of *o*-nitro and *o,o'*-dinitro derivatives of "proton sponges", **7**, 1212

Reactions of ethyl 3-(diethoxyphosphoryl)-3,3-difluoropyruvate with some nucleophilic reagents, **7**, 1255

*peri*-Naphthylenediamines. 30. 1,2,8-Tris(dimethylamino)naphthalene and some other 2-amino derivatives of "proton sponge", **8**, 1406

Excimer fluorescence and structures of the inclusion complexes of  $\beta$ -cyclodextrin with naphthalene and its derivatives, **10**, 1699

**1,6-Naphthyridines**

Unusual multi-component condensation in the synthesis of 1,4-dihydro-1,6-naphthyridine derivatives, **1**, 125

**Neodymium complexes**

Synthesis and some properties of lanthanum, neodymium, and samarium *tert*-butoxycuprates  $[(\text{Bu}^t\text{O})_5\text{Cu}_2\text{Ln}]_2$ , **7**, 1270

**Neptunium**

Photochemistry of f-element ions (review), **12**, 1925

**Neutron diffraction**

Lengthening of O—H distance of the intramolecular O—H...O hydrogen bonds in molecular systems with conjugation, **4**, 758

**Nickel**

Aqueous solutions of colloidal nickel: radiation-chemical preparation, absorption spectra, and properties, **10**, 1715

**Nickel complexes**

Electrochemical methylation of a chelate anionic  $\text{Ni}^{\text{I}}$  complex with methylcobaloxime. Partial modeling of the action mechanism of the active center of acetyl-CoA synthase, **1**, 56

Unusual condensation of *N*-phenylsemiquinonediimine ligands coordinated to the  $\text{Ni}^{\text{II}}$  atom with an acetone molecule to form a heterocycle, **10**, 1771

Synthesis and structures of nickel(II) trimethylacetate dimers with coordinated diamines, **11**, 1887

**Nickel(II) trimethylacetates**

Magnetic properties of binuclear high-spin trimethylacetate nickel(II) complexes, **3**, 438

**Nickel-containing catalyst**

A graphite oxide-based nickel catalyst for reductive dechlorination of polychlorinated aromatic hydrocarbons, **6**, 1017

**Nickelocenes**

Synthesis of 1-(cyclopentadienyl)adamantane and the corresponding zirconium complexes, **3**, 508

Synthesis of bis-cyclopentadienyl compounds with a 9,9-fluorenylidene bridge. Crystal and molecular structure of  $[\mu\text{-}9,9\text{-Flu}(\eta^5\text{-Cp})_2]\text{ZrCl}_2$ , **7**, 1287

**Nitramines**

Kinetics of thermal decomposition of hexanitrohexaazaisowurtzitane, **5**, 812

Synthesis and nitration of condensation products of sulfamates with aliphatic amines and formaldehyde, **6**, 1082

Electrosynthesis of diazene oxides under oxidation of nitramine anions at Pt in MeCN in the presence of nitrosobenzene, **8**, 1421

**Nitration**

Synthesis of *N,N'*-dialkylmethylenebis(nitramines) from *N*-alkylsulfamates, **6**, 1079

Synthesis and nitration of condensation products of sulfamates with aliphatic amines and formaldehyde, **6**, 1082

*peri*-Naphthylenediamines. 28. Nitration of 1,8-bis(dimethylamino)naphthalene and 5,6-bis(dimethylamino)acenaphthene in neutral and weakly acidic media. The first case of isolation of *o*-nitro and *o,o'*-dinitro derivatives of "proton sponges", **7**, 1212

*peri*-Naphthylenediamines. 29. 1,8-Bis(dimethylamino)-3-nitro- and -3,6-dinitronaphthalenes and 5,6-bis(dimethylamino)-3-nitro- and -3,8-dinitroacenaphthenes as the first representatives of "proton sponges" *meta*-substituted relative to NMe<sub>2</sub> groups, **8**, 1399

Synthesis of 5-alkoxy-3-amino-7-nitro-1,2,4-benzotriazine 1-oxides from 1,3,5-trinitrobenzene, **9**, 1640

**Nitric acid**

*peri*-Naphthylenediamines. 28. Nitration of 1,8-bis(dimethylamino)naphthalene and 5,6-bis(dimethylamino)acenaphthene in neutral and weakly acidic media. The first case of isolation of *o*-nitro and *o,o'*-dinitro derivatives of "proton sponges", **7**, 1212

A synergetic effect in nitrous acid formation by sonolysis of nitric acid in the presence of nitrous oxide, **12**, 2077

**Nitro compounds**

Trimethylsilyl derivatives of aliphatic nitro compounds in  $\alpha,\beta$ -C,C-cross-coupling, **5**, 874

*N,N*-Bis(*tert*-butyldimethylsilyloxy)aminobenzene as a new synthetic equivalent of nitrosobenzene, **9**, 1649

#### Nitrogen

Fractality of materials based on silica gel, **5**, 778

#### Nitrogen oxides

*peri*-Naphthylenediamines. 28. Nitration of 1,8-bis(dimethylamino)naphthalene and 5,6-bis(dimethylamino)acenaphthene in neutral and weakly acidic media. The first case of isolation of *o*-nitro and *o,o'*-dinitro derivatives of "proton sponges", **7**, 1212

Regularities of formation and catalytic properties of supported cobaltites in the oxidation of CO and hydrocarbons and in the reduction of nitrogen oxides, **9**, 1536

#### Nitrones

Reactions of heterocyclic paramagnetic aldonitrone, 2,2,5,5-tetramethyl-3-imidazoline-1-oxyl 3-oxide, with alkynes, **1**, 116

Study of alkaloids from plants of Siberia and Altai. 4. *N*-Deethylation of diterpene alkaloids of the aconitane type, **3**, 557

#### Nitronium tetrafluoroborate

*peri*-Naphthylenediamines. 28. Nitration of 1,8-bis(dimethylamino)naphthalene and 5,6-bis(dimethylamino)acenaphthene in neutral and weakly acidic media. The first case of isolation of *o*-nitro and *o,o'*-dinitro derivatives of "proton sponges", **7**, 1212

#### Nitroso alkenes

Trimethylsilyl derivatives of aliphatic nitro compounds in  $\alpha,\beta$ -C,C-cross-coupling, **5**, 874

#### Nitroso arenes

Metallation of the methyl group in *o*-nitrosotoluene: synthesis and the molecular structure of the binuclear complex [*o*-(NO)(CH<sub>2</sub>)C<sub>6</sub>H<sub>4</sub>]<sub>2</sub>Pd<sub>2</sub>( $\mu$ -OOCFF<sub>3</sub>)<sub>2</sub>, **1**, 150

Electrosynthesis of diazene oxides under oxidation of nitramine anions at Pt in MeCN in the presence of nitrosobenzene, **8**, 1421

*N,N*-Bis(*tert*-butyldimethylsilyloxy)aminobenzene as a new synthetic equivalent of nitrosobenzene, **9**, 1649

#### Nitrosyl complexes

Synthesis, crystal structures, M $\ddot{u}$ ssbauer spectra, and redox properties of binuclear and tetranuclear iron-sulfur nitrosyl clusters, **3**, 444

Influence of the cation on the properties of binuclear iron nitrosyl complexes. Synthesis and crystal structure of [Pr<sup>n</sup><sub>4</sub>N]<sub>2</sub>[Fe<sub>2</sub>S<sub>2</sub>(NO)<sub>4</sub>], **6**, 1109

#### Nitrous acid

A synergetic effect in nitrous acid formation by sonolysis of nitric acid in the presence of nitrous oxide, **12**, 2077

#### Nitrous oxide

A synergetic effect in nitrous acid formation by sonolysis of nitric acid in the presence of nitrous oxide, **12**, 2077

#### Nitroxides

Reactions of chloro-substituted enamino ketones, *viz.*, derivatives of imidazolidine nitroxides, with sodium cyanide, **5**, 899

Synthesis, structure, and biological activity of mixed-ligand platinum(II) complexes with aminonitroxides, **9**, 1613

#### *N*-(2-Nitroxyethyl)nicotinamide (Nicorandil)

*N*-(2-Nitroxyethyl)nicotinamide (Nicorandil) as a monomer in quaternization polymerization, **8**, 1487

#### *N*-2-Nitroxyethylpicolinamide

Synthesis and structure of the complex of 2-(2-pyridyl)-2-oxazoline with PdCl<sub>2</sub>, **3**, 566

#### Nitroxyl radicals

Stable vinylnitroxyl radicals, pyrroline derivatives, **1**, 106

Reactions of heterocyclic paramagnetic aldonitrone, 2,2,5,5-tetramethyl-3-imidazoline-1-oxyl 3-oxide, with alkynes, **1**, 116

Coordination of nitroxyl radical probes to the Lewis acid sites on the surface of gallium oxide: a quantum-chemical analysis, **6**, 991

Models of slow rotational mobility of paramagnetic probes in glassy media, **6**, 1059

Synthesis and properties of paramagnetic derivatives of linear and fused polyaromatic compounds, **8**, 1409

The reactivity of 3,5-dimethylidene-2,2,6,6-tetramethyl-4-oxopiperidin-1-oxyl and its diamagnetic *N*-methyl analog in nucleophilic addition of amines and Diels–Alder dimerization, **10**, 1682

#### <sup>11</sup>B NMR spectroscopy

Electrophilic substitution reactions of ferracarborane 3-( $\eta^5$ -Cp)-4-SMe<sub>2</sub>-3,1,2-FeC<sub>2</sub>B<sub>9</sub>H<sub>10</sub>, **9**, 1598

#### <sup>13</sup>C NMR spectroscopy

<sup>1</sup>H and <sup>13</sup>C NMR spectra of polycyclic compounds. 7. Stereochemical identification of a mixture of five stereoisomeric norbornadiene trimers, **1**, 64

Synthesis of 11-hydroxydrim-8(9)-en-7-one and 11,12-dihydroxydrim-8(9)-en-7-one from drim-8(9)-en-7-one, **1**, 98

Stable vinylnitroxyl radicals, pyrroline derivatives, **1**, 106

Synthesis, crystal and molecular structures, and stereochemical nonrigidity of *N*-(chlorodimethylgermylmethyl)- and *N*-(bromodimethylgermylmethyl)-*N*-[(*S*)-1-phenylethyl]acetamides and *N*-(chlorodimethylgermylmethyl)-4-phenyl-2-pyrrolidone, **1**, 140

A novel polyfunctional chiral building block derived from (*S*)-ethyl lactate. Application to the synthesis of the sex pheromone of the southern corn rootworm (*Diabrotica undecimpunctata howardi*), **1**, 154

On the mechanism of titanium-catalyzed cyclopropanation of esters with aliphatic organomagnesium compounds. Deuterium distribution in the reaction products of (CD<sub>3</sub>)<sub>2</sub>CHMgBr with ethyl 3-chloropropionate in the presence of titanium tetraisopropoxide, **2**, 378

Electronegativity of atoms of ring-containing molecules—NMR spectroscopy data correlations: a description within the framework of topological index approach, **3**, 402

New one-step methods for the synthesis of the metallonium dication [Ru( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)( $\eta^5$ : $\sigma$ -C<sub>5</sub>Me<sub>3</sub>(CH<sub>2</sub>)<sub>2</sub>)<sup>2+</sup> and its heteroannular analog starting from decamethylruthenocene, **3**, 520

Synthesis of new acyclic aminophosphites and their chelate complexes with rhodium(I) and palladium(II), **3**, 533

Crystal and molecular structure of 11 $\alpha$ -methoxypuupehenol diacetate, **3**, 563

<sup>13</sup>C and <sup>1</sup>H NMR spectra of substituted dihydropyrroles prepared by the reaction of 2-aminoxazoles and maleimide, **4**, 701

Reactions of cyclopentadienes with phorone, **4**, 724

Separation of racemic *ciso*-3,3-( $\eta^{3,2}$ -norbornadienyl)rhodacarboranes into enantiomers by HPLC on chiral stationary phases, **4**, 759

Heteroorganic betaines. 1. Synthesis of betaines containing the  $^+P-C-Si-S^-$  and  $^+P-C-C-S^-$  fragments and their characterization by multinuclear NMR spectroscopy, **5**, 920

Synthesis of 2-aryl-6-(4-bromophenyl)-4-(2,2-dichlorovinyl)pyridines with the use of 1-aryl-5,5-dichloropenta-2,4-dien-1-ones, **5**, 954

Synthesis and transformations of metallocycles. 21. A novel method for the synthesis of 1,1-dialkylcyclopropanes, **6**, 1086

Synthesis of phthalide-containing dihalogeno derivatives and polyarylene ether ketones based on them, **6**, 1093

Ozonides of perfluorooct-1-ene and perfluorooct-2-ene, **6**, 1103

Nucleophilic substitution of hydrogen in the reaction of 1,2,4-triazin-4-oxides with cyanamide, **6**, 1122

Generation of diazo-2-methylenecyclopropane and its 1,3-dipolar cycloaddition to acrylates, **7**, 1207

Asymmetric nitrogen. 82. Trigger base: study of its complex with  $HgBr_2$  and its methiodide, **7**, 1241

New synthesis of (*Z*)-5- and (*Z*)-7-monoene components of insect sex pheromones of the Lepidoptera order, **7**, 1301

A novel approach to functionalization of allyl aglycon. Effective synthesis of selectively protected 2-aminoethyl lactoside, a common building block for the synthesis of carbohydrate chains of glycolipids, **7**, 1305

Unusual transformation of *N*-arylamino-1,4-dihydropyridines, **7**, 1318

Synthesis of optically active hydridocarbonyl trisium clusters with terpene derivatives as ligands. Molecular structure and absolute configuration of a cluster with a bridging dihydroimidazole ligand, **8**, 1440

Pivaloylpyruvic acid as a new acylating reagent for amines, **9**, 1552

Heteroorganic betaines. 4. Photolysis and thermolysis of betaines containing the  $^+P-C-Si-S^-$  structural fragment, **9**, 1583

Reaction of  $Ru_3(CO)_{12}$  with 1,3-diferrocenylprop-2-ene-1-one. Crystal and molecular structures of the complexes  $Ru_3(CO)_8(FcC=CHCOFc)_2$  and  $[Ru(CO)_2Cl(FcC=CHCOFc)]_2$ , **9**, 1605

Synthesis of optically active analogs of  $\alpha$ -tocopherol based on (*S*)-(+)-dihydromyrcene, **9**, 1620

"Anhydrolycaconitine," a new diterpene alkaloid from *Aconitum septentrionale* K., **9**, 1629

Thioureidoquinazolin-4(3*H*)-ones. 1. Acid-induced recyclization of 3-(*N'*,*N'*-dialkylthioureido)quinazolin-4(3*H*)-ones into 1,3,4-thiadiazoles, **10**, 1763

Crystal and molecular structures of six-coordinate germanium difluorides and dibromides containing lactamomethyl C,O-chelating ligands, **10**, 1775

New flavonoid oligoside from *Aconitum barbatum* Pers., **11**, 1905

Unusual macrocyclic diol from *Stellaria media* (L.) Vill., **11**, 1908

Different reactivities of regioisomeric azimines, adducts of phthalimidonitrene with 5-bromospiro[1-pyrazoline-3,1'-cyclopropane], **11**, 1919

A new phytoecdysteroid, **11**, 1923

Protonation of 1,2-disubstituted imidazolines and other products of condensation of 2-ethylhexanoic acid with diethylenetriamine and triethylenetetramine, **12**, 2007

Synthesis of phosphorylated methanofullerenes, **12**, 2048

Synthesis and conversions of metallocycles. 22. NMR studies of the mechanism of  $Cp_2ZrCl_2$ -catalyzed cycloalumination of olefins with triethylaluminum to form aluminacyclopentanes, **12**, 2051

Synthesis of dolichyl phosphates with a fluorescent label in the  $\gamma$ -isoprene unit of the chain, **12**, 2065

#### **$^{19}F$ NMR spectroscopy**

Synthesis of 1,1-bis(trifluoromethyl)alkyl isocyanates, carbamates, and ureas, **7**, 1202

Photochromic dihetarylethenes. 5. Synthesis, structure, and photochromic properties of 4,4'-disubstituted 1,2-bis[2-ethyl-5-ethylthio(ethylsulfonyl)-3-thienyl]perfluorocyclopentenes, **10**, 1757

#### **$^1H$ NMR spectroscopy**

$^1H$  and  $^{13}C$  NMR spectra of polycyclic compounds. 7. Stereochemical identification of a mixture of five stereoisomeric norbornadiene trimers, **1**, 64

Synthesis of 11-hydroxydrim-8(9)-en-7-one and 11,12-dihydroxydrim-8(9)-en-7-one from drim-8(9)-en-7-one, **1**, 98

Stable vinylnitroxyl radicals, pyrroline derivatives, **1**, 106

Unusual multi-component condensation in the synthesis of 1,4-dihydro-1,6-naphthyridine derivatives, **1**, 125

Reaction of 2-(4,5-dihydrofuran-3-yl)-1,3-diphenyl-1,3-diazol-2,3-phospholidine with *C,N*-diphenylnitrilimine, **1**, 129

Synthesis, crystal and molecular structures, and stereochemical nonrigidity of *N*-(chlorodimethylgermylmethyl)- and *N*-(bromodimethylgermylmethyl)-*N*-[(*S*)-1-phenylethyl]acetamides and *N*-(chlorodimethylgermylmethyl)-4-phenyl-2-pyrrolidone, **1**, 140

A novel polyfunctional chiral building block derived from (*S*)-ethyl lactate. Application to the synthesis of the sex pheromone of the southern corn rootworm (*Diabrotica undecimpunctata howardi*), **1**, 154

The influence of hydrophobic amines on hydrolysis of bis(*p*-nitrophenyl) methylphosphonate in micellar solutions of cetylpyridinium bromide, **2**, 270

[4+2]-Cycloaddition of 3,6-bis(3,5-dimethyl-4-*R*-pyrazol-1-yl)-1,2,4,5-tetrazines with alkenes, **2**, 355

On the mechanism of titanium-catalyzed cyclopropanation of esters with aliphatic organomagnesium compounds. Deuterium distribution in the reaction products of  $(CD_3)_2CHMgBr$  with ethyl 3-chloropropionate in the presence of titanium tetraisopropoxide, **2**, 378

Electronegativity of atoms of ring-containing molecules—NMR spectroscopy data correlations: a description within the framework of topological index approach, **3**, 402

The chemistry of naphthazarin derivatives. 6. Hydration of 2-oxo-2,3-dihydro-1,4-naphthoquinone derivatives in organic solvents, **3**, 466

Condensation of 2-hydroxyacetophenones with trichloroacetonitrile as a route to 2-trichloromethylchromones and 4-hydroxycoumarins, **3**, 478

Synthesis of 1-(cyclopentadienyl)adamantane and the corresponding zirconium complexes, **3**, 508

- New one-step methods for the synthesis of the metallonium dication  $[\text{Ru}(\eta^5\text{-C}_5\text{Me}_5)(\eta^5:\sigma:\sigma\text{-C}_5\text{Me}_3(\text{CH}_2)_2)]^{2+}$  and its heteroannular analog starting from decamethylruthenocene, **3**, 520
- Synthesis of new acyclic aminophosphites and their chelate complexes with rhodium(I) and palladium(II), **3**, 533
- Crystal and molecular structure of 11 $\alpha$ -methoxyppuuephenol diacetate, **3**, 563
- $^{13}\text{C}$  and  $^1\text{H}$  NMR spectra of substituted dihydropyrroles prepared by the reaction of 2-aminooxazoles and maleimide, **4**, 701
- Reactions of cyclopentadienes with phorone, **4**, 724
- Synthesis, structure, and properties of piperidinium 3-(4-chlorophenyl)-2-cyano-3-(2-hydroxy-4,4-dimethyl-6-oxo-cyclohex-1-enyl)thiopropionimide, **4**, 736
- Photochemical reaction of the heterometallic complex  $(\mu\text{-H})\text{Os}_3\{\mu\text{-O}_2\text{CC}_5\text{H}_4\text{Mn}(\text{CO})_3\}(\text{CO})_{10}$  with triphenylphosphine, **4**, 747
- Unexpected formation of a dimeric cation-anionic complex of hypercoordinated tin in the reaction of bis[(2-oxopyrrolidino)methyl]tin dichloride with  $\text{AgBF}_4$ , **4**, 755
- Separation of racemic *closo*-3,3-( $\eta^{3,2}$ -norbornadienyl)rhodacarboranes into enantiomers by HPLC on chiral stationary phases, **4**, 759
- Stereoselective synthesis of homoallylic alcohols of the [2.2]paracyclophane series and their use as auxiliary reagents in asymmetric allylboration of aldehydes, **5**, 912
- Heteroorganic betaines. 1. Synthesis of betaines containing the  $^+\text{P}-\text{C}-\text{Si}-\text{S}^-$  and  $^+\text{P}-\text{C}-\text{C}-\text{S}^-$  fragments and their characterization by multinuclear NMR spectroscopy, **5**, 920
- Synthesis of  $[\mu\text{-methylenebis}(\eta^5\text{-3-tert-butyl-2-methylinden-1-yl})\text{dichlorozirconium(IV)}]$ , **5**, 942
- Synthesis of 2-aryl-6-(4-bromophenyl)-4-(2,2-dichlorovinyl)pyridines with the use of 1-aryl-5,5-dichloropenta-2,4-dien-1-ones, **5**, 954
- Amino-substituted *gem*-diphosphonic acids: dissociation mechanism and the structure of species in aqueous solutions, **6**, 1045
- Synthesis of *N,N'*-dialkylmethylenebis(nitramines) from *N*-alkylsulfamates, **6**, 1079
- Synthesis and transformations of metallocycles. 21. A novel method for the synthesis of 1,1-dialkylcyclopropanes, **6**, 1086
- Synthesis of phthalide-containing dihalogeno derivatives and polyarylene ether ketones based on them, **6**, 1093
- Model solid-state reactions for the formation of a peripheral layer of organometallic dendrimers. Solid-state  $\alpha$ -ferrocenyethylation of phenols, **6**, 1106
- Nucleophilic substitution of hydrogen in the reaction of 1,2,4-triazin-4-oxides with cyanamide, **6**, 1122
- Synthesis of 2-substituted benzo-1,3-ditelluroles, **6**, 1127
- Highly active three-component catalytic systems based on dialkylzirconocenes, triisobutylaluminum, and perfluorophenyl borates for synthesis of low-molecular-weight polyethylene, **7**, 1185
- Synthesis of 1,1-bis(trifluoromethyl)alkyl isocyanates, carbamates, and ureas, **7**, 1202
- Generation of diazo-2-methylene cyclopropane and its 1,3-dipolar cycloaddition to acrylates, **7**, 1207
- Rearrangement products of some 1*R,4R*-2-arylidene-*p*-menthan-3-ones in acidic media, their structures, and conformational analysis, **7**, 1218
- Asymmetric nitrogen. 82. Trigger base: study of its complex with  $\text{HgBr}_2$  and its methiodide, **7**, 1241
- Reactions of aliphatic  $\beta$ -amino- $\beta$ -(trichloromethyl)vinyl ketones with ethylenediamine. Synthesis and structures of 2-acetylidenimidazolidines, **7**, 1245
- Reactions of cyclic enhydrazinoketones with arylidene derivatives of malononitrile. Synthesis of fused *N*-substituted 1,4-dihydropyridines, **7**, 1251
- Synthesis of bis-cyclopentadienyl compounds with a 9,9-fluorenylidene bridge. Crystal and molecular structure of  $[\mu\text{-9,9-Flu}(\eta^5\text{-Cp})_2]\text{ZrCl}_2$ , **7**, 1287
- New synthesis of (*Z*)-5- and (*Z*)-7-monoene components of insect sex pheromones of the Lepidoptera order, **7**, 1301
- A novel approach to functionalization of allyl glycon. Effective synthesis of selectively protected 2-aminoethyl lactoside, a common building block for the synthesis of carbohydrate chains of glycolipids, **7**, 1305
- Unusual transformation of *N*-arylamino-1,4-dihydropyridines, **7**, 1318
- Synthetic potentialities of sulfonylsulfonium salts: a new approach to the preparation of disulfonium dications, **8**, 1415
- Reactions of  $\beta$ -amino- $\beta$ -polyfluoroalkylvinyl ketones with diethylenetriamine. Simple synthesis of 1,4,8-triazabicyclo[5.3.0]dec-4-ene derivatives, **8**, 1426
- Synthesis of difunctional organooxasilacycloalkanes, **8**, 1430
- Synthesis of optically active hydridocarbonyl triosmium clusters with terpene derivatives as ligands. Molecular structure and absolute configuration of a cluster with a bridging dihydroimidazole ligand, **8**, 1440
- Preparation and reactivity of metal-containing monomers. 53. Synthesis and stability of a cluster monomer  $(\mu\text{-H})\text{Os}_3(\mu\text{-OCNMe}_2)(\text{CO})_9\text{PPh}_2\text{CH}_2\text{CH}=\text{CH}_2$  in solution, **8**, 1448
- A new version of the conversion of plant polyprenols into ( $\pm$ )-terpenols of the dolichol series, **8**, 1485
- N*-(2-Nitroxyethyl)nicotinamide (Nicorandil) as a monomer in quaternization polymerization, **8**, 1487
- Pivaloylpyruvic acid as a new acylating reagent for amines, **9**, 1552
- Heteroorganic betaines. 4. Photolysis and thermolysis of betaines containing the  $^+\text{P}-\text{C}-\text{Si}-\text{S}^-$  structural fragment, **9**, 1583
- Reaction of  $\text{Ru}_3(\text{CO})_{12}$  with 1,3-diferrocenylprop-2-ene-1-one. Crystal and molecular structures of the complexes  $\text{Ru}_3(\text{CO})_8(\text{FcC}=\text{CHCOFc})_2$  and  $[\text{Ru}(\text{CO})_2\text{Cl}(\text{FcC}=\text{CHCOFc})_2]$ , **9**, 1605
- Synthesis of optically active analogs of  $\alpha$ -tocopherol based on (*S*)-(+)-dihydromyrcene, **9**, 1620
- "Anhydrolycaconitine," a new diterpene alkaloid from *Aconitum septentrionale* K., **9**, 1629
- Photochromic dihetarylethenes. 5. Synthesis, structure, and photochromic properties of 4,4'-disubstituted 1,2-bis[2-ethyl-5-ethylthio(ethylsulfonyl)-3-thienyl]perfluorocyclopentenes, **10**, 1757
- Thioureidoquinazolin-4(3*H*)-ones. 1. Acid-induced recyclization of 3-(*N,N'*-dialkylthioureido)quinazolin-4(3*H*)-ones into 1,3,4-thiadiazoles, **10**, 1763

- Unusual condensation of *N*-phenylsemiquinonedimine ligands coordinated to the Ni<sup>II</sup> atom with an acetone molecule to form a heterocycle, **10**, 1771
- Crystal and molecular structures of six-coordinate germanium difluorides and dibromides containing lactamomethyl C,O-chelating ligands, **10**, 1775
- New flavonoid oligoside from *Aconitum barbatum* Pers., **11**, 1905
- Unusual macrocyclic diol from *Stellaria media* (L.) Vill., **11**, 1908
- Different reactivities of regioisomeric azimines, adducts of phthalimidonitrene with 5-bromospiro[1-pyrazoline-3,1'-cyclopropane], **11**, 1919
- A new phytoecdysteroid, **11**, 1923
- Synthesis of phosphorylated methanofullerenes, **12**, 2048
- Synthesis and conversions of metallocycles. 22. NMR studies of the mechanism of Cp<sub>2</sub>ZrCl<sub>2</sub>-catalyzed cycloalumination of olefins with triethylaluminum to form aluminacyclopentanes, **12**, 2051
- Synthesis of dolichyl phosphates with a fluorescent label in the γ-isoprene unit of the chain, **12**, 2065
- 2-Polyfluoroalkylchromones. 5. Nitration and chlorination of 2-trifluoromethylchromones, **12**, 2074
- <sup>14</sup>N NMR spectroscopy**
- Amino-substituted *gem*-diphosphonic acids: dissociation mechanism and the structure of species in aqueous solutions, **6**, 1045
- <sup>17</sup>O NMR spectroscopy**
- Synthesis, crystal and molecular structures, and stereochemical nonrigidity of *N*-(chlorodimethylgermylmethyl)- and *N*-(bromodimethylgermylmethyl)-*N*-[(*S*)-1-phenylethyl]acetamides and *N*-(chlorodimethylgermylmethyl)-4-phenyl-2-pyrrolidone, **1**, 140
- <sup>31</sup>P NMR spectroscopy**
- Reaction of 2-(4,5-dihydrofur-3-yl)-1,3-diphenyl-1,3-diazolane-2,3-diphospholidine with *C,N*-diphenylnitrilimine, **1**, 129
- Cyclic phosphorochloridites (chloridates) based on chiral butane-2,3-diol and dihydrobenzoin as reagents for the analysis of enantiomeric compositions of alcohols by <sup>31</sup>P NMR spectroscopy, **2**, 310
- Synthesis of new acyclic aminophosphites and their chelate complexes with rhodium(II) and palladium(II), **3**, 533
- Heteroorganic betaines. 1. Synthesis of betaines containing the <sup>+</sup>P—C—Si—S<sup>-</sup> and <sup>+</sup>P—C—C—S<sup>-</sup> fragments and their characterization by multinuclear NMR spectroscopy, **5**, 920
- Amino-substituted *gem*-diphosphonic acids: dissociation mechanism and the structure of species in aqueous solutions, **6**, 1045
- P,S*-Ligands. Complexes of *P,P',P',P'*-tetraphenylethylene-diphosphine monosulfide with PdCl<sub>2</sub>, **6**, 1116
- Preparation and reactivity of metal-containing monomers. 53. Synthesis and stability of a cluster monomer (μ-H)Os<sub>3</sub>(μ-OCNMe<sub>2</sub>)(CO)<sub>9</sub>PPh<sub>2</sub>CH<sub>2</sub>CH=CH<sub>2</sub> in solution, **8**, 1448
- Synthesis of phosphorylated methanofullerenes, **12**, 2048
- <sup>29</sup>Si NMR spectroscopy**
- Heteroorganic betaines. 1. Synthesis of betaines containing the <sup>+</sup>P—C—Si—S<sup>-</sup> and <sup>+</sup>P—C—C—S<sup>-</sup> fragments and their characterization by multinuclear NMR spectroscopy, **5**, 920
- Synthesis of difunctional organooxasilacycloalkanes, **8**, 1430
- Heteroorganic betaines. 4. Photolysis and thermolysis of betaines containing the <sup>+</sup>P—C—Si—S<sup>-</sup> structural fragment, **9**, 1583
- NMR spectroscopy, dynamic**
- Synthesis, crystal and molecular structures, and stereochemical nonrigidity of *N*-(chlorodimethylgermylmethyl)- and *N*-(bromodimethylgermylmethyl)-*N*-[(*S*)-1-phenylethyl]acetamides and *N*-(chlorodimethylgermylmethyl)-4-phenyl-2-pyrrolidone, **1**, 140
- NMR spectroscopy, multinuclear**
- Synthesis, crystal and molecular structures, and stereochemical nonrigidity of *N*-(chlorodimethylgermylmethyl)- and *N*-(bromodimethylgermylmethyl)-*N*-[(*S*)-1-phenylethyl]acetamides and *N*-(chlorodimethylgermylmethyl)-4-phenyl-2-pyrrolidone, **1**, 140
- NMR spectroscopy, two-dimensional**
- <sup>1</sup>H and <sup>13</sup>C NMR spectra of polycyclic compounds. 7. Stereochemical identification of a mixture of five stereoisomeric norbornadiene trimers, **1**, 64
- Reaction of guaianolide achillin with chlorine in methanol, **9**, 1624
- Synthesis of two new chloro derivatives of guaianolide grossmisin and the crystal structure of one derivative, **11**, 1902
- Unusual macrocyclic diol from *Stellaria media* (L.) Vill., **11**, 1908
- Synthesis and conversions of metallocycles. 22. NMR studies of the mechanism of Cp<sub>2</sub>ZrCl<sub>2</sub>-catalyzed cycloalumination of olefins with triethylaluminum to form aluminacyclopentanes, **12**, 2051
- NOESY spectra**
- Stereoselective synthesis of homoallylic alcohols of the [2.2]paracyclophane series and their use as auxiliary reagents in asymmetric allylboration of aldehydes, **5**, 912
- Non-metal monosulfides**
- Ionization potentials of non-metal monosulfides. Conjugation in radical cations containing Group IV elements, **1**, 26
- Norbornadiene**
- <sup>1</sup>H and <sup>13</sup>C NMR spectra of polycyclic compounds. 7. Stereochemical identification of a mixture of five stereoisomeric norbornadiene trimers, **1**, 64
- Nucleophilic addition**
- Some features of an SmI<sub>2</sub>—(Me<sub>2</sub>N)<sub>3</sub>P—THF system. Transformation of esters into dimethylamides, **2**, 329
- Stereoselective nucleophilic addition of butyllithium and triallylborane to [2.2]paracyclophane-4,7-quinone, **3**, 572
- Nucleophilic addition of 2-hydroxyquinoxaline to acetylenes, **4**, 740
- Stereoselective synthesis of homoallylic alcohols of the [2.2]paracyclophane series and their use as auxiliary reagents in asymmetric allylboration of aldehydes, **5**, 912
- Nucleophilic substitution**
- Reactions of calix[4]resorcinolarene anions with esters of carboxylic acids in H<sub>2</sub>O—DMF solvent, **2**, 261
- Isokinetic relationships for nucleophilic substitution reactions at the saturated carbon atom. Reactions in aqueous solutions, **5**, 806
- Reactions of chloro-substituted enamino ketones, *viz.*, derivatives of imidazolidine nitroxides, with sodium cyanide, **5**, 899

Synthesis of phthalide-containing dihalogeno derivatives and polyarylene ether ketones based on them, **6**, 1093

Nucleophilic substitution of hydrogen in the reaction of 1,2,4-triazin-4-oxides with cyanamide, **6**, 1122

Reaction of (alkylthio)chloroacetylenes with thiourea, **7**, 1319

Synthesis of picryl-substituted 1,3,4-oxadiazoles, **9**, 1572

Reactions of 4-chloromethyl-1,3,2-dioxathiolane 2-oxides with sodium phenoxide. A reinvestigation, **10**, 1753

Different reactivities of regioisomeric azimines, adducts of phthalimidonitrene with 5-bromospiro[1-pyrazoline-3,1'-cyclopropane], **11**, 1919

Isokinetic relationships for nucleophilic substitution at the saturated carbon atom. Reactions with anions in the gas phase and various solvents, **12**, 1968

Reactions of cyclic  $\alpha$ -methoxy nitrones with nucleophilic reagents, **12**, 2031

## O

### *n*-Octanol and *n*-octyl acetate

Microstructure and surface composition of corn starch cryogels with sorbed organic flavoring agents, **2**, 314

Effect of *n*-octyl acetate on the microstructure of corn starch sols studied by scanning tunneling microscopy, **8**, 1471

### Oligodiphenylsiloxanes, copper-containing

Investigation of structures of mono- and diorgano-substituted oligosiloxanes containing transition metal atoms, **10**, 1789

### Oligomerization

Highly active three-component catalytic systems based on dialkylzirconocenes, triisobutylaluminum, and perfluorophenyl borates for synthesis of low-molecular-weight polyethylene, **7**, 1185

### Oligonucleotide derivative

Reagents for addressed modification of biopolymers. 11. The synthesis of N<sup>lm</sup>-2,4-dinitrophenyl derivatives of histidine and urocanic and imidazolylacetic acids for anchoring imidazole residues to oligonucleotides, **3**, 540

### Oligosiloxanes

Generation and capture of alkylchlorosilanones, **2**, 363

### Onium salts

Exchange reaction of oxiranes with  $\beta$ -hydroxyalkyl sulfides, selenides, -amines, and -phosphines (review), **4**, 579

### Optical activity

Synthesis, crystal and molecular structures, and stereochemical nonrigidity of *N*-(chlorodimethylgermylmethyl)- and *N*-(bromodimethylgermylmethyl)-*N*-[(*S*)-1-phenylethyl]acetamides and *N*-(chlorodimethylgermylmethyl)-4-phenyl-2-pyrrolidone, **1**, 140

Photochemical reaction of the heterometallic complex ( $\mu$ -H)Os<sub>3</sub>{ $\mu$ -O<sub>2</sub>CC<sub>5</sub>H<sub>4</sub>Mn(CO)<sub>3</sub>}(CO)<sub>10</sub> with triphenylphosphine, **4**, 747

Stereoselective synthesis of homoallylic alcohols of the [2.2]paracyclophane series and their use as auxiliary reagents in asymmetric allylboration of aldehydes, **5**, 912

Model solid-state reactions for the formation of a peripheral layer of organometallic dendrimers. Solid-state  $\alpha$ -ferrocenylation of phenols, **6**, 1106

### Optical transitions

Electrochemical potentials, optical transitions, and frontier orbitals of non-bridged and bridged bent sandwich zirconocene complexes, **6**, 1037

### Organoaluminum compounds

Synthesis and transformations of metallocycles. 21. A novel method for the synthesis of 1,1-dialkylcyclopropanes, **6**, 1086

Synthesis and conversions of metallocycles. 22. NMR studies of the mechanism of Cp<sub>2</sub>ZrCl<sub>2</sub>-catalyzed cycloalumination of olefins with triethylaluminum to form aluminacyclopentanes, **12**, 2051

### Organoboron compounds

Stabilization of nonclassical types of valence bond orientation at the carbon atom in organoboron compounds, **5**, 783

The synthesis of poly(styrenechromiumtricarbonyl) in the presence of triisobutylboron, **7**, 1316

Chlorine dioxide as an oxidant for organoboron compounds, **9**, 1647

### Organocyclosilathianes

Heteroorganic betaines. 1. Synthesis of betaines containing the <sup>+</sup>P—C—Si—S<sup>-</sup> and <sup>+</sup>P—C—C—S<sup>-</sup> fragments and their characterization by multinuclear NMR spectroscopy, **5**, 920

### Organomagnesium compounds

On the mechanism of titanium-catalyzed cyclopropanation of esters with aliphatic organomagnesium compounds. Deuterium distribution in the reaction products of (CD<sub>3</sub>)<sub>2</sub>CHMgBr with ethyl 3-chloropropionate in the presence of titanium tetraisopropoxide, **2**, 378

Identification of intermediates in the reaction of 2-thenyl halides with magnesium, **9**, 1544

### Organometallic reagents

Stereochemical differentiation in the reactions of organometallic reagents with levoglucosenone and some of its dihydro derivatives, **7**, 1237

### Organometallic sulfides

Ionization potentials of non-metal monosulfides. Conjugation in radical cations containing Group IV elements, **1**, 26

### Organometallosiloxanes

Investigation of structures of mono- and diorgano-substituted oligosiloxanes containing transition metal atoms, **10**, 1789

### Organoselenium compounds

Synthesis of 3(*Z*)-dodecen-12-olide — an aggregation pheromone of the flat grain beetle *Cryptolestes pusillus* (Coleoptera: Cucujidae), **7**, 1297

### Organozirconium compounds

Synthesis and conversions of metallocycles. 22. NMR studies of the mechanism of Cp<sub>2</sub>ZrCl<sub>2</sub>-catalyzed cycloalumination of olefins with triethylaluminum to form aluminacyclopentanes, **12**, 2051

### 2-[(Organylthio)methyl]oxiranes

Functionally substituted sulfur-containing compounds. 12. Reactions of 2-[(organylthio)methyl]oxiranes with aliphatic alcohols in the presence of boron trifluoride etherate, **5**, 879

### Osmium compounds

Reactions of ruthenium and osmium cluster carbonyls with heteroatom-substituted and functionalized alkynes (review), **1**, 1



Photochemical reaction of the heterometallic complex  $(\mu\text{-H})\text{Os}_3\{\mu\text{-O}_2\text{CC}_5\text{H}_4\text{Mn}(\text{CO})_3\}(\text{CO})_{10}$  with triphenylphosphine, **4**, 747

Synthesis of ferrocenylacetylide derivatives of gold-ruthenium and gold-osmium clusters. Crystal structures of  $\text{M}_3(\text{AuPPh}_3)(\text{C}\equiv\text{CFc})(\text{CO})_9$  ( $\text{M} = \text{Ru}$  or  $\text{Os}$ ;  $\text{Fc}$  is ferrocenyl), **7**, 1292

X-Ray diffraction investigations of  $\text{Ag}_2\text{ReCl}_6$  and  $\text{Ag}_2\text{OsCl}_6$ , **7**, 1310

Synthesis of optically active hydridocarbonyl triosmium clusters with terpene derivatives as ligands. Molecular structure and absolute configuration of a cluster with a bridging dihydroimidazole ligand, **8**, 1440

Preparation and reactivity of metal-containing monomers. 53. Synthesis and stability of a cluster monomer  $(\mu\text{-H})\text{Os}_3(\mu\text{-OCNMe}_2)(\text{CO})_9\text{PPh}_2\text{CH}_2\text{CH}=\text{CH}_2$  in solution, **8**, 1448

#### Osmotic coefficient

Non-ideal properties of the TRIS—TRIS·HCl—NaCl— $\text{H}_2\text{O}$  buffer system in the 0—40 °C temperature interval. Application of the Pitzer equations, **4**, 674

#### 1-Oxa-3-alkylthiobuta-1,3-dienes

The kinetics and mechanism of cyclodimerization of 2-alkylthiopropenals, **12**, 1977

#### 1,3,4-Oxadiazoles

Synthesis of picryl-substituted 1,3,4-oxadiazoles, **9**, 1572

#### Oxaruthenapentadienyl rings

Reaction of  $\text{Ru}_3(\text{CO})_{12}$  with 1,3-diferrocenylprop-2-ene-1-one. Crystal and molecular structures of the complexes  $\text{Ru}_3(\text{CO})_8(\text{FcC}=\text{CHCOFc})_2$  and  $[\text{Ru}(\text{CO})_2\text{Cl}(\text{FcC}=\text{CHCOFc})]_2$ , **9**, 1605

#### Oxidation

Stable vinylnitroxyl radicals, pyrroline derivatives, **1**, 106

Synthesis of the scalemic form of alkaloid (–)-diphthocarpamine, **3**, 569

The first step of oxidation of alkylbenzenes by permanganates in acidic aqueous solutions (review), **5**, 761

Kinetics of oxidation of alkanes and their derivatives by *n*-decanepersulfonic acid, **5**, 819

The kinetics of oxidation of 1-chloro-2-(4-isopropylphenyl)-2-methylpropane by molecular oxygen, **6**, 1130

The radical cation of hydrogen sulfide and related organic reactions, **7**, 1178

Oxidation of alcohols by dimethyldioxirane, **8**, 1332

Temperature hysteresis phenomena in heterogeneous catalysis, **8**, 1373

A new version of the conversion of plant polyprenols into (±)-terpenols of the dolichol series, **8**, 1485

Uranyl-catalyzed chemiluminescent reaction of  $\text{U}^{4+}$  oxidation by dioxygen in aqueous  $\text{HClO}_4$  solution, **9**, 1512

Regularities of formation and catalytic properties of supported cobaltites in the oxidation of CO and hydrocarbons and in the reduction of nitrogen oxides, **9**, 1536

Synthesis of optically active analogs of  $\alpha$ -tocopherol based on (S)-(+)-dihydromyrcene, **9**, 1620

Chlorine dioxide as an oxidant for organoboron compounds, **9**, 1647

Unusual condensation of *N*-phenylsemiquinonedimine ligands coordinated to the  $\text{Ni}^{\text{II}}$  atom with an acetone molecule to form a heterocycle, **10**, 1771

Oxidation of aliphatic alcohols with the lead tetraacetate—metal halide system under mechanical activation, **11**, 1842

#### Oxidative demethylation

*peri*-Naphthylenediamines. 28. Nitration of 1,8-bis(dimethylamino)naphthalene and 5,6-bis(dimethylamino)acenaphthene in neutral and weakly acidic media. The first case of isolation of *o*-nitro and *o,o'*-dinitro derivatives of "proton sponges", **7**, 1212

#### Oxide hydroxides

Changes in the acid-base properties of hydrogels of metal oxide hydroxides induced by aging in solutions of electrolytes, **8**, 1323

#### Oximes

The chemistry of *N,N*-bis(trialkylsilyloxy)enamides. 2. Alkylation of primary amines with *N,N*-bis(trimethylsilyloxy)enamides, **7**, 1261

A novel approach to functionalization of allyl aglycon. Effective synthesis of selectively protected 2-aminoethyl lactoside, a common building block for the synthesis of carbohydrate chains of glycolipids, **7**, 1305

#### Oxiranes

Exchange reaction of oxiranes with  $\beta$ -hydroxyalkyl sulfides, selenides, -amines, and -phosphines (review), **4**, 579

#### Oxoammonium salt

Complex formation between chlorine dioxide and 2,2,6,6-tetramethylpiperidin-1-oxyl, **10**, 1687

#### 2-Oxo-2,3-dihydro-1,4-naphthoquinone

The chemistry of naphthazarin derivatives. 6. Hydration of 2-oxo-2,3-dihydro-1,4-naphthoquinone derivatives in organic solvents, **3**, 466

#### Oxolation

Changes in the acid-base properties of hydrogels of metal oxide hydroxides induced by aging in solutions of electrolytes, **8**, 1323

#### $\beta$ -Oxonitrones

Stable vinylnitroxyl radicals, pyrroline derivatives, **1**, 106

#### Oxygen, atomic

Formation of formic and acetic acids by low-temperature condensation of a mixture of methane and water vapor dissociated in MW discharge, **2**, 380

The kinetics of chemical reactions in the products of dissociation of the  $\text{CO}_2\text{-H}_2$  gas mixture in microwave discharge, **4**, 669

The formation of formic acid upon low-temperature condensation of a methane—carbon dioxide mixture dissociated in a microwave discharge, **5**, 823

#### Oxygen, molecular

The kinetics of oxidation of 1-chloro-2-(4-isopropylphenyl)-2-methylpropane by molecular oxygen, **6**, 1130

Oxygen effects in aqueous solutions of laccases: absorption spectra and reactivity, **8**, 1464

Uranyl-catalyzed chemiluminescent reaction of  $\text{U}^{4+}$  oxidation by dioxygen in aqueous  $\text{HClO}_4$  solution, **9**, 1512

A spectral study of the interaction of dioxygen with sublimed layers of manganese(II) *meso*-tetraphenylporphyrinate, **9**, 1540

A new mechanism of the dioxygen effect on ESR spectra of polyaniline, **10**, 1742

#### Oxygen radical cation

Interaction of  $\text{O}^+$  ion with water molecules: a quantum-chemical study, **6**, 976

**Oxyradicals**

Specific features of resonance electron capture by the molecules of dibenzo-*p*-dioxin and its monochlorinated derivatives, **8**, 1489

**Ozonolysis**

Ozonides of perfluorooct-1-ene and perfluorooct-2-ene, **6**, 1103

A novel approach to functionalization of allyl aglycon. Effective synthesis of selectively protected 2-aminoethyl lactoside, a common building block for the synthesis of carbohydrate chains of glycolipids, **7**, 1305

Absolute configuration and anti-hypercholesterolemic activity of (+)- and (-)-4-(2,6-dimethylheptyl)benzoic acids, **7**, 1313

Efficient synthesis of methyl (+)-(1*S*,3*R*)-3-(2,2-dimethoxy-carbonyl-ethyl)-2,2-dimethylcyclopropane-1-carboxylate from (+)-4 $\alpha$ -acetyl-2-carene, **8**, 1473

**P****Pair-interaction coefficients**

Solvent isotope effects on the solubility of argon and pair interactions in aqueous solution of hexamethylenetetramine, **8**, 1383

**Palladium**

Specific features of the interaction of components in the DMSO—HBr—Pd<sup>0</sup> system, **10**, 1722

**Palladium compounds**

Metallation of the methyl group in *o*-nitrosotoluene: synthesis and the molecular structure of the binuclear complex [*o*-(NO)(CH<sub>2</sub>)C<sub>6</sub>H<sub>4</sub>]<sub>2</sub>Pd<sub>2</sub>( $\mu$ -OOCFF<sub>3</sub>)<sub>2</sub>, **1**, 150

Chemistry of vinylidene complexes. 15. Transmetallation of  $\mu$ -vinylidene MnPd complexes. Synthesis, X-ray diffraction analysis, and mass spectrometric study of the ( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>)MnFe<sub>2</sub>( $\mu_3$ -C=CHPh)(CO)<sub>8</sub> cluster, **3**, 526

Synthesis of new acyclic aminophosphites and their chelate complexes with rhodium(III) and palladium(II), **3**, 533

Synthesis and structure of the complex of 2-(2-pyridyl)-2-oxazoline with PdCl<sub>2</sub>, **3**, 566

*P,S*-Ligands. Complexes of *P,P,P',P'*-tetraphenylethylene-diphosphine monosulfide with PdCl<sub>2</sub>, **6**, 1116

Influence of solvents on the molecular and crystal structure of the complex of 1,3-diallyl-5-[3-(diphenylphosphino)propyl]-1,3,5-triazine-2,4,6(1*H*,3*H*,5*H*)-trione with palladium(II) dichloride, **7**, 1195

Specific features of the interaction of components in the DMSO—HBr—Pd<sup>0</sup> system, **10**, 1722

Synthesis and the crystal structure of a supramolecular adduct of the cubane cluster [ClPdMo<sub>3</sub>Se<sub>4</sub>(H<sub>2</sub>O)<sub>7</sub>Cl<sub>2</sub>]<sup>+</sup> with macrocyclic cavitand cucurbituril, **11**, 1877

**Pantolactone**

Efficient resolution of ( $\pm$ )-pantolactone by inclusion crystallization with the use of chiral 1,1,2-triphenylethane-1,2-diol, **8**, 1483

**[2.2]Paracyclophane**

Stereoselective nucleophilic addition of butyllithium and triallylborane to [2.2]paracyclophane-4,7-quinone, **3**, 572

Stereoselective synthesis of homoallylic alcohols of the [2.2]paracyclophane series and their use as auxiliary reagents in asymmetric allylboration of aldehydes, **5**, 912

Unusual rearrangement upon dehydration of *cis*-4,7-diallyl-4,7-dihydroxy-4,7-dihydro[2.2]paracyclophane, **6**, 1133

**Paramagnetism**

The nature and dynamics of nonlinear excitations in conducting polymers. Polyaniline (review), **2**, 207

Formation of color centers and paramagnetic species by alkaline hydrolysis of polydiphenylenesulfophthalide, **2**, 298

Homopolycondensation of 1-halogenopropane-2-thiones, **2**, 332

Sulfurization of polymers. 3. Paramagnetic and redox properties of sulfurized polyethylene, **5**, 870

New EPR signals of endohedral metallofullerenes, **10**, 1745

**Partition coefficients**

Distribution of nonionic compounds between the gas phase and sodium dodecyl sulfate micelles, **2**, 251

**Pentanol**

Pyrene sensitized phosphorescence enhanced by the heavy atom effect in the water—heptane—sodium dodecyl sulfate—pentanol microemulsion, **9**, 1518

Synthesis of derivatives of (*S*)-2-alkanols, components of pheromones of *Drosophila mulleri* and *Rhyzopertha dominica*, from (*S*)-(+)-3,7-dimethylocta-1,6-diene, **11**, 1899

**Perfluoroalkenes**

Ozonides of perfluorooct-1-ene and perfluorooct-2-ene, **6**, 1103

Synthesis of 1,1-bis(trifluoromethyl)alkyl isocyanates, carbamates, and ureas, **7**, 1202

**Perfluorophenyl borates**

Effect of substituents on the catalytic properties of bis(cyclopentadienyl)zirconium dichloride complexes with polymethylaluminumoxane and AlBu<sub>3</sub>/CPh<sub>3</sub>B(C<sub>6</sub>F<sub>5</sub>)<sub>4</sub> cocatalysts in ethylene polymerization, **2**, 303

Highly active three-component catalytic systems based on dialkylzirconocenes, triisobutylaluminum, and perfluorophenyl borates for synthesis of low-molecular-weight polyethylene, **7**, 1185

**Permanganates**

The first step of oxidation of alkylbenzenes by permanganates in acidic aqueous solutions (review), **5**, 761

**Peroxy acids**

Synthesis of (*S*)-6-methylhept-5-en-2-ol, the aggregation pheromone of *Gnathotrichus sulcatus*, **4**, 717

**Persulfonic acid**

Kinetics of oxidation of alkanes and their derivatives by *n*-decanepersulfonic acid, **5**, 819

**Phase diagram**

Synthesis and liquid crystalline properties of copper tetra-4-(*n*-alkoxycarbonyl)phthalocyanines, **1**, 132

**Phase interface**

Calculations of the distribution of trace impurities in cylindrical pores, **4**, 609

**Phase transitions**

Properties of polymer track membranes modified by grafting with poly(2-methyl-5-vinylpyridine) and poly(*N*-isopropylacrylamide), **5**, 856

Laser flash photolysis study of the phase transition effect on the kinetics of the triplet-triplet annihilation of tetraphenylporphine in *n*-decanol, **11**, 1831

The mechanism of formation of copper aluminide in the thermal explosion mode, **12**, 1954

**Phase-transfer catalyst**

One-step synthesis of unsymmetrical tertiary phosphine oxides from red phosphorus and organyl halides, **7**, 1320

**N-Phenacylpyridinium salts**

Synthesis of 2-aryl-6-(4-bromophenyl)-4-(2,2-dichlorovinyl)pyridines with the use of 1-aryl-5,5-dichloropenta-2,4-dien-1-ones, **5**, 954

**1,10-Phenanthroline**

Effect of  $\gamma$ -substitution on the thermoluminescence properties of terbium(III) acetylacetonate complexes with 1,10-phenanthroline, **2**, 291

**Phenols**

Model solid-state reactions for the formation of a peripheral layer of organometallic dendrimers. Solid-state  $\alpha$ -ferrocenylethylation of phenols, **6**, 1106

Unusual rearrangement upon dehydration of *cis*-4,7-diallyl-4,7-dihydroxy-4,7-dihydro[2.2]paracyclophane, **6**, 1133

**Phenoxazine**

Photoinitiated processes in 1-*p*-tolylsulfonylazo-2,4,6,8-tetrakis(*tert*-butyl)phenoxazine, **12**, 1981

**5-Phenoxy-1,3,2-dioxathiane 2-oxides**

Reactions of 4-chloromethyl-1,3,2-dioxathiolane 2-oxides with sodium phenoxide. A reinvestigation, **10**, 1753

**Phenyl isocyanate**

Reversible C  $\rightleftharpoons$  N migration of the ethoxycarbonyl group in pyridinium ylides, **8**, 1490

**Phenylalanine**

Ion-selective electrodes for determination of phenylalanine based on uranyl complexes of phosphoryl-containing podands, **10**, 1712

**1R,4R-2-(4-Phenylbenzylidene)-*p*-menthan-3-one**

Rearrangement products of some 1R,4R-2-arylidene-*p*-menthan-3-ones in acidic media, their structures, and conformational analysis, **7**, 1218

**2-(4-Phenylbenzyl)-*p*-menthen-3-ones**

Rearrangement products of some 1R,4R-2-arylidene-*p*-menthan-3-ones in acidic media, their structures, and conformational analysis, **7**, 1218

**C-Phenylcalix[4]resorcinarene**

The reaction of C-phenylcalix[4]resorcinarene-based polymer with quaternary ammonium and potassium cations, **8**, 1468

**Phenyl(divinyl)phosphine oxide**

Two-fragment  $\alpha$ -adrenolytics. 3. Addition of primary amines to alkyl divinylphosphinates and phenyl(divinyl)phosphine oxide, **3**, 495

***o*-Phenylenediamine**

Reactions of 4-morpholino-1,2-naphthoquinone with enamines and *o*-phenylenediamine, **4**, 732

Reactions of ethyl 3-(diethoxyphosphoryl)-3,3-difluoropyruvate with some nucleophilic reagents, **7**, 1255

**Phenylhydrazones**

Reactions of ethyl 3-(diethoxyphosphoryl)-3,3-difluoropyruvate with some nucleophilic reagents, **7**, 1255

**N-Phenylpiperazine**

Two-fragment  $\alpha$ -adrenolytics. 2. Synthesis of alkyl(phenyl)-[ $\omega$ -(*N*-phenylpiperazino)alkyl]phosphine oxides, **3**, 490

**3-Phenylprop-2-enonitrile**

Nucleophilic addition of 2-hydroxyquinoxaline to acetylenes, **4**, 740

**3-Phenyl-3-(quinoxalyl-2-oxy)prop-2-enonitrile**

Nucleophilic addition of 2-hydroxyquinoxaline to acetylenes, **4**, 740

**Pheromones**

A novel polyfunctional chiral building block derived from (*S*)-ethyl lactate. Application to the synthesis of the sex pheromone of the southern corn rootworm (*Diabrotica undecimpunctata howardi*), **1**, 154

Synthesis of (*S*)-6-methylhept-5-en-2-ol, the aggregation pheromone of *Gnathotrichus sulcatus*, **4**, 717

Synthesis of 3(*Z*)-dodecen-12-olide — an aggregation pheromone of the flat grain beetle *Cryptolestes pusillus* (Coleoptera: Cucujidae), **7**, 1297

New synthesis of (*Z*)-5- and (*Z*)-7-monoene components of insect sex pheromones of the Lepidoptera order, **7**, 1301

Synthesis of derivatives of (*S*)-2-alkanols, components of pheromones of *Drosophila mulleri* and *Rhyzopertha dominica*, from (*S*)-(+)-3,7-dimethylocta-1,6-diene, **11**, 1899

**Phorone**

Reactions of cyclopentadienes with phorone, **4**, 724

**Phosphine oxides**

One-step synthesis of unsymmetrical tertiary phosphine oxides from red phosphorus and organyl halides, **7**, 1320

**Phosphines**

Thermochemistry of heteroatomic compounds. 17. Theoretical calculations of vaporization enthalpies for alkylphosphines and alkyl(aryl)phosphines, **1**, 33

Ruthenium phosphine complexes as catalysts of alternating copolymerization of ethylene and carbon monoxide, **6**, 1113

Influence of solvents on the molecular and crystal structure of the complex of 1,3-diallyl-5-[3-(diphenylphosphino)propyl]-1,3,5-triazine-2,4,6(1*H*,3*H*,5*H*)-trione with palladium(II) dichloride, **7**, 1195

**Phosphinophosphine sulfides**

P,S-Ligands. Complexes of *P,P,P',P'*-tetraphenylethylene-diphosphine monosulfide with PdCl<sub>2</sub>, **6**, 1116

**Phospholyl**

Synthesis of triple-decker iron and cobalt complexes with a central tetramethylphospholyl ligand, **9**, 1637

**Phosphonates**

The influence of the structure of tetracoordinate phosphorus acid esters on the catalytic effect of the sodium dodecyl sulfate—hexanol—water ternary reverse micellar system, **8**, 1360

The catalytic effect of the cationic surfactant—polyethylene imine—water system in the hydrolysis of *O*-alkyl *O*-*p*-nitrophenylchloromethylphosphonates, **9**, 1501

**Phosphonomethanofullerene**

Electrochemical reduction of some methanofullerenes. On the mechanism of the retro-Bingel reaction, **3**, 427

**Phosphorescence**

Pyrene sensitized phosphorescence enhanced by the heavy atom effect in the water—heptane—sodium dodecyl sulfate—pentanol microemulsion, **9**, 1518

**Phosphorochloridites**

Cyclic phosphorochloridites (chloridates) based on chiral butane-2,3-diol and dihydrobenzoin as reagents for the analysis of enantiomeric compositions of alcohols by <sup>31</sup>P NMR spectroscopy, **2**, 310

**Phosphorus(V) oxohalides**

Reaction of sulfenamides with *N,N*-dimethylaniline in the presence of phosphorus(V) oxochloride, **1**, 180

Reactions of sulfenamides with alkynes in the presence of phosphorus(V) oxohalides, **11**, 1846

**Phosphorus ylides**

Heteroorganic betaines. 1. Synthesis of betaines containing the  $^+P-C-Si-S^-$  and  $^+P-C-C-S^-$  fragments and their characterization by multinuclear NMR spectroscopy, **5**, 920

Heteroorganic betaines. 3. Reactions of betaines containing the  $^+P-C-Si-S^-$  fragment, **5**, 933

Heteroorganic betaines. 5. A DFT study of the structure and reactivity of 6,6-dimethyl-6-silafulvene and silicon-containing organophosphorus betaine  $^-C_5H_4SiMe_2CH_2PMe_3^+$ , **11**, 1823

**Phosphoryl radicals**

ESR study of spin-adducts of phosphoryl radicals with methano[60]fullerenes, **5**, 843

Determination of the rate constants of addition of  $\cdot P(O)(OPr^i)_2$  radicals to fullerenes  $C_{60}$  and  $C_{70}$ , **9**, 1642

**Phosphorylacetates**

Synthesis of phosphorylated methanofullerenes, **12**, 2048

**Phosphorylation**

The synthesis of *N*-acetyl- $\beta$ -L-fucosamine-1-phosphate and uridine 5'-diphospho-*N*-acetyl- $\beta$ -L-fucosamine, **11**, 1891

The use of cesium dibenzyl and diphenyl phosphates for stereoselective synthesis of glycosyl phosphate derivatives, **11**, 1895

Synthesis of dolichyl phosphates with a fluorescent label in the  $\gamma$ -isoprene unit of the chain, **12**, 2065

**Phosphoryl-containing podands**

Ion-selective electrodes for determination of phenylalanine based on uranyl complexes of phosphoryl-containing podands, **10**, 1712

**Photo steady-state**

Photochromic dihetarylethenes. 5. Synthesis, structure, and photochromic properties of 4,4'-disubstituted 1,2-bis[2-ethyl-5-ethylthio(ethylsulfonyl)-3-thienyl]perfluorocyclopentenes, **10**, 1757

**Photochemistry**

Reduction of the photoexcited uranyl ion by water. 1.  $U^{IV}$  and  $H_2O_2$  formation, **2**, 285

Complexation of paramagnetic intermediates formed in the photolysis of 7,7-dimethyl-1,4,5,6-tetraphenyl-2,3-benzo-7-silanorbornadiene: a study by spin chemistry methods, **3**, 421

Photochemistry of arylhydrazides in solution, **4**, 666

Photochemical reaction of the heterometallic complex  $(\mu-H)Os_3\{\mu-O_2CC_5H_4Mn(CO)_3\}(CO)_{10}$  with triphenylphosphine, **4**, 747

Photostimulated exoemission and reduction of  $CeO_2$ , **5**, 836

Photochemistry of f-element ions (review), **12**, 1925

**Photochromes**

Photochromic dihetarylethenes. 4. The molecular and crystal structures of 1,2-bis(2-ethyl-5-ethylsulfonylthien-3-yl)perfluorocyclopentene and 1,2-bis[5-(benzooxazol-2-yl)-2-methylthien-3-yl]perfluorocyclopentene, **1**, 77

The mechanisms of photochromic transformations of 2-indolylfulgides, **6**, 1020

Photochromic dihetarylethenes. 5. Synthesis, structure, and photochromic properties of 4,4'-disubstituted 1,2-bis[2-ethyl-5-ethylthio(ethylsulfonyl)-3-thienyl]perfluorocyclopentenes, **10**, 1757

**Photoconductivity**

Homopolycondensation of 1-halogenopropane-2-thiones, **2**, 332

**Photodecomposition**

Heteroorganic betaines. 4. Photolysis and thermolysis of betaines containing the  $^+P-C-Si-S^-$  structural fragment, **9**, 1583

**Photoelectrochemistry**

Kinetic analysis of photoelectrochemical hydrogen evolution over p-type silicon in acidic aqueous solutions of electrolytes, **10**, 1707

**Photoelectron spectroscopy**

Resonance capture of electrons by substituted pyrazoline molecules, **4**, 705

**Photolysis**

Complexation of paramagnetic intermediates formed in the photolysis of 7,7-dimethyl-1,4,5,6-tetraphenyl-2,3-benzo-7-silanorbornadiene: a study by spin chemistry methods, **3**, 421

New one-step methods for the synthesis of the metallonium dication  $[Ru(\eta^5-C_5Me_5)(\eta^5:\sigma-C_5Me_3(CH_2)_2)]^{2+}$  and its heteroannular analog starting from decamethylruthenocene, **3**, 520

ESR study of the photolysis of  $C_{60}Cl_6$ , **4**, 753

Synthesis of 5-bromo-4-dibromoamino-3-phenylisothiazole and its light-induced conversion into 3,7-diphenyl-bis(isothiazolo[4,5-*b*:4',5'-*e*]pyrazine), **5**, 956

Cycloaddition of dialkylgermoles: synthesis and structures of 2,2,3,3-tetracyano-1,4,5,6-tetraphenyl-7-germanorborn-5-enes, **7**, 1275

Heteroorganic betaines. 4. Photolysis and thermolysis of betaines containing the  $^+P-C-Si-S^-$  structural fragment, **9**, 1583

Synthesis and structure of bis(acetylacetonato)germanium(IV) diazide, **10**, 1800

Photochemistry of f-element ions (review), **12**, 1925

Photochemical transformations of 3-alkyl-3-ferrocenylcyclopropenes, **12**, 2059

**Photoreduction**

Reduction of the photoexcited uranyl ion by water. 1.  $U^{IV}$  and  $H_2O_2$  formation, **2**, 285

Photoreduction of *ortho*-benzoquinones in the presence of para-substituted *N,N*-dimethylanilines, **9**, 1506

**Photostimulated exoemission**

Photostimulated exoemission and reduction of  $CeO_2$ , **5**, 836

**Phthalocyanines**

Synthesis and liquid crystalline properties of copper tetra-4-(*n*-alkoxycarbonyl)phthalocyanines, **1**, 132

3,6-Didecyloxyphthalonitrile as a starting compound for the selective synthesis of phthalocyanines of the ABAB type, **12**, 2027

**Phthalonitriles**

Nitrile cleavage of heterocycle in the electrochemical reduction of 1-chloro-4-(isopropylthio)phthalazine, **1**, 183

3,6-Didecyloxyphthalonitrile as a starting compound for the selective synthesis of phthalocyanines of the ABAB type, **12**, 2027

**Physiological activity**

Two-fragment  $\alpha$ -adrenolytics. 2. Synthesis of alkyl(phenyl)- $[\omega$ -(*N*-phenylpiperazino)alkyl]phosphine oxides, **3**, 490

Two-fragment  $\alpha$ -adrenolytics. 3. Addition of primary amines to alkyl divinylphosphinates and phenyl(divinyl)phosphine oxide, **3**, 495

Absolute configuration and anti-hypercholesterolemic activity of (+)- and (-)-4-(2,6-dimethylheptyl)benzoic acids, **7**, 1313

Relationship of energy characteristics and the Randic indices of imidazole and some azolides of sulfonic acids with chromatographic retention, **8**, 1395

Synthesis and biological activity of some 1,3,2-diheteraphosphorinanes and their acyclic analogs, **9**, 1593

Synthesis, structure, and biological activity of mixed-ligand platinum(II) complexes with aminonitroxides, **9**, 1613

**Phytosteroid *Serratula coronata***

A new phytoecdysteroid, **11**, 1923

**Picroylacylhydrazines**

Synthesis of picryl-substituted 1,3,4-oxadiazoles, **9**, 1572

**Pinenes**

Chlorine dioxide as an oxidant for organoboron compounds, **9**, 1647

**Piperidines**

3,5-Bis(ferrocenylmethylene)-1-methyl-4-methylene-piperidine. Synthesis and some chemical properties, **3**, 514

The reactivity of 3,5-dimethylidene-2,2,6,6-tetramethyl-4-oxopiperidin-1-oxyl and its diamagnetic *N*-methyl analog in nucleophilic addition of amines and Diels–Alder dimerization, **10**, 1682

Peculiarities of electroreduction of *trans*-2-allyl-6-methyl(allyl,phenyl)-1,2,3,6-tetrahydropyridines, **12**, 2037

**Pitzer method**

Non-ideal properties of the TRIS–TRIS·HCl–NaCl–H<sub>2</sub>O buffer system in the 0–40 °C temperature interval. Application of the Pitzer equations, **4**, 674

Standardization of pH measurements based on the ion interaction approach, **4**, 680

**Pivalate ligands**

Unusual thermal dimerization of thrimethylacetate cobalt complexes. Synthesis and structure of Co<sub>8</sub>( $\mu_4$ -O)<sub>2</sub>( $\mu_n$ -OOCMe<sub>3</sub>)<sub>12</sub>, **5**, 958

**Pivaloylpyruvamides**

Pivaloylpyruvic acid as a new acylating reagent for amines, **9**, 1552

**Pivaloylpyruvic acid**

Pivaloylpyruvic acid as a new acylating reagent for amines, **9**, 1552

**Platinum complexes**

Synthesis, structure, and biological activity of mixed-ligand platinum(II) complexes with aminonitroxides, **9**, 1613

*n*-Alkane isomerization on heteropolyacids. 1. The influence of acid-base properties of alumina systems on the state of supported 12-tungstophosphoric heteropolyacid in Pt-containing catalysts and their activity in *n*-pentane isomerization, **10**, 1726

Unusual condensation of *N*-phenylsemiquinonediimine ligands coordinated to the Ni<sup>II</sup> atom with an acetone molecule to form a heterocycle, **10**, 1771

**Plutonium**

Photochemistry of f-element ions (review), **12**, 1925

**Polarity effect**

Rate constants for reactions of Cl abstraction from CCl<sub>4</sub> by CCl<sub>3</sub>CH<sub>2</sub>·CHR radicals and Br abstraction from CCl<sub>3</sub>CH<sub>2</sub>CHBrR (R = Bu<sup>n</sup>, AcO, OCNC<sub>4</sub>H<sub>8</sub>, CN) by ·Re(CO)<sub>5</sub> radicals, **1**, 46

**Polarizability of substituents**

Electronic absorption spectra of charge-transfer complexes and effects of substituents in radical cations, **6**, 997

**Polarization of bonds**

Hydration and protonation of *O*-vinylacetoxime in the gas phase: an *ab initio* study, **4**, 601

**Polarography**

Peculiarities of electroreduction of *trans*-2-allyl-6-methyl(allyl,phenyl)-1,2,3,6-tetrahydropyridines, **12**, 2037

**Polaron**

The nature and dynamics of nonlinear excitations in conducting polymers. Polyaniline (review), **2**, 207

**Polyaniline**

The nature and dynamics of nonlinear excitations in conducting polymers. Polyaniline (review), **2**, 207

A new mechanism of the dioxygen effect on ESR spectra of polyaniline, **10**, 1742

**Polyarylene ether ketones**

Synthesis of phthalide-containing dihalogeno derivatives and polyarylene ether ketones based on them, **6**, 1093

**Polyarylenesulfophthalides**

Formation of color centers and paramagnetic species by alkaline hydrolysis of polydiphenylenesulfophthalide, **2**, 298

**Polychlorinated aromatic hydrocarbons**

A graphite oxide-based nickel catalyst for reductive dechlorination of polychlorinated aromatic hydrocarbons, **6**, 1017

**Polycondensation**

Synthesis of phthalide-containing dihalogeno derivatives and polyarylene ether ketones based on them, **6**, 1093

**Polyconjugation**

Homopolycondensation of 1-halogenopropane-2-thiones, **2**, 332

**Polycopper- $\gamma$ -aminopropylsiloxane**

Investigation of structures of mono- and diorgano-substituted oligosiloxanes containing transition metal atoms, **10**, 1789

**Polycopperphenylsiloxanes**

Quantum-chemical studies of catalysts immobilized on silica. The complex Cu(OSiH<sub>3</sub>)<sub>2</sub>·2H<sub>2</sub>O as a model of catalytically active polycopperphenylsiloxanes, **9**, 1491

**Poly(*N,N*-diallyl-*N*-methylamine)**

Synthesis of high-molecular-weight polyamine by radical polymerization of *N,N*-diallyl-*N*-methylamine, **3**, 431

**Polyene-polysulfides**

Sulfurization of polymers. 3. Paramagnetic and redox properties of sulfurized polyethylene, **5**, 870

**Polyethylene**

Sulfurization of polymers. 2. Polythienothiophene and related structures from polyethylene and elemental sulfur, **5**, 863

Sulfurization of polymers. 3. Paramagnetic and redox properties of sulfurized polyethylene, **5**, 870

A study of alkyl radicals in the matrix of polycrystalline *n*-alkane  $\gamma$ -irradiated at 77 K. 1. Effect of chain length on ESR spectra of  $\gamma$ -irradiated linear alkanes, **6**, 1028

Highly active three-component catalytic systems based on dialkylzirconocenes, triisobutylaluminum, and perfluorophenyl borates for synthesis of low-molecular-weight polyethylene, **7**, 1185

#### Polyfluorinated $\alpha,\beta$ -unsaturated sulfenyl chlorides

Reactions of polyfluoroalkenylsulfenyl chlorides with carbonyl compounds, **10**, 1749

#### Polyfunctional compounds

Thermal stability of high-energy compounds (review), **2**, 234

#### Polyheteroarylenes

The influence of substituents in the quinone dihydrocycle of anthroneylidene molecules on the polymer chain rigidity, **5**, 794

#### Polyhydroxy steroid

Asterosaponin P<sub>2</sub> from the Far-Eastern starfish *Patiria (Asterina) pectinifera*, **10**, 1794

#### Poly(*N*-isopropylacrylamide)

Properties of polymer track membranes modified by grafting with poly(2-methyl-5-vinylpyridine) and poly(*N*-isopropylacrylamide), **5**, 856

#### Polymer catalysis

The catalytic effect of the cationic surfactant—polyethylene imine—water system in the hydrolysis of *O*-alkyl *O*-*p*-nitrophenylchloromethylphosphonates, **9**, 1501

#### Polymer matrix

Allylic isomerization of dichlorobutenes catalyzed by iron-containing nanoparticles stabilized in polymeric matrices, **5**, 852

#### Polymerization

Electrochemistry of bis(indenyl)dimethylzirconium complex — the precursor of the olefin polymerization catalyst, **1**, 60

Effect of substituents on the catalytic properties of bis(cyclopentadienyl)zirconium dichloride complexes with polymethylaluminoxane and AlBu<sup>1</sup><sub>3</sub>/CPh<sub>3</sub>B(C<sub>6</sub>F<sub>5</sub>)<sub>4</sub> cocatalysts in ethylene polymerization, **2**, 303

A DFT study of ethylene polymerization on zirconocene catalysts. 1. Model system [Cp<sub>2</sub>ZrEt]<sup>+</sup> + C<sub>2</sub>H<sub>4</sub>, **7**, 1164

Highly active three-component catalytic systems based on dialkylzirconocenes, triisobutylaluminum, and perfluorophenyl borates for synthesis of low-molecular-weight polyethylene, **7**, 1185

*N*-(2-Nitroxyethyl)nicotinamide (Nicorandil) as a monomer in quaternization polymerization, **8**, 1487

A DFT study of ethylene polymerization on zirconocene catalysts. 2. Substituted zirconocene catalysts, **10**, 1735

#### Polymers

The nature and dynamics of nonlinear excitations in conducting polymers. Polyaniline (review), **2**, 207

Homopolycondensation of 1-halogenopropane-2-thiones, **2**, 332

The influence of substituents in the quinone dihydrocycle of anthroneylidene molecules on the polymer chain rigidity, **5**, 794

The reaction of *C*-phenylcalix[4]resorcinarene-based polymer with quaternary ammonium and potassium cations, **8**, 1468

#### Polymethylaluminoxane

Effect of substituents on the catalytic properties of bis(cyclopentadienyl)zirconium dichloride complexes with polymethylaluminoxane and AlBu<sup>1</sup><sub>3</sub>/CPh<sub>3</sub>B(C<sub>6</sub>F<sub>5</sub>)<sub>4</sub> cocatalysts in ethylene polymerization, **2**, 303

#### Polymethylsilsesquioxane

Thermodynamic characteristics of hydrocarbon and chloroalkane adsorption by polymethylsilsesquioxane, **12**, 2000

#### Poly(2-methyl-5-vinylpyridine)

Properties of polymer track membranes modified by grafting with poly(2-methyl-5-vinylpyridine) and poly(*N*-isopropylacrylamide), **5**, 856

#### Polymorphous modifications

Electronic structure and stability of polymorphous modifications of titanium monocarbide, **10**, 1796

#### Polynaphthothienothiophenes

Sulfurization of polymers. 2. Polythienothiophene and related structures from polyethylene and elemental sulfur, **5**, 863

Sulfurization of polymers. 3. Paramagnetic and redox properties of sulfurized polyethylene, **5**, 870

#### Polynickel- $\gamma$ -aminopropylsiloxane

Investigation of structures of mono- and diorgano-substituted oligosiloxanes containing transition metal atoms, **10**, 1789

#### Polynitronaphthalenes

*peri*-Naphthylenediamines. 29. 1,8-Bis(dimethylamino)-3-nitro- and -3,6-dinitronaphthalenes and 5,6-bis(dimethylamino)-3-nitro- and -3,8-dinitroacenaphthenes as the first representatives of "proton sponges" *meta*-substituted relative to NMe<sub>2</sub> groups, **8**, 1399

#### Polynuclear complexes

Unusual thermal dimerization of thrimethylacetate cobalt complexes. Synthesis and structure of Co<sub>8</sub>( $\mu_4$ -O)<sub>2</sub>( $\mu_n$ -OOCMe<sub>3</sub>)<sub>12</sub>, **5**, 958

#### Polyolefins

A DFT study of ethylene polymerization on zirconocene catalysts. 2. Substituted zirconocene catalysts, **10**, 1735

#### Polyoxometallates

Study of the state of rhodium in the potassium rhodiumundecatungstosilicate/alumina system by diffuse-reflectance IR spectroscopy, **7**, 1174

#### Polyprenols

A new version of the conversion of plant polyprenols into ( $\pm$ )-terpenols of the dolichol series, **8**, 1485

#### Polystyrene

Models of slow rotational mobility of paramagnetic probes in glassy media, **6**, 1059

#### Polythienothiophenes

Sulfurization of polymers. 2. Polythienothiophene and related structures from polyethylene and elemental sulfur, **5**, 863

Sulfurization of polymers. 3. Paramagnetic and redox properties of sulfurized polyethylene, **5**, 870

#### Poly(1-vinylazoles)

Acid-base properties of poly(1-vinylazoles) in aqueous solution, **12**, 2013

#### Polyvinylbutyral

Models of slow rotational mobility of paramagnetic probes in glassy media, **6**, 1059

#### Poly(1-vinylimidazole)

Acid-base properties of poly(1-vinylazoles) in aqueous solution, **12**, 2013

#### Poly(1-vinyl-1,2,4-triazole)

Acid-base properties of poly(1-vinylazoles) in aqueous solution, **12**, 2013

**Potassium bisphenoxide**

Synthesis of phthalide-containing dihalogeno derivatives and polyarylene ether ketones based on them, **6**, 1093

**Potassium hydroxide**

The reaction of *C*-phenylcalix[4]resorcinarene-based polymer with quaternary ammonium and potassium cations, **8**, 1468

**Potassium 3-methyl-5',7'-dinitro-5',8'-dihydrospiro(1,3-oxazolidine-2,8'-quinolinide)**

Electron density distribution in the crystal of the Meisenheimer complex of potassium 3-methyl-5',7'-dinitro-5',8'-dihydrospiro(1,3-oxazolidine-2,8'-quinolinide) based on X-ray diffraction data at 153 K, **3**, 452

**Potential energy surfaces**

Multiple bond migration with participation of a protophilic agent. 4. Double bond migration in 3-methylthioprop-1-ene and 3-methoxyprop-1-ene: a comparative study, **3**, 408

Multiple bond migration with participation of a protophilic agent. 5. Double bond migration in heteroallylic systems, **3**, 415

Stabilization of nonclassical types of valence bond orientation at the carbon atom in organoboron compounds, **5**, 783

Mechanism of methane activation by electrophiles generated in the  $\text{AlBr}_5$  system: an MNDO/PM3 study of the potential energy surface of the  $[\text{AlBr}_5+\text{CH}_4]$  system, **5**, 799

*Ab initio* study of the structure of 2,2-difluoroethanal in the ground and lowest excited triplet electronic states, **6**, 984

**Potential functions of pair interaction**

A simple method for evaluation of the self-consistency of the radial distribution functions and the orientation of water molecules in the first coordination sphere from the results of molecular dynamics calculations, **11**, 1815

**Potentials of internal rotation and inversion**

*Ab initio* study of the structure of 2,2-difluoroethanal in the ground and lowest excited triplet electronic states, **6**, 984

**Potentiometric titration**

The reaction of *C*-phenylcalix[4]resorcinarene-based polymer with quaternary ammonium and potassium cations, **8**, 1468

Protonation of 1,2-disubstituted imidazolines and other products of condensation of 2-ethylhexanoic acid with diethylenetriamine and triethylenetetramine, **12**, 2007

**Preconcentration**

Preconcentration of heavy metal impurities from water on chromatographic paper, **8**, 1393

**Pre-spacer**

A novel approach to functionalization of allyl aglycon. Effective synthesis of selectively protected 2-aminoethyl lactoside, a common building block for the synthesis of carbohydrate chains of glycolipids, **7**, 1305

**"Press" effect**

The reactivity of 3,5-dimethylidene-2,2,6,6-tetramethyl-4-oxopiperidin-1-oxyl and its diamagnetic *N*-methyl analog in nucleophilic addition of amines and Diels–Alder dimerization, **10**, 1682

**Programmed thermal desorption**

Structure and acid-basic properties of the surface of titanium oxides modified by phosphorus and aluminum and prepared by the alkoxo method. 1. Structural organization of modified titanate systems, **11**, 1803

**Propene**

Multiple bond migration with participation of a protophilic agent. 5. Double bond migration in heteroallylic systems, **3**, 415

**Propiophenone**

Asymmetric reduction of ketones with sodium aluminum hydride modified by various chiral diols, **3**, 460

**Propylene**

Regularities of formation and catalytic properties of supported cobaltites in the oxidation of CO and hydrocarbons and in the reduction of nitrogen oxides, **9**, 1536

**trans-6-Propyl-2-methyl(propyl,phenyl)piperidine**

Peculiarities of electroreduction of *trans*-2-allyl-6-methyl(allyl,phenyl)-1,2,3,6-tetrahydropyridines, **12**, 2037

**Prop-2-yn-1-ol**

Synthesis of 3-hydroxy-1-methyl-2-(methylthio)pyrrole from methyl isothiocyanate and prop-2-yn-1-ol, **9**, 1634

**Proton affinity**

An *ab initio* quantum-chemical study of proton addition to  $\text{F}^-$ ,  $\text{CH}_3^-$ , and  $\text{CF}_3^-$ -substituted ethylene derivatives, **8**, 1327

Proton affinities of fluoro derivatives of benzene, toluene, and *m*-xylene from *ab initio* MP2 calculations, **11**, 1820

**Proton migration**

Processes of dissociative electron capture by 20-hydroxyecdysone molecules, **4**, 713

An *ab initio* quantum-chemical study of proton addition to  $\text{F}^-$ ,  $\text{CH}_3^-$ , and  $\text{CF}_3^-$ -substituted ethylene derivatives, **8**, 1327

Synthesis and IR spectra of 5-phenyl-2-(1-phenyl-2-trichloroacetylenyl)pyrrole, **11**, 1914

Photoinitiated processes in 1-*p*-tolylsulfonylazo-2,4,6,8-tetrakis(*tert*-butyl)phenoxazine, **12**, 1981

**Protonated forms**

An *ab initio* quantum-chemical study of proton addition to  $\text{F}^-$ ,  $\text{CH}_3^-$ , and  $\text{CF}_3^-$ -substituted ethylene derivatives, **8**, 1327

**Protonation**

Laser flash photolysis of fluorinated arylazides in neutral and acidic solutions, **1**, 50

Synthesis of high-molecular-weight polyamine by radical polymerization of *N,N*-diallyl-*N*-methylamine, **3**, 431

New one-step methods for the synthesis of the metallonium dication  $[\text{Ru}(\eta^5\text{-C}_5\text{Me}_5)(\eta^3\text{-}\sigma\text{-C}_5\text{Me}_3(\text{CH}_2)_2)]^{2+}$  and its heteroannular analog starting from decamethylruthenocene, **3**, 520

Quantum-chemical study of the protonation of pyrrolo[2,1-*b*]thiazole and its selenium and tellurium analogs, **10**, 1691

Acid-base properties of poly(1-vinylazoles) in aqueous solution, **12**, 2013

**Protonation constants**

Protonation of 1,2-disubstituted imidazolines and other products of condensation of 2-ethylhexanoic acid with diethylenetriamine and triethylenetetramine, **12**, 2007

**Protonation sequence**

Protonation of 1,2-disubstituted imidazolines and other products of condensation of 2-ethylhexanoic acid with diethylenetriamine and triethylenetetramine, **12**, 2007

**Pseudo-phases**

Kinetics of alkaline hydrolysis of ethyl *p*-nitrophenyl ethylphosphonate in the reverse micellar system: sodium dodecyl sulfate—hexanol—water, **2**, 265

The influence of the structure of tetracoordinate phosphorus acid esters on the catalytic effect of the sodium dodecyl sulfate—hexanol—water ternary reverse micellar system, **8**, 1360

#### Pulse radiolysis

Oxygen effects in aqueous solutions of laccases: absorption spectra and reactivity, **8**, 1464

#### Pyrazoles

Evaluation of the polarity and boiling points of nitrogen-containing heterocyclic compounds by gas-chromatography, **2**, 325

#### Pyrazolines

Resonance capture of electrons by substituted pyrazoline molecules, **4**, 705

3-Alkenyl-5-ferrocenyl-2-pyrazolines in reactions with azodicarboxylic acid *N*-phenylimide, **5**, 906

#### Pyrazolones

Synthesis, structures, and spectral properties of biomimetic azomethine metal chelates with chromophores  $\text{CuN}_2\text{S}_2$ ,  $\text{CuN}_2\text{O}_2$ , and  $\text{CuN}_2\text{Se}_2$ . Crystal structure of bis[4-(benzyl)-aldimino-3-methyl-1-phenyl-5-pyrazolothiolato]copper(II), **11**, 1863

#### Pyrene

Pyrene sensitized phosphorescence enhanced by the heavy atom effect in the water—heptane—sodium dodecyl sulfate—pentanol microemulsion, **9**, 1518

#### Pyrethroids

Efficient synthesis of methyl (+)-(1*S*,3*R*)-3-(2,2-dimethoxy-carbonyl-ethyl)-2,2-dimethylcyclopropane-1-carboxylate from (+)-4 $\alpha$ -acetyl-2-carene, **8**, 1473

Synthesis and biological activity of some 1,3,2-dihetera-phosphorinanes and their acyclic analogs, **9**, 1593

#### Pyridazines

Evaluation of the polarity and boiling points of nitrogen-containing heterocyclic compounds by gas-chromatography, **2**, 325

[4+2]-Cycloaddition of 3,6-bis(3,5-dimethyl-4-*R*-pyrazol-1-yl)-1,2,4,5-tetrazines with alkenes, **2**, 355

#### Pyridines

Three-component condensation in the synthesis of 4-(2-chlorophenyl)-3-cyano-5-ethoxycarbonyl-6-propyl-3,4-dihydropyridine-2(1*H*)-thione, **1**, 176

Reversible C  $\rightleftharpoons$  N migration of the ethoxycarbonyl group in pyridinium ylides, **8**, 1490

Cubane derivatives. 6. Synthesis of some substituted hydrazides of 1,4-cubanedicarboxylic acid, **9**, 1645

Peculiarities of electroreduction of *trans*-2-allyl-6-methyl(allyl,phenyl)-1,2,3,6-tetrahydropyridines, **12**, 2037

#### Pyrido[1,2-*a*]pyrimidines

Synthesis and X-ray diffraction studies of 3-cyano-2-trifluoromethyl-4*H*-pyrido[1,2-*a*]pyrimidine derivatives, **7**, 1257

#### 3-Pyridylcarbaldehyde

Cubane derivatives. 6. Synthesis of some substituted hydrazides of 1,4-cubanedicarboxylic acid, **9**, 1645

#### *cis*-[2-(2-Pyridyl)-2-oxazoline-*N,N*]dichloropalladium(II)

Synthesis and structure of the complex of 2-(2-pyridyl)-2-oxazoline with  $\text{PdCl}_2$ , **3**, 566

#### Pyrolysis

Generation of diazo-2-methylenecyclopropane and its 1,3-dipolar cycloaddition to acrylates, **7**, 1207

#### Pyrraline oxides

Stable vinylnitroxyl radicals, pyrroline derivatives, **1**, 106

#### Pyrrolothiazole

Quantum-chemical study of the protonation of pyrrolo[2,1-*b*]thiazole and its selenium and tellurium analogs, **10**, 1691

## Q

#### Quantum dynamics

The influence of ultrashort excitations on the vibrational dynamics in a diatomic molecule, **12**, 1960

#### Quantum yield

Photochemistry of arylhydrazides in solution, **4**, 666

The mechanisms of photochromic transformations of 2-indolylfulgides, **6**, 1020

Photochromic dihetarylethenes. 5. Synthesis, structure, and photochromic properties of 4,4'-disubstituted 1,2-bis[2-ethyl-5-ethylthio(ethylsulfonyl)-3-thienyl]perfluorocyclopentenes, **10**, 1757

#### Quantum-chemical calculations, non-empirical

Influence of steric and electronic effects of substituents on the molecular structures and conformational flexibility of 1,8-naphthalenedicarboximides, **1**, 70

[4+2]-Cycloaddition of 3,6-bis(3,5-dimethyl-4-*R*-pyrazol-1-yl)-1,2,4,5-tetrazines with alkenes, **2**, 355

Multiple bond migration with participation of a protophilic agent. 4. Double bond migration in 3-methylthioprop-1-ene and 3-methoxyprop-1-ene: a comparative study, **3**, 408

Multiple bond migration with participation of a protophilic agent. 5. Double bond migration in heteroallylic systems, **3**, 415

Electron density distribution in the crystal of the Meisenheimer complex of potassium 3-methyl-5',7'-dinitro-5',8'-dihydrospiro(1,3-oxazolidine-2,8'-quinolinide) based on X-ray diffraction data at 153 K, **3**, 452

Hydration and protonation of *O*-vinylacetoxime in the gas phase: an *ab initio* study, **4**, 601

Molecular structures of acetylene derivatives of tin. 6. Molecular structure of bis(trimethylstanny)acetylene and analysis of vibrational spectra of its isotopomers by scaling of quantum-chemical force field, **4**, 620

Stabilization of nonclassical types of valence bond orientation at the carbon atom in organoboron compounds, **5**, 783

Interaction of  $\text{O}^+$  ion with water molecules: a quantum-chemical study, **6**, 976

*Ab initio* study of the structure of 2,2-difluoroethanal in the ground and lowest excited triplet electronic states, **6**, 984

Coordination of nitroxyl radical probes to the Lewis acid sites on the surface of gallium oxide: a quantum-chemical analysis, **6**, 991

A study of alkyl radicals in the matrix of polycrystalline *n*-alkane  $\gamma$ -irradiated at 77 K. 2. Effect of intra- and intermolecular interactions on radical formation in *n*-heptane polycrystals, **6**, 1032

A DFT study of ethylene polymerization on zirconocene catalysts. 1. Model system  $[\text{Cp}_2\text{ZrEt}]^+ + \text{C}_2\text{H}_4$ , **7**, 1164

An *ab initio* quantum-chemical study of proton addition to F-,  $\text{CH}_3$ -, and  $\text{CF}_3$ -substituted ethylene derivatives, **8**, 1327

Quantum-chemical study of the protonation of pyrrolo[2,1-*b*]thiazole and its selenium and tellurium analogs, **10**, 1691



Electronic structure and stability of polymorphous modifications of titanium monocarbide, **10**, 1796

Proton affinities of fluoro derivatives of benzene, toluene, and *m*-xylene from *ab initio* MP2 calculations, **11**, 1820

Heteroorganic betaines. 5. A DFT study of the structure and reactivity of 6,6-dimethyl-6-silafulvene and silicon-containing organophosphorus betaine  ${}^{-}\text{C}_5\text{H}_4\text{SiMe}_2\text{CH}_2\text{PMe}_3^{+}$ , **11**, 1823

The kinetics and mechanism of cyclodimerization of 2-alkylthiopropenals, **12**, 1977

#### Quantum-chemical studies

Laser flash photolysis of fluorinated arylazides in neutral and acidic solutions, **1**, 50

Influence of steric and electronic effects of substituents on the molecular structures and conformational flexibility of 1,8-naphthalenedicarboximides, **1**, 70

Evaluation of MNDO approximation in quantum-chemical calculations of *g*-tensors of free radicals, **4**, 605

ESR study of the photolysis of  $\text{C}_{60}\text{Cl}_6$ , **4**, 753

The influence of substituents in the quinone dihydrocycle of anthroneylidene molecules on the polymer chain rigidity, **5**, 794

Mechanism of methane activation by electrophiles generated in the  $\text{AlBr}_5$  system: an MNDO/PM3 study of the potential energy surface of the  $[\text{AlBr}_5+\text{CH}_4]$  system, **5**, 799

Interaction of  $\text{O}^+$  ion with water molecules: a quantum-chemical study, **6**, 976

Coordination of nitroxyl radical probes to the Lewis acid sites on the surface of gallium oxide: a quantum-chemical analysis, **6**, 991

A study of alkyl radicals in the matrix of polycrystalline *n*-alkane  $\gamma$ -irradiated at 77 K. 2. Effect of intra- and intermolecular interactions on radical formation in *n*-heptane polycrystals, **6**, 1032

Synthesis and transformations of metallocycles. 21. A novel method for the synthesis of 1,1-dialkylcyclopropanes, **6**, 1086

Rearrangement products of some 1*R*,4*R*-2-arylidene-*p*-menthan-3-ones in acidic media, their structures, and conformational analysis, **7**, 1218

The reaction of *C*-phenylcalix[4]resorcinarene-based polymer with quaternary ammonium and potassium cations, **8**, 1468

Quantum-chemical studies of catalysts immobilized on silica. The complex  $\text{Cu}(\text{OSiH}_3)_2 \cdot 2\text{H}_2\text{O}$  as a model of catalytically active polycopperphenylsiloxanes, **9**, 1491

Thermochemistry of heteroatomic compounds. 18. The enthalpies of vaporization, solvation, and formation of isomeric 2,5-dimethyl-1-phenyl-1-thioxophosphorinan-4-ones, **9**, 1522

Color centers in poly(arylenesulfophthalides) and the ground state of Muller's hydrocarbon molecule, **10**, 1676

The reactivity of 3,5-dimethylidene-2,2,6,6-tetramethyl-4-oxopiperidin-1-oxyl and its diamagnetic *N*-methyl analog in nucleophilic addition of amines and Diels–Alder dimerization, **10**, 1682

Quantum-chemical study of the protonation of pyrrolo[2,1-*b*]thiazole and its selenium and tellurium analogs, **10**, 1691

Excimer fluorescence and structures of the inclusion complexes of  $\beta$ -cyclodextrin with naphthalene and its derivatives, **10**, 1699

A DFT study of ethylene polymerization on zirconocene catalysts. 2. Substituted zirconocene catalysts, **10**, 1735

A quantum-chemical approach to the analysis of intramolecular interactions using the fragment orbitals and MNDO method. Calculations for vinyl fluoride and vinyl iodide, **11**, 1808

#### Quasi-chemical approximation

Calculations of the distribution of trace impurities in cylindrical pores, **4**, 609

#### Quaternization polymerization

*N*-(2-Nitroxyethyl)nicotinamide (Nicorandil) as a monomer in quaternization polymerization, **8**, 1487

#### Quenching constant

The influence of substituents on the kinetics of the reaction of carbonyl oxides with benzaldehyde, **4**, 654

#### Quinolinones

Synthesis, structure, and properties of piperidinium 3-(4-chlorophenyl)-2-cyano-3-(2-hydroxy-4,4-dimethyl-6-oxocyclohex-1-enyl)thiopropionimide, **4**, 736

#### Quinones

The influence of substituents in the quinone dihydrocycle of anthroneylidene molecules on the polymer chain rigidity, **5**, 794

Photoreduction of *ortho*-benzoquinones in the presence of para-substituted *N,N*-dimethylanilines, **9**, 1506

#### Quinoxalines

Reactions of ethyl 3-(diethoxyphosphoryl)-3,3-difluoropyruvate with some nucleophilic reagents, **7**, 1255

## R

#### Racemization

Asymmetric nitrogen. 82. Trigger base: study of its complex with  $\text{HgBr}_2$  and its methiodide, **7**, 1241

#### Radial distribution functions

A simple method for evaluation of the self-consistency of the radial distribution functions and the orientation of water molecules in the first coordination sphere from the results of molecular dynamics calculations, **11**, 1815

#### $\gamma$ -Radiation

Kinetics of the radiative relaxation of the highly excited  $\text{C}_{60}^{+*}$  ion, **2**, 276

Properties of polymer track membranes modified by grafting with poly(2-methyl-5-vinylpyridine) and poly(*N*-isopropylacrylamide), **5**, 856

Aqueous solutions of colloidal nickel: radiation-chemical preparation, absorption spectra, and properties, **10**, 1715

#### Radical anions

Nitrile cleavage of heterocycle in the electrochemical reduction of 1-chloro-4-(isopropylthio)phthalazine, **1**, 183

Synthesis and properties of homoleptic 2,2'-bipyridyl complexes of rare-earth elements. Crystal and molecular structures of the complexes  $\text{Ln}(\text{N}_2\text{C}_{10}\text{H}_8)_4$  ( $\text{Ln} = \text{Sm}, \text{Eu}, \text{Yb}, \text{or Lu}$ ) and the ionic complex  $[\text{Lu}(\text{N}_2\text{C}_{10}\text{H}_8)_4][\text{Li}(\text{THF})_4]$ , **11**, 1869

#### Radical cations

Ionization potentials of non-metal monosulfides. Conjugation in radical cations containing Group IV elements, **1**, 26

Substituent effects in radical cations of linear oligosilanes, **2**, 256

Synthesis, crystal structure, and conducting properties of a new molecular conductor (DBTTF)<sub>11</sub>(TeCl<sub>6</sub>)<sub>4</sub>, **2**, 372

Electronic absorption spectra of charge-transfer complexes and effects of substituents in radical cations, **6**, 997

The radical cation of hydrogen sulfide and related organic reactions, **7**, 1178

#### Radical chlorination

2-Polyfluoroalkylchromones. 5. Nitration and chlorination of 2-trifluoromethylchromones, **12**, 2074

#### Radical cyclization

*peri*-Naphthylenediamines. 28. Nitration of 1,8-bis(dimethylamino)naphthalene and 5,6-bis(dimethylamino)acenaphthene in neutral and weakly acidic media. The first case of isolation of *o*-nitro and *o,o'*-dinitro derivatives of "proton sponges", **7**, 1212

#### Radical ions

Synthesis and properties of paramagnetic derivatives of linear and fused polyaromatic compounds, **8**, 1409

Identification of intermediates in the reaction of 2-thenyl halides with magnesium, **9**, 1544

#### Radical polymerization

Synthesis of high-molecular-weight polyamine by radical polymerization of *N,N*-diallyl-*N*-methylamine, **3**, 431

The synthesis of poly(styrenechromiumtricarbonyl) in the presence of triisobutylboron, **7**, 1316

#### $\gamma$ -Radiolysis

A study of alkyl radicals in the matrix of polycrystalline *n*-alkane  $\gamma$ -irradiated at 77 K. 1. Effect of chain length on ESR spectra of  $\gamma$ -irradiated linear alkanes, **6**, 1028

#### Raman spectroscopy

Amino-substituted *gem*-diphosphonic acids: dissociation mechanism and the structure of species in aqueous solutions, **6**, 1045

#### Randic index

Relationship of energy characteristics and the Randic indices of imidazole and some azolides of sulfonic acids with chromatographic retention, **8**, 1395

#### Rare-earth elements

Synthesis and properties of homoleptic 2,2'-bipyridyl complexes of rare-earth elements. Crystal and molecular structures of the complexes Ln(N<sub>2</sub>C<sub>10</sub>H<sub>8</sub>)<sub>4</sub> (Ln = Sm, Eu, Yb, or Lu) and the ionic complex [Lu(N<sub>2</sub>C<sub>10</sub>H<sub>8</sub>)<sub>4</sub>][Li(THF)<sub>4</sub>], **11**, 1869

#### Rate constants

Rate constants for reactions of Cl abstraction from CCl<sub>4</sub> by CCl<sub>3</sub>CH<sub>2</sub>·CHR radicals and Br abstraction from CCl<sub>3</sub>CH<sub>2</sub>CHBrR (R = Bu<sup>n</sup>, AcO, OCNC<sub>4</sub>H<sub>8</sub>, CN) by ·Re(CO)<sub>5</sub> radicals, **1**, 46

Laser flash photolysis of fluorinated arylazides in neutral and acidic solutions, **1**, 50

Exchange reaction of oxiranes with  $\beta$ -hydroxyalkyl sulfides, selenides, -amines, and -phosphines (review), **4**, 579

The first step of oxidation of alkylbenzenes by permanganates in acidic aqueous solutions (review), **5**, 761

Isokinetic relationships for nucleophilic substitution reactions at the saturated carbon atom. Reactions in aqueous solutions, **5**, 806

Calculation of activation-controlled reaction rate constants from parameters of electronic absorption spectra of ion pairs, **6**, 1002

Oxidation of alcohols by dimethyldioxirane, **8**, 1332

Determination of the rate constants of addition of ·P(O)(OPr<sup>i</sup>)<sub>2</sub> radicals to fullerenes C<sub>60</sub> and C<sub>70</sub>, **9**, 1642

The reactivity of 3,5-dimethylidene-2,2,6,6-tetramethyl-4-oxopiperidin-1-oxyl and its diamagnetic *N*-methyl analog in nucleophilic addition of amines and Diels–Alder dimerization, **10**, 1682

The micellar effect of the sodium bis(2-ethylhexyl)sulfosuccinate–decane–water reverse system on the hydrolysis of phosphonic acid esters, **10**, 1696

Isokinetic relationships for nucleophilic substitution at the saturated carbon atom. Reactions with anions in the gas phase and various solvents, **12**, 1968

#### Reaction intermediates

Functionally substituted sulfur-containing compounds. 12. Reactions of 2-[(organylthio)methyl]oxiranes with aliphatic alcohols in the presence of boron trifluoride etherate, **5**, 879

An alternative channel of reductive condensation of trichloromethylarenes with hydrazines, **5**, 886

The radical cation of hydrogen sulfide and related organic reactions, **7**, 1178

Oxygen effects in aqueous solutions of laccases: absorption spectra and reactivity, **8**, 1464

Heteroorganic betaines. 4. Photolysis and thermolysis of betaines containing the <sup>+</sup>P–C–Si–S<sup>–</sup> structural fragment, **9**, 1583

#### Reaction mechanisms

Multiple bond migration with participation of a protophilic agent. 4. Double bond migration in 3-methylthioprop-1-ene and 3-methoxyprop-1-ene: a comparative study, **3**, 408

Multiple bond migration with participation of a protophilic agent. 5. Double bond migration in heteroallylic systems, **3**, 415

Complexation of paramagnetic intermediates formed in the photolysis of 7,7-dimethyl-1,4,5,6-tetraphenyl-2,3-benzo-7-silanorbornadiene: a study by spin chemistry methods, **3**, 421

Exchange reaction of oxiranes with  $\beta$ -hydroxyalkyl sulfides, selenides, -amines, and -phosphines (review), **4**, 579

The influence of substituents on the kinetics of the reaction of carbonyl oxides with benzaldehyde, **4**, 654

The first step of oxidation of alkylbenzenes by permanganates in acidic aqueous solutions (review), **5**, 761

Mechanism of methane activation by electrophiles generated in the AlBr<sub>5</sub> system: an MNDO/PM3 study of the potential energy surface of the [AlBr<sub>5</sub>+CH<sub>4</sub>] system, **5**, 799

An alternative channel of reductive condensation of trichloromethylarenes with hydrazines, **5**, 886

The radical cation of hydrogen sulfide and related organic reactions, **7**, 1178

The kinetic regularities, products, and mechanism of the thermal decomposition of dimethyldioxirane. The contribution of molecular and radical reaction channels, **8**, 1338

The kinetics and mechanism of cyclodimerization of 2-alkylthiopropenals, **12**, 1977

Synthesis and conversions of metallocycles. 22. NMR studies of the mechanism of Cp<sub>2</sub>ZrCl<sub>2</sub>-catalyzed cycloaluminum of olefins with triethylaluminum to form aluminacyclopentanes, **12**, 2051

**Reaction volume**

Dramatic solvent effect on the volume of the Diels–Alder reaction between tetracyanoethylene and cyclopentadiene, **6**, 1040

**Reactions in the gas phase**

Isokinetic relationships for nucleophilic substitution at the saturated carbon atom. Reactions with anions in the gas phase and various solvents, **12**, 1968

**Reactivity**

The influence of substituents on the kinetics of the reaction of carbonyl oxides with benzaldehyde, **4**, 654

Acetylide derivatives of transition metal cluster carbonyls (review), **7**, 1135

Highly active three-component catalytic systems based on dialkylzirconocenes, triisobutylaluminum, and perfluorophenyl borates for synthesis of low-molecular-weight polyethylene, **7**, 1185

Synthesis and some properties of lanthanum, neodymium, and samarium *tert*-butoxycuprates [(Bu<sup>t</sup>O)<sub>5</sub>Cu<sub>2</sub>Ln]<sub>2</sub>, **7**, 1270

The reaction of 2-aminomethylphenols and their copper(II) complexes with esters of phosphorus acids, **8**, 1349

Catalytic activity of aminomethylated calix[4]resorcinolarene aggregates in hydrolysis of esters of phosphorus acids, **8**, 1355

Study of reactions of some halides, cyclopentadienyl dichlorides, and bis(cyclopentadienyl) chlorides of lanthanides with *trans*-stilbene adducts with alkali metals [PhCHCHPh]<sup>−</sup>M<sup>+</sup> (M = Li, Na), **8**, 1436

The micellar effect of the sodium bis(2-ethylhexyl)sulfosuccinate–decane–water reverse system on the hydrolysis of phosphonic acid esters, **10**, 1696

Heteroorganic betaines. 5. A DFT study of the structure and reactivity of 6,6-dimethyl-6-silafulvene and silicon-containing organophosphorus betaine <sup>−</sup>C<sub>5</sub>H<sub>4</sub>SiMe<sub>2</sub>CH<sub>2</sub>PMe<sub>3</sub><sup>+</sup>, **11**, 1823

**Rearrangements**

Processes of dissociative electron capture by 20-hydroxyecdysone molecules, **4**, 713

Unusual rearrangement upon dehydration of *cis*-4,7-diallyl-4,7-dihydroxy-4,7-dihydro[2.2]paracyclophane, **6**, 1133

Rearrangement products of some 1*R*,4*R*-2-arylidene-*p*-menthan-3-ones in acidic media, their structures, and conformational analysis, **7**, 1218

Unusual transformation of *N*-arylamino-1,4-dihydropyridines, **7**, 1318

Specific features of resonance electron capture by the molecules of dibenzo-*p*-dioxin and its monochlorinated derivatives, **8**, 1489

Mass spectra of new groups of functionalized heterocycles. 3. 3-Alkyl- and 5-alkyl-2-thienylamines, **9**, 1548

**Red phosphorus**

One-step synthesis of unsymmetrical tertiary phosphine oxides from red phosphorus and organyl halides, **7**, 1320

**Redox properties**

Electrochemistry of bis(indenyl)dimethylzirconium complex — the precursor of the olefin polymerization catalyst, **1**, 60

Sulfurization of polymers. 3. Paramagnetic and redox properties of sulfurized polyethylene, **5**, 870

Electrochemical potentials, optical transitions, and frontier orbitals of non-bridged and bridged bent sandwich zirconocene complexes, **6**, 1037

The influence of surfactants on the acid–base and redox properties of reagents of the diphenylamine series, **8**, 1380

**Redox reactions**

Reduction of the photoexcited uranyl ion by water. 1. U<sup>IV</sup> and H<sub>2</sub>O<sub>2</sub> formation, **2**, 285

Study of the state of rhodium in the potassium rhodiumundecatungstosilicate/alumina system by diffuse-reflectance IR spectroscopy, **7**, 1174

Uranyl-catalyzed chemiluminescent reaction of U<sup>4+</sup> oxidation by dioxygen in aqueous HClO<sub>4</sub> solution, **9**, 1512

Aqueous solutions of colloidal nickel: radiation-chemical preparation, absorption spectra, and properties, **10**, 1715

Photochemistry of f-element ions (review), **12**, 1925

**Reduction**

Synthesis of *para*-cyclopentylanilines from *ortho*-(cyclopent-1'-enyl)anilines, **1**, 174

Nitrile cleavage of heterocycle in the electrochemical reduction of 1-chloro-4-(isopropylthio)phthalazine, **1**, 183

Photostimulated exoemission and reduction of CeO<sub>2</sub>, **5**, 836

Synthesis of 2-substituted benzo-1,3-ditelluroles, **6**, 1127

The radical cation of hydrogen sulfide and related organic reactions, **7**, 1178

A novel approach to functionalization of allyl glycon. Effective synthesis of selectively protected 2-aminoethyl lactoside, a common building block for the synthesis of carbohydrate chains of glycolipids, **7**, 1305

Absolute configuration and anti-hypercholesterolemic activity of (+)- and (−)-4-(2,6-dimethylheptyl)benzoic acids, **7**, 1313

A new version of the conversion of plant polyprenols into (±)-terpenols of the dolichol series, **8**, 1485

Regularities of formation and catalytic properties of supported cobaltites in the oxidation of CO and hydrocarbons and in the reduction of nitrogen oxides, **9**, 1536

Aqueous solutions of colloidal nickel: radiation-chemical preparation, absorption spectra, and properties, **10**, 1715

**Reductive amination**

Synthesis of dolichyl phosphates with a fluorescent label in the γ-isoprene unit of the chain, **12**, 2065

**Reductive condensation**

An alternative channel of reductive condensation of trichloromethylarenes with hydrazines, **5**, 886

**Reformatsky reaction**

Addition of halogenoacetic esters to aldehydes and ketones in the presence of Fe(CO)<sub>5</sub>, **4**, 722

**Regioselective substitution**

Cyclopenta[*b*]thienyl ligand in organometallic chemistry. Studies of the regioselectivity of the synthesis of new σ-element-substituted cyclopenta[*b*]thiophene derivatives, **7**, 1282

**Regioselectivity**

Synthetic study of hepoxilins. 9. Stereoselective total synthesis of trioxilin (10*S*,11*S*,12*S*)-B<sub>3</sub>, **3**, 549

Stereoselective nucleophilic addition of butyllithium and triallylborane to [2.2]paracyclophane-4,7-quinone, **3**, 572

Electrophilic substitution reactions of ferracarborane 3-(η<sup>5</sup>-Cp)-4-SMe<sub>2</sub>-3,1,2-FeC<sub>2</sub>B<sub>9</sub>H<sub>10</sub>, **9**, 1598

**Resonance electron capture**

Resonance capture of electrons by substituted pyrazoline molecules, **4**, 705

**Resonance forms**

Electron density distribution in the crystal of the Meisenheimer complex of potassium 3-methyl-5',7'-dinitro-5',8'-dihydrospiro(1,3-oxazolidine-2,8'-quinolinide) based on X-ray diffraction data at 153 K, **3**, 452

**Retention factors**

Aqueous solution of *N*-methylmorpholine *N*-oxide as a stationary liquid phase in steam chromatography, **6**, 1071

Relationship of energy characteristics and the Randic indices of imidazole and some azolides of sulfonic acids with chromatographic retention, **8**, 1395

**Retention indices**

Gas-chromatographic method of evaluation of *n*-alkanol ability for self-association in pure liquid, **2**, 317

The influence of alkyl substituents on the chromatographic indicator of self-association of *N*-containing heterocyclic compounds, **2**, 321

**Retro-Bingel reaction**

Electrochemical reduction of some methanofullerenes. On the mechanism of the retro-Bingel reaction, **3**, 427

**Reverse micelles**

The micellar effect of the sodium bis(2-ethylhexyl)sulfosuccinate—decane—water reverse system on the hydrolysis of phosphonic acid esters, **10**, 1696

**Reversed-phase chromatography**

Relationship of energy characteristics and the Randic indices of imidazole and some azolides of sulfonic acids with chromatographic retention, **8**, 1395

**Reversible photocyclization**

Photochromic dihetarylethenes. 5. Synthesis, structure, and photochromic properties of 4,4'-disubstituted 1,2-bis[2-ethyl-5-ethylthio(ethylsulfonyl)-3-thienyl]perfluorocyclopentenes, **10**, 1757

**Rhenium complexes**

X-Ray diffraction investigations of Ag<sub>2</sub>ReCl<sub>6</sub> and Ag<sub>2</sub>OsCl<sub>6</sub>, **7**, 1310

Catalytic properties of rhenium(v) complexes with thiourea derivatives in cyclohexene hydrogenation, **10**, 1732

**Rhodium compounds**

Synthesis of new acyclic aminophosphites and their chelate complexes with rhodium(i) and palladium(ii), **3**, 533

Separation of racemic *cis*-3,3-(η<sup>3,2</sup>-norbornadienyl)rhoda-carboranes into enantiomers by HPLC on chiral stationary phases, **4**, 759

Study of the state of rhodium in the potassium rhodiumundecatungstosilicate/alumina system by diffuse-reflectance IR spectroscopy, **7**, 1174

**Ribonucleases**

Reagents for addressed modification of biopolymers. 11. The synthesis of N<sup>lm</sup>-2,4-dinitrophenyl derivatives of histidine and urocanic and imidazolylacetic acids for anchoring imidazole residues to oligonucleotides, **3**, 540

**Roots**

"Anhydrolycaconitine," a new diterpene alkaloid from *Aconitum septentrionale* K., **9**, 1629

**Rotational mobility**

Chemical dynamics of ≡SiOC<sup>•</sup>O radicals grafted on the activated silica surface, **11**, 1834

**Ruthenium compounds**

Reactions of ruthenium and osmium cluster carbonyls with heteroatom-substituted and functionalized alkynes (review), **1**, 1

New one-step methods for the synthesis of the metallonium dication [Ru(η<sup>5</sup>-C<sub>5</sub>Me<sub>5</sub>)(η<sup>5</sup>:σ-C<sub>5</sub>Me<sub>3</sub>(CH<sub>2</sub>)<sub>2</sub>)]<sup>2+</sup> and its heteroannular analog starting from decamethylruthenocene, **3**, 520

Enantioselective hydrogenation of β-keto esters catalyzed by chiral binaphthylbisphosphine ruthenium complexes, **4**, 728

Ruthenium phosphine complexes as catalysts of alternating copolymerization of ethylene and carbon monoxide, **6**, 1113

Synthesis of ferrocenylacetylide derivatives of gold-ruthenium and gold-osmium clusters. Crystal structures of M<sub>3</sub>(AuPPh<sub>3</sub>)(C≡CFc)(CO)<sub>9</sub> (M = Ru or Os; Fc is ferrocenyl), **7**, 1292

Reactions of 1,4-diphenylbut-1-en-3-yne and 1,4-diferrocenylbuta-1,3-diyne with Ru<sub>3</sub>(CO)<sub>10</sub>(μ-dppm). Unusual structures of the clusters Ru<sub>3</sub>(CO)<sub>5</sub>(μ-CO)(μ-dppm){μ<sub>3</sub>-C<sub>4</sub>Ph<sub>2</sub>(CH=CHPh)<sub>2</sub>} (two isomers) and Ru<sub>3</sub>(CO)<sub>5</sub>(μ-CO)(μ-dppm){μ<sub>3</sub>-C<sub>4</sub>Fc<sub>2</sub>(C≡CFc)<sub>2</sub>}, **7**, 1321

Reaction of Ru<sub>3</sub>(CO)<sub>12</sub> with 1,3-diferrocenylprop-2-ene-1-one. Crystal and molecular structures of the complexes Ru<sub>3</sub>(CO)<sub>8</sub>(FcC=CHCOFc)<sub>2</sub> and [Ru(CO)<sub>2</sub>Cl(FcC=CHCOFc)]<sub>2</sub>, **9**, 1605

**S****Samarium compounds**

Some features of an SmI<sub>2</sub>—(Me<sub>2</sub>N)<sub>3</sub>P—THF system. Transformation of esters into dimethylamides, **2**, 329

Molecular hydrides of samarium and europium LnH<sub>2</sub>(THF)<sub>2</sub> (Ln = Sm or Eu): synthesis and properties, **5**, 946

Synthesis and some properties of lanthanum, neodymium, and samarium *tert*-butoxycuprates [(Bu<sup>t</sup>O)<sub>5</sub>Cu<sub>2</sub>Ln]<sub>2</sub>, **7**, 1270

Photochemistry of f-element ions (review), **12**, 1925

**Sandwich compounds**

Synthesis of triple-decker iron and cobalt complexes with a central tetramethylphospholyl ligand, **9**, 1637

**Scanning electron microscopy**

Microstructure and surface composition of corn starch cryogels with sorbed organic flavoring agents, **2**, 314

**Scanning tunneling microscopy**

Effect of *n*-octyl acetate on the microstructure of corn starch sols studied by scanning tunneling microscopy, **8**, 1471

**Schiff's bases**

Synthesis of the scalemic form of alkaloid (–)-diphthocarpamine, **3**, 569

New method for the synthesis of 2-substituted *N,N'*-diacylimidazolidines, **5**, 894

Asymmetric synthesis of *S*-alkyl-substituted (*R*)-cysteines via a chiral Ni<sup>II</sup> complex of the Schiff's base of dehydroalanine with (*S*)-2-*N*-(*N*-benzylpropyl)aminobenzophenone, **8**, 1460

**Sedimentation analysis**

Synthesis of new acyclic aminophosphites and their chelate complexes with rhodium(i) and palladium(ii), **3**, 533

**Selective oxidation**

Synthetic potentialities of sulfonylsulfonium salts: a new approach to the preparation of disulfonium dications, **8**, 1415

**Selective reduction**

*peri*-Naphthylenediamines. 29. 1,8-Bis(dimethylamino)-3-nitro- and -3,6-dinitronaphthalenes and 5,6-bis(dimethylamino)-3-nitro- and -3,8-dinitroacenaphthenes as the first representatives of "proton sponges" *meta*-substituted relative to NMe<sub>2</sub> groups, **8**, 1399

**Selectivity**

Reaction of DL-2-aminopropiohydroxamic acid with acetone: selective synthesis of 3-hydroxy-2,2,5-trimethylimidazolidin-4-one, **1**, 182

The first step of oxidation of alkylbenzenes by permanganates in acidic aqueous solutions (review), **5**, 761

Aqueous solution of *N*-methylmorpholine *N*-oxide as a stationary liquid phase in steam chromatography, **6**, 1071

3,6-Didecyloxyphthalonitrile as a starting compound for the selective synthesis of phthalocyanines of the ABAB type, **12**, 2027

**Selenation**

Synthesis of 3(*Z*)-dodecen-12-olide — an aggregation pheromone of the flat grain beetle *Cryptolestes pusillus* (Coleoptera: *Cucujidae*), **7**, 1297

**Selenide clusters**

Synthesis and the crystal structure of a supramolecular adduct of the cubane cluster [ClPdMo<sub>3</sub>Se<sub>4</sub>(H<sub>2</sub>O)<sub>7</sub>Cl<sub>2</sub>]<sup>+</sup> with macrocyclic cavitand cucurbituril, **11**, 1877

**Selenium complexes**

Synthesis, structures, and properties of the molybdenum and tungsten chalcogenide cubane complexes (NH<sub>4</sub>)<sub>6</sub>[M<sub>4</sub>Q<sub>4</sub>(CN)<sub>12</sub>]·6H<sub>2</sub>O (M = Mo or W; Q = S or Se), **1**, 19

An EXAFS study of the molecular structure of heterometallic chalcogenide clusters, **8**, 1389

**Self-association**

Evaluation of the polarity and boiling points of nitrogen-containing heterocyclic compounds by gas-chromatography, **2**, 325

**Self-diffusion coefficient**

Calculations of the distribution of trace impurities in cylindrical pores, **4**, 609

**Semiempirical molecular statistical calculations**

The method of introducing correction factors into parameters of atom-atom potentials of intermolecular interaction used for calculation of thermodynamic characteristics of adsorption, **4**, 685

***para*-Semiquinoid**

Unusual rearrangement upon dehydration of *cis*-4,7-diallyl-4,7-dihydroxy-4,7-dihydro[2.2]paracyclophane, **6**, 1133

**Semiquinonediimine complexes**

Unusual condensation of *N*-phenylsemiquinonediimine ligands coordinated to the Ni<sup>II</sup> atom with an acetone molecule to form a heterocycle, **10**, 1771

***o*-Semiquinones**

Synthesis, structures, and properties of 3,6-di-*tert*-butyl-*o*-benzosemiquinone complexes of copper(I) with 1,5-diaza-3,7-diphosphacyclooctanes, **10**, 1782

**Sesquiterpenoids**

Synthesis of 11-hydroxydrim-8(9)-en-7-one and 11,12-dihydroxydrim-8(9)-en-7-one from drim-8(9)-en-7-one, **1**, 98

Synthesis of isodrimenin from drim-8-en-7-one, **3**, 546

Reaction of guaianolide achillin with chlorine in methanol, **9**, 1624

Synthesis of two new chloro derivatives of guaianolide grossmisin and the crystal structure of one derivative, **11**, 1902

**Setchenov coefficients**

Solvent isotope effects on the solubility of argon and pair interactions in aqueous solution of hexamethylenetetramine, **8**, 1383

**Shielding constants**

Synthesis and transformations of metallocycles. 21. A novel method for the synthesis of 1,1-dialkylcyclopropanes, **6**, 1086

**1.3-Sigmatropic rearrangement**

*peri*-Naphthylenediamines. 27. Transformations of tertiary carbocations stabilized by the 4,5-bis(dimethylamino)-1-naphthyl group, **6**, 1097

**Silafulvenes**

Heteroorganic betaines. 5. A DFT study of the structure and reactivity of 6,6-dimethyl-6-silafulvene and silicon-containing organophosphorus betaine <sup>-</sup>C<sub>5</sub>H<sub>4</sub>SiMe<sub>2</sub>CH<sub>2</sub>PMe<sub>3</sub><sup>+</sup>, **11**, 1823

**Silanethiones**

Heteroorganic betaines. 4. Photolysis and thermolysis of betaines containing the <sup>+</sup>P—C—Si—S<sup>-</sup> structural fragment, **9**, 1583

**Silanones**

Generation and capture of alkylchlorosilanones, **2**, 363

Heteroorganic betaines. 3. Reactions of betaines containing the <sup>+</sup>P—C—Si—S<sup>-</sup> fragment, **5**, 933

**7-Silanorbornadiene**

Complexation of paramagnetic intermediates formed in the photolysis of 7,7-dimethyl-1,4,5,6-tetraphenyl-2,3-benzo-7-silanorbornadiene: a study by spin chemistry methods, **3**, 421

**Silaolefins**

Heteroorganic betaines. 5. A DFT study of the structure and reactivity of 6,6-dimethyl-6-silafulvene and silicon-containing organophosphorus betaine <sup>-</sup>C<sub>5</sub>H<sub>4</sub>SiMe<sub>2</sub>CH<sub>2</sub>PMe<sub>3</sub><sup>+</sup>, **11**, 1823

**Silaspiroheptadienes**

Heteroorganic betaines. 5. A DFT study of the structure and reactivity of 6,6-dimethyl-6-silafulvene and silicon-containing organophosphorus betaine <sup>-</sup>C<sub>5</sub>H<sub>4</sub>SiMe<sub>2</sub>CH<sub>2</sub>PMe<sub>3</sub><sup>+</sup>, **11**, 1823

**Silathiiranes**

Heteroorganic betaines. 4. Photolysis and thermolysis of betaines containing the <sup>+</sup>P—C—Si—S<sup>-</sup> structural fragment, **9**, 1583

**Silica**

Quantum-chemical studies of catalysts immobilized on silica. The complex Cu(OSiH<sub>3</sub>)<sub>2</sub>·2H<sub>2</sub>O as a model of catalytically active polycopperphenylsiloxanes, **9**, 1491

Physicochemical features of the formation of siliceous porous mesophases. 3. Conditions of formation and properties of mesoporous silica, **10**, 1669

Chemical dynamics of ≡SiOC·O radicals grafted on the activated silica surface, **11**, 1834

**Silica gel**

Fractality of materials based on silica gel, **5**, 778

**Silicon**

Kinetic analysis of photoelectrochemical hydrogen evolution over p-type silicon in acidic aqueous solutions of electrolytes, **10**, 1707

**Silicon dioxide**

Chemical dynamics of  $\equiv\text{SiOC}^{\cdot}\text{O}$  radicals grafted on the activated silica surface, **11**, 1834

**Silicon-capped  $\pi$ -donors**

Diastereoselective synthesis of polyfunctional compounds based on the tandem sequence of three  $Ad_E$  reactions using cyclic vinyl ethers as first alkene components, **1**, 85

**Silicon-containing organophosphorus betaines**

Heteroorganic betaines. 2. X-ray diffraction study of betaines containing the  $^+\text{P}-\text{C}-\text{Si}-\text{S}^-$  fragment, **5**, 929

Heteroorganic betaines. 3. Reactions of betaines containing the  $^+\text{P}-\text{C}-\text{Si}-\text{S}^-$  fragment, **5**, 933

Heteroorganic betaines. 5. A DFT study of the structure and reactivity of 6,6-dimethyl-6-silafulvene and silicon-containing organophosphorus betaine  $^-\text{C}_5\text{H}_4\text{SiMe}_2\text{CH}_2\text{PMe}_3^+$ , **11**, 1823

**Siloxanes**

Synthesis and investigation of polyphenyldimethylsiloxane block copolymers with bimodal chain length distribution of oligodimethylsiloxane blocks, **9**, 1531

**Silver**

X-Ray diffraction investigations of  $\text{Ag}_2\text{ReCl}_6$  and  $\text{Ag}_2\text{OsCl}_6$ , **7**, 1310

Aqueous solutions of colloidal nickel: radiation-chemical preparation, absorption spectra, and properties, **10**, 1715

**Silyl nitronates**

Trimethylsilyl derivatives of aliphatic nitro compounds in  $\alpha,\beta\text{-C,C}$ -cross-coupling, **5**, 874

**Silylation**

Trimethylsilyl derivatives of aliphatic nitro compounds in  $\alpha,\beta\text{-C,C}$ -cross-coupling, **5**, 874

*N,N*-Bis(*tert*-butyldimethylsilyloxy)aminobenzene as a new synthetic equivalent of nitrosobenzene, **9**, 1649

**Six-coordinate germanium compounds**

Crystal and molecular structures of six-coordinate germanium difluorides and dibromides containing lactamomethyl C,O-chelating ligands, **10**, 1775

**Sodium aluminum hydride**

Asymmetric reduction of ketones with sodium aluminum hydride modified by various chiral diols, **3**, 460

**Sodium benzyl thiosulfate**

Novel synthesis of 2-arylbenzothiazoles, **11**, 1859

**Sodium bis(2-ethylhexyl)sulfosuccinate**

The micellar effect of the sodium bis(2-ethylhexyl)sulfosuccinate—decane—water reverse system on the hydrolysis of phosphonic acid esters, **10**, 1696

**Sodium dodecyl sulfate**

Distribution of nonionic compounds between the gas phase and sodium dodecyl sulfate micelles, **2**, 251

Kinetics of alkaline hydrolysis of ethyl *p*-nitrophenyl ethylphosphonate in the reverse micellar system: sodium dodecyl sulfate—hexanol—water, **2**, 265

The influence of the structure of tetracoordinate phosphorus acid esters on the catalytic effect of the sodium dodecyl sulfate—hexanol—water ternary reverse micellar system, **8**, 1360

Pyrene sensitized phosphorescence enhanced by the heavy atom effect in the water—heptane—sodium dodecyl sulfate—pentanol microemulsion, **9**, 1518

**Sodium phenoxide**

Reactions of 4-chloromethyl-1,3,2-dioxathiolane 2-oxides with sodium phenoxide. A reinvestigation, **10**, 1753

**Solid-state reactions**

The solid-state interaction of organometallic aldehydes with 1,8-naphthylenediamine, **1**, 148

Kinetics of thermal decomposition of hexanitrohexaaza-isowurtzitane, **5**, 812

Model solid-state reactions for the formation of a peripheral layer of organometallic dendrimers. Solid-state  $\alpha$ -ferrocenylethylation of phenols, **6**, 1106

*N*-(2-Nitroxyethyl)nicotinamide (Nicorandil) as a monomer in quaternization polymerization, **8**, 1487

**Sols**

Effect of *n*-octyl acetate on the microstructure of corn starch sols studied by scanning tunneling microscopy, **8**, 1471

Aqueous solutions of colloidal nickel: radiation-chemical preparation, absorption spectra, and properties, **10**, 1715

**Solubility**

The influence of surfactants on the acid—base and redox properties of reagents of the diphenylamine series, **8**, 1380

Solvent isotope effects on the solubility of argon and pair interactions in aqueous solution of hexamethylenetetramine, **8**, 1383

**Solutions**

IR study of ion-molecular interactions in the system methanesulfonic acid—ethyl acetate, **2**, 295

Isokinetic relationships for nucleophilic substitution reactions at the saturated carbon atom. Reactions in aqueous solutions, **5**, 806

Solvent isotope effects on the solubility of argon and pair interactions in aqueous solution of hexamethylenetetramine, **8**, 1383

Complexes with strong symmetric hydrogen bonds and their solvation in the trifluoroacetic acid—*N,N*-dimethylformamide system studied by IR spectroscopy, **9**, 1526

**Solvation**

Complexes with strong symmetric hydrogen bonds and their solvation in the trifluoroacetic acid—*N,N*-dimethylformamide system studied by IR spectroscopy, **9**, 1526

New EPR signals of endohedral metallofullerenes, **10**, 1745

**Solvent effects**

Dramatic solvent effect on the volume of the Diels—Alder reaction between tetracyanoethylene and cyclopentadiene, **6**, 1040

Influence of solvents on the molecular and crystal structure of the complex of 1,3-diallyl-5-[3-(diphenylphosphino)propyl]-1,3,5-triazine-2,4,6-(1*H*,3*H*,5*H*)-trione with palladium(II) dichloride, **7**, 1195

**Sonolysis**

Isotope effect in the formation of hydrogen peroxide by the sonolysis of light and heavy water, **4**, 649

A synergetic effect in nitrous acid formation by sonolysis of nitric acid in the presence of nitrous oxide, **12**, 2077

**Specific capacitance**

Sulfurization of polymers. 3. Paramagnetic and redox properties of sulfurized polyethylene, **5**, 870

**Specific interactions**

Dramatic solvent effect on the volume of the Diels–Alder reaction between tetracyanoethylene and cyclopentadiene, **6**, 1040

**Specific optical rotation**

Separation of racemic *closo*-3,3-( $\eta^{3,2}$ -norbornadienyl)rhoda-carboranes into enantiomers by HPLC on chiral stationary phases, **4**, 759

**Specific precoordination**

Cyclopenta[*b*]thienyl ligand in organometallic chemistry. Studies of the regioselectivity of the synthesis of new  $\sigma$ -element-substituted cyclopenta[*b*]thiophene derivatives, **7**, 1282

**Spin catalysis**

Synthesis and properties of paramagnetic derivatives of linear and fused polyaromatic compounds, **8**, 1409

**Spin chemistry**

Complexation of paramagnetic intermediates formed in the photolysis of 7,7-dimethyl-1,4,5,6-tetraphenyl-2,3-benzo-7-silanorbornadiene: a study by spin chemistry methods, **3**, 421

**Spin trap**

Rate constants for reactions of Cl abstraction from  $\text{CCl}_4$  by  $\text{CCl}_3\text{CH}_2\cdot\text{CHR}$  radicals and Br abstraction from  $\text{CCl}_3\text{CH}_2\text{CHBrR}$  ( $\text{R} = \text{Bu}^n, \text{AcO}, \text{OCNC}_4\text{H}_8, \text{CN}$ ) by  $\cdot\text{Re}(\text{CO})_5$  radicals, **1**, 46

ESR study of the photolysis of  $\text{C}_{60}\text{Cl}_6$ , **4**, 753

**Spin-adduct**

ESR study of spin-adducts of phosphoryl radicals with methano[60]fullerenes, **5**, 843

**Spins**

The nature and dynamics of nonlinear excitations in conducting polymers. Polyaniline (review), **2**, 207

**Spin-spin coupling constants**

Electronegativity of atoms of ring-containing molecules—NMR spectroscopy data correlations: a description within the framework of topological index approach, **3**, 402

**Spiro(1- and 2-pyrazoline-5,1'-cyclopropanes)**

Generation of diazo-2-methylenecyclopropane and its 1,3-dipolar cycloaddition to acrylates, **7**, 1207

**Spiroadamantylidioxetane**

Back electron transfer in electron-exchange chemiluminescence of oxyaryl-substituted spiroadamantyl dioxetane, an analog of firefly bioluminescence, **4**, 659

**Spiro(1-pyrazoline-3,1'-cyclopropanes)**

Reactions of spirocyclopropane-containing 1- and 2-pyrazolines with electrophilic reagents, **3**, 472

**Spiro(2-pyrazoline-5,1'-cyclopropanes)**

Reactions of spirocyclopropane-containing 1- and 2-pyrazolines with electrophilic reagents, **3**, 472

**Stability**

The radical cation of hydrogen sulfide and related organic reactions, **7**, 1178

Aqueous solutions of colloidal nickel: radiation-chemical preparation, absorption spectra, and properties, **10**, 1715

Electronic structure and stability of polymorphous modifications of titanium monocarbide, **10**, 1796

**Stabilization**

Stabilization of nonclassical types of valence bond orientation at the carbon atom in organoboron compounds, **5**, 783

Stabilization of ammonium dinitramide in the liquid phase, **12**, 1974

**Starfish metabolites — see Marine metabolites****Stationary phases**

Evaluation of the polarity and boiling points of nitrogen-containing heterocyclic compounds by gas-chromatography, **2**, 325

Aqueous solution of *N*-methylmorpholine *N*-oxide as a stationary liquid phase in steam chromatography, **6**, 1071

**Stereo isomerism**

$^1\text{H}$  and  $^{13}\text{C}$  NMR spectra of polycyclic compounds. 7. Stereochemical identification of a mixture of five stereoisomeric norbornadiene trimers, **1**, 64

Practical synthesis of hex-5-ynoic acid from cyclohexanone, **1**, 81

**Stereochemical correlation**

Absolute configuration and anti-hypercholesterolemic activity of (+)- and (–)-4-(2,6-dimethylheptyl)benzoic acids, **7**, 1313

**Stereochemical nonrigidity**

Synthesis, crystal and molecular structures, and stereochemical nonrigidity of *N*-(chlorodimethylgermylmethyl)- and *N*-(bromodimethylgermylmethyl)-*N*-[(*S*)-1-phenylethyl]acetamides and *N*-(chlorodimethylgermylmethyl)-4-phenyl-2-pyrrolidone, **1**, 140

**Stereochemistry**

New approach to cyclic sulfites and sulfates through reactions of sulfur oxychlorides with glycidols, **9**, 1575

**Stereocontrolled synthesis**

Synthesis of dolichyl phosphates with a fluorescent label in the  $\gamma$ -isoprene unit of the chain, **12**, 2065

**Stereodirected aldol condensation**

Synthesis of dolichyl phosphates with a fluorescent label in the  $\gamma$ -isoprene unit of the chain, **12**, 2065

**Stereoselective olefination**

A novel polyfunctional chiral building block derived from (*S*)-ethyl lactate. Application to the synthesis of the sex pheromone of the southern corn rootworm (*Diabrotica undecimpunctata howardi*), **1**, 154

**Stereoselective ring opening**

Diastereoselective synthesis of polyfunctional compounds based on the tandem sequence of three  $Ad_E$  reactions using cyclic vinyl ethers as first alkene components, **1**, 85

**Stereoselectivity**

Stereoselective nucleophilic addition of butyllithium and triallylborane to [2.2]paracyclophane-4,7-quinone, **3**, 572

Stereoselective synthesis of homoallylic alcohols of the [2.2]paracyclophane series and their use as auxiliary reagents in asymmetric allylboration of aldehydes, **5**, 912

Unusual transformation of *N*-arylamino-1,4-dihydropyridines, **7**, 1318

Synthesis of dolichyl phosphates with a fluorescent label in the  $\gamma$ -isoprene unit of the chain, **12**, 2065

**Stereospecificity**

The use of cesium dibenzyl and diphenyl phosphates for stereoselective synthesis of glycosyl phosphate derivatives, **11**, 1895

**Steric effects**

Effect of substituents on the catalytic properties of bis(cyclopentadienyl)zirconium dichloride complexes with

polymethylaluminoxane and  $\text{AlBu}_3/\text{CPh}_3\text{B}(\text{C}_6\text{F}_5)_4$  cocatalysts in ethylene polymerization, **2**, 303

Functionally substituted sulfur-containing compounds. 12. Reactions of 2-[(organylthio)methyl]oxiranes with aliphatic alcohols in the presence of boron trifluoride etherate, **5**, 879

#### Stilbene

Study of reactions of some halides, cyclopentadienyl dichlorides, and bis(cyclopentadienyl) chlorides of lanthanides with *trans*-stilbene adducts with alkali metals [ $\text{PhCHCHPh}]^-\text{M}^+$  ( $\text{M} = \text{Li}, \text{Na}$ ), **8**, 1436

#### Structural parameters

Physicochemical features of the formation of siliceous porous mesophases. 3. Conditions of formation and properties of mesoporous silica, **10**, 1669

#### Structurally flexible systems

Photoinitiated processes in 1-*p*-tolylsulfonylazo-2,4,6,8-tetrakis(*tert*-butyl)phenoxazine, **12**, 1981

#### Structure of liquid

Structural properties of liquid *N*-methylformamide, **2**, 238

Structural peculiarities of particle solvation in *N,N*-dimethylformamide, **4**, 588

#### Structure—property correlations

The influence of alkyl substituents on the chromatographic indicator of self-association of *N*-containing heterocyclic compounds, **2**, 321

Electronegativity of atoms of ring-containing molecules—NMR spectroscopy data correlations: a description within the framework of topological index approach, **3**, 402

The influence of substituents in the quinone dihydrocycle of anthroneylidene molecules on the polymer chain rigidity, **5**, 794

Relationship of energy characteristics and the Randic indices of imidazole and some azolides of sulfonic acids with chromatographic retention, **8**, 1395

#### Styrene ligands

The synthesis of poly(styrenechromiumtricarbonyl) in the presence of triisobutylboron, **7**, 1316

#### Styrenechromiumtricarbonyl

The synthesis of poly(styrenechromiumtricarbonyl) in the presence of triisobutylboron, **7**, 1316

#### Sublimed layers

A spectral study of the interaction of dioxygen with sublimed layers of manganese(II) *meso*-tetraphenylporphyrinate, **9**, 1540

#### Substituent effects

Influence of steric and electronic effects of substituents on the molecular structures and conformational flexibility of 1,8-naphthalenedicarboximides, **1**, 70

Substituent effects in radical cations of linear oligosilanes, **2**, 256

Effect of substituents on the catalytic properties of bis(cyclopentadienyl)zirconium dichloride complexes with polymethylaluminoxane and  $\text{AlBu}_3/\text{CPh}_3\text{B}(\text{C}_6\text{F}_5)_4$  cocatalysts in ethylene polymerization, **2**, 303

The influence of substituents in the quinone dihydrocycle of anthroneylidene molecules on the polymer chain rigidity, **5**, 794

Electronic absorption spectra of charge-transfer complexes and effects of substituents in radical cations, **6**, 997

The micellar effect of the sodium bis(2-ethylhexyl)sulfosuccinate—decane—water reverse system on the hydrolysis of phosphonic acid esters, **10**, 1696

#### 3-Substituted *N*-{spiro[1-pyrazolinio-5,1'-cyclopropane]}-*N*-phthalimidoamides (azimines)

Different reactivities of regioisomeric azimines, adducts of phthalimidonitrene with 5-bromospiro[1-pyrazoline-3,1'-cyclopropane], **11**, 1919

#### Substitution

Effect of  $\gamma$ -substitution on the thermoluminescence properties of terbium(III) acetylacetonate complexes with 1,10-phenanthroline, **2**, 291

*peri*-Naphthylenediamines. 28. Nitration of 1,8-bis(dimethylamino)naphthalene and 5,6-bis(dimethylamino)acenaphthene in neutral and weakly acidic media. The first case of isolation of *o*-nitro and *o,o'*-dinitro derivatives of "proton sponges", **7**, 1212

Synthesis of difunctional organooxasilacycloalkanes, **8**, 1430

#### Substrate specificity

The micellar effect of the sodium bis(2-ethylhexyl)sulfosuccinate—decane—water reverse system on the hydrolysis of phosphonic acid esters, **10**, 1696

#### Sugar nucleotides

The synthesis of *N*-acetyl- $\beta$ -L-fucosamine-1-phosphate and uridine 5'-diphospho-*N*-acetyl- $\beta$ -L-fucosamine, **11**, 1891

#### Sulfamates

Synthesis and nitration of condensation products of sulfamates with aliphatic amines and formaldehyde, **6**, 1082

#### Sulfated metal oxides

Properties of surface acid sites of  $\text{ZrO}_2$  and  $\text{SO}_4/\text{ZrO}_2$ -based systems studied by diffuse-reflectance Fourier-transform IR spectroscopy: adsorption of acetonitrile- $\text{d}_3$ , **1**, 39

#### Sulfated zirconia

Properties of surface acid sites of  $\text{ZrO}_2$  and  $\text{SO}_4/\text{ZrO}_2$ -based systems studied by diffuse-reflectance Fourier-transform IR spectroscopy: adsorption of acetonitrile- $\text{d}_3$ , **1**, 39

#### Sulfenamides

Reaction of sulfenamides with *N,N*-dimethylaniline in the presence of phosphorus(V) oxochloride, **1**, 180

Iodosulfenylation of olefins with sulfenamides in the presence of metal iodides, **9**, 1557

Reactions of sulfenamides with alkynes in the presence of phosphorus(V) oxohalides, **11**, 1846

#### Sulfenates

Iodosulfenylation of olefins with sulfenamides in the presence of metal iodides, **9**, 1557

#### Sulfenyl chlorides

*S*-Aryl *N,N*-dialkylamidothiosulfates, a novel class of sulfenic acid derivatives, **8**, 1478

#### Sulfenylation

*S*-Aryl *N,N*-dialkylamidothiosulfates, a novel class of sulfenic acid derivatives, **8**, 1478

Reactions of polyfluoroalkenylsulfenyl chlorides with carbonyl compounds, **10**, 1749

Reactions of sulfenamides with alkynes in the presence of phosphorus(V) oxohalides, **11**, 1846

#### Sulfites

Reactions of 4-chloromethyl-1,3,2-dioxathiolane 2-oxides with sodium phenoxide. A reinvestigation, **10**, 1753

#### Sulfonic acids

Relationship of energy characteristics and the Randic indices of imidazole and some azolides of sulfonic acids with chromatographic retention, **8**, 1395



**Sulfo-sulfenylation**

Novel sulfo-sulfenylating reagents based on S—SO<sub>2</sub>-containing compounds, **5**, 960

**Sulfoxides**

Kinetics, products, and mechanism of the reaction of diphenylcarbonyl oxide with sulfoxides, **9**, 1496

**Sulfur**

Sulfurization of polymers. 2. Polythienothiophene and related structures from polyethylene and elemental sulfur, **5**, 863

Sulfurization of polymers. 3. Paramagnetic and redox properties of sulfurized polyethylene, **5**, 870

**Sulfur hexafluoride**

Determination of the adsorption volume and surface of carbon adsorbents with developed mesoporosity, **4**, 692

Thermodynamic parameters of excess and absolute adsorption of CH<sub>4</sub> and SF<sub>6</sub> on carbons, **12**, 1993

**Sulfur-containing compounds**

Functionally substituted sulfur-containing compounds. 12. Reactions of 2-[(organylthio)methyl]oxiranes with aliphatic alcohols in the presence of boron trifluoride etherate, **5**, 879

**Sulfur-containing polymers**

Homopolycondensation of 1-halogenopropane-2-thiones, **2**, 332

**Sulfurization**

Sulfurization of polymers. 2. Polythienothiophene and related structures from polyethylene and elemental sulfur, **5**, 863

Sulfurization of polymers. 3. Paramagnetic and redox properties of sulfurized polyethylene, **5**, 870

**Sulfuryl chloride**

New approach to cyclic sulfites and sulfates through reactions of sulfur oxychlorides with glycidols, **9**, 1575

**Superacids**

Properties of surface acid sites of ZrO<sub>2</sub> and SO<sub>4</sub>/ZrO<sub>2</sub>-based systems studied by diffuse-reflectance Fourier-transform IR spectroscopy: adsorption of acetonitrile-d<sub>3</sub>, **1**, 39

**Superelectrophiles**

Mechanism of methane activation by electrophiles generated in the AlBr<sub>5</sub> system: an MNDO/PM3 study of the potential energy surface of the [AlBr<sub>5</sub>+CH<sub>4</sub>] system, **5**, 799

**Superoxide radical anion**

Oxygen effects in aqueous solutions of laccases: absorption spectra and reactivity, **8**, 1464

**Supporting effect**

*peri*-Naphthylenediamines. 30. 1,2,8-Tris(dimethylamino)-naphthalene and some other 2-amino derivatives of "proton sponge", **8**, 1406

**Supramolecular adduct**

Synthesis and the crystal structure of a supramolecular adduct of the cubane cluster [ClPdMo<sub>3</sub>Se<sub>4</sub>(H<sub>2</sub>O)<sub>7</sub>Cl<sub>2</sub>]<sup>+</sup> with macrocyclic cavitand cucurbituril, **11**, 1877

**Surface layer**

The influence of the structure of tetracoordinate phosphorus acid esters on the catalytic effect of the sodium dodecyl sulfate—hexanol—water ternary reverse micellar system, **8**, 1360

The micellar effect of the sodium bis(2-ethylhexyl)sulfosuccinate—decane—water reverse system on the hydrolysis of phosphonic acid esters, **10**, 1696

**Surfactants**

Catalytic activity of aminomethylated calix[4]resorsinolarene aggregates in hydrolysis of esters of phosphorus acids, **8**, 1355

The influence of surfactants on the acid—base and redox properties of reagents of the diphenylamine series, **8**, 1380

**Synergists for permethrine**

Synthesis and biological activity of some 1,3,2-dihetera-phosphorinanes and their acyclic analogs, **9**, 1593

**T****Tautomerism**

The structure of benzoyldimmedone from X-ray diffraction analysis, **6**, 1068

Reaction of 3(*Z*)-benzoylmethylidene-6-nitro-3,4-dihydro-2*H*-1,4-benzooxazin-2-one with oxalyl chloride, **12**, 2045

**Temperature hysteresis**

Temperature hysteresis phenomena in heterogeneous catalysis, **8**, 1373

**Temperature-programmed desorption**

Structure and acid-basic properties of the surface of titanium oxides modified by phosphorus and aluminum and prepared by the alkoxo method. 2. Study of the active surface of titanium oxides, **12**, 2003

**Template effect**

Template effect in the synthesis of formyl derivatives of benzothiacrown compounds, **11**, 1853

***g*-Tensors**

Evaluation of MNDO approximation in quantum-chemical calculations of *g*-tensors of free radicals, **4**, 605

**Terbium compounds**

Effect of  $\gamma$ -substitution on the thermoluminescence properties of terbium(III) acetylacetonate complexes with 1,10-phenanthroline, **2**, 291

Photochemistry of f-element ions (review), **12**, 1925

**Terpenes — see Monoterpenoids****Terphenyl**

Synthesis and properties of paramagnetic derivatives of linear and fused polyaromatic compounds, **8**, 1409

**Tertiary alcohols**

*peri*-Naphthylenediamines. 27. Transformations of tertiary carbocations stabilized by the 4,5-bis(dimethylamino)-1-naphthyl group, **6**, 1097

 **$\alpha,\alpha,\alpha',\alpha'$ -Tetraaryl-1,3-dioxolane-4,5-dimethanols**

Asymmetric reduction of ketones with sodium aluminum hydride modified by various chiral diols, **3**, 460

**Tetrabutoxytitanium**

Structure and acid-basic properties of the surface of titanium oxides modified by phosphorus and aluminum and prepared by the alkoxo method. 1. Structural organization of modified titanate systems, **11**, 1803

**Tetracyanoethylene**

Dramatic solvent effect on the volume of the Diels—Alder reaction between tetracyanoethylene and cyclopentadiene, **6**, 1040

**Tetrahydropyridines**

*N*-Methylmorpholinium 4-aryl-5-cyano-3-methoxy-carbonyl-2-oxo-1,2,3,4-tetrahydropyridine-6-thiolates: synthesis and properties, **3**, 487

**4S,5,7,7-Tetramethyl-6,8-dioxabicyclo[3.2.1]octane**

Synthesis of (*S*)-6-methylhept-5-en-2-ol, the aggregation pheromone of *Gnathotrichus sulcatus*, **4**, 717

**2,2,6,6-Tetramethylpiperidin-1-oxyl**

Coordination of nitroxyl radical probes to the Lewis acid sites on the surface of gallium oxide: a quantum-chemical analysis, **6**, 991

Complex formation between chlorine dioxide and 2,2,6,6-tetramethylpiperidin-1-oxyl, **10**, 1687

**Tetramethylthiuram disulfide**

Thiocarbamylation of amine-containing compounds. 5. The mechanism of reactions of tetramethylthiuram disulfide with aliphatic amines, **2**, 335

Thiocarbamylation of amine-containing compounds. 6. Reactions of tetramethylthiuram disulfide with hydrazones of aromatic aldehydes, **2**, 344

**Tetranitromethane**

*peri*-Naphthylenediamines. 28. Nitration of 1,8-bis(dimethylamino)naphthalene and 5,6-bis(dimethylamino)acenaphthene in neutral and weakly acidic media. The first case of isolation of *o*-nitro and *o,o'*-dinitro derivatives of "proton sponges", **7**, 1212

**1,3,6,8-Tetranitronaphthalene**

*peri*-Naphthylenediamines. 29. 1,8-Bis(dimethylamino)-3-nitro- and -3,6-dinitronaphthalenes and 5,6-bis(dimethylamino)-3-nitro- and -3,8-dinitroacenaphthenes as the first representatives of "proton sponges" *meta*-substituted relative to NMe<sub>2</sub> groups, **8**, 1399

**Tetraphenylporphine**

A spectral study of the interaction of dioxygen with sublimed layers of manganese(II) *meso*-tetraphenylporphyrinate, **9**, 1540

Laser flash photolysis study of the phase transition effect on the kinetics of the triplet-triplet annihilation of tetraphenylporphine in *n*-decanol, **11**, 1831

**1,2,4,5-Tetrazine**

[4+2]-Cycloaddition of 3,6-bis(3,5-dimethyl-4-R-pyazol-1-yl)-1,2,4,5-tetrazines with alkenes, **2**, 355

**Textural parameters**

Fractality of materials based on silica gel, **5**, 778

Physicochemical features of the formation of siliceous porous mesophases. 3. Conditions of formation and properties of mesoporous silica, **10**, 1669

**2-Thenyl halides**

Identification of intermediates in the reaction of 2-thenyl halides with magnesium, **9**, 1544

**Thermal decomposition**

Thermal stability of high-energy compounds (review), **2**, 234

Kinetics of thermal decomposition of hexanitrohexaazaisowurtzitane, **5**, 812

Ozonides of perfluorooct-1-ene and perfluorooct-2-ene, **6**, 1103

Preparation of highly dispersed copper oxide by thermal destruction of binuclear Cu<sup>II</sup> monofluoroacetate in zeolite Y cavities, **8**, 1365

Heteroorganic betaines. 4. Photolysis and thermolysis of betaines containing the <sup>+</sup>P—C—Si—S<sup>-</sup> structural fragment, **9**, 1583

Heteroorganic betaines. 5. A DFT study of the structure and reactivity of 6,6-dimethyl-6-silafulvene and silicon-contain-

ing organophosphorus betaine <sup>-</sup>C<sub>5</sub>H<sub>4</sub>SiMe<sub>2</sub>CH<sub>2</sub>PMe<sub>3</sub><sup>+</sup>, **11**, 1823

Stabilization of ammonium dinitramide in the liquid phase, **12**, 1974

**Thermal dimerization**

Unusual thermal dimerization of thrimethylacetate cobalt complexes. Synthesis and structure of Co<sub>8</sub>(μ<sub>4</sub>-O)<sub>2</sub>(μ<sub>n</sub>-OOCMe<sub>3</sub>)<sub>12</sub>, **5**, 958

**Thermal explosion**

The mechanism of formation of copper aluminide in the thermal explosion mode, **12**, 1954

**Thermal stability**

Study of the state of rhodium in the potassium rhodiumundecatungstosilicate/alumina system by diffuse-reflectance IR spectroscopy, **7**, 1174

Cycloaddition of dialkylgermoles: synthesis and structures of 2,2,3,3-tetracyano-1,4,5,6-tetraphenyl-7-germanorborn-5-enes, **7**, 1275

Physicochemical features of the formation of siliceous porous mesophases. 3. Conditions of formation and properties of mesoporous silica, **10**, 1669

**Thermochemistry**

Thermochemistry of heteroatomic compounds. 17. Theoretical calculations of vaporization enthalpies for alkylphosphines and alkyl(aryl)phosphines, **1**, 33

Thermochemistry of heteroatomic compounds. 18. The enthalpies of vaporization, solvation, and formation of isomeric 2,5-dimethyl-1-phenyl-1-thioxophosphorinan-4-ones, **9**, 1522

**Thermodesorption**

Preconcentration of heavy metal impurities from water on chromatographic paper, **8**, 1393

Structure and acid-basic properties of the surface of titanium oxides modified by phosphorus and aluminum and prepared by the alkoxo method. 1. Structural organization of modified titanate systems, **11**, 1803

Structure and acid-basic properties of the surface of titanium oxides modified by phosphorus and aluminum and prepared by the alkoxo method. 2. Study of the active surface of titanium oxides, **12**, 2003

**Thermodynamic parameters**

Thermodynamic quantities of adsorption described by Freundlich isotherm, **1**, 178

Thermodynamic properties of some polymeric forms of fullerite C<sub>60</sub> at temperatures ranging from 0 to 320 K, **2**, 280

Complex formation between chlorine dioxide and 2,2,6,6-tetramethylpiperidin-1-oxyl, **10**, 1687

Thermodynamic parameters of adsorption of adamantane and its derivatives on graphitized thermal carbon black, **12**, 1988

**Thermoluminescence**

Effect of γ-substitution on the thermoluminescence properties of terbium(III) acetylacetonate complexes with 1,10-phenanthroline, **2**, 291

**Thermolysis**

Unusual thermal dimerization of thrimethylacetate cobalt complexes. Synthesis and structure of Co<sub>8</sub>(μ<sub>4</sub>-O)<sub>2</sub>(μ<sub>n</sub>-OOCMe<sub>3</sub>)<sub>12</sub>, **5**, 958

Cycloaddition of dialkylgermoles: synthesis and structures of 2,2,3,3-tetracyano-1,4,5,6-tetraphenyl-7-germanorborn-5-enes, **7**, 1275

The kinetic regularities, products, and mechanism of the thermal decomposition of dimethyldioxirane. The contribution of molecular and radical reaction channels, **8**, 1338

#### Thermomechanical analysis

Synthesis and investigation of polyphenyldimethylsiloxane block copolymers with bimodal chain length distribution of oligodimethylsiloxane blocks, **9**, 1531

#### Thermoprogrammed desorption

Specific features of the interaction of components in the DMSO—HBr—Pd<sup>0</sup> system, **10**, 1722

#### Thermotropic mesomorphism

Synthesis and liquid crystalline properties of copper tetra-4-(*n*-alkoxycarbonyl)phthalocyanines, **1**, 132

#### Thiele's hydrocarbon

Color centers in poly(arylenesulfophthalides) and the ground state of Müller's hydrocarbon molecule, **10**, 1676

#### Thiuranium

Functionally substituted sulfur-containing compounds. 12. Reactions of 2-[(organylthio)methyl]oxiranes with aliphatic alcohols in the presence of boron trifluoride etherate, **5**, 879

#### Thin layer chromatography

Preconcentration of heavy metal impurities from water on chromatographic paper, **8**, 1393

#### Thio complexes

Synthesis, structures, and properties of the molybdenum and tungsten chalcogenide cubane complexes (NH<sub>4</sub>)<sub>6</sub>[M<sub>4</sub>Q<sub>4</sub>(CN)<sub>12</sub>]·6H<sub>2</sub>O (M = Mo or W; Q = S or Se), **1**, 19

#### Thiobisamines

Iodosulfenylation of olefins with sulfenamides in the presence of metal iodides, **9**, 1557

#### Thiocarbonyldihydrazone of salicylaldehyde

Thiocarbamoylation of amine-containing compounds. 6. Reactions of tetramethylthiuram disulfide with hydrazones of aromatic aldehydes, **2**, 344

#### Thiohydroxamic acids

Reactions of cyclic  $\alpha$ -methoxy nitrones with nucleophilic reagents, **12**, 2031

#### Thiols

Asymmetric synthesis of *S*-alkyl-substituted (*R*)-cysteines via a chiral Ni<sup>II</sup> complex of the Schiff's base of dehydroalanine with (*S*)-2-*N*-(*N*-benzylpropyl)aminobenzophenone, **8**, 1460

#### Thionyl chloride

New approach to cyclic sulfites and sulfates through reactions of sulfur oxychlorides with glycidols, **9**, 1575

#### Thiopentalenyl ligand

Cyclopenta[*b*]thienyl ligand in organometallic chemistry. Studies of the regioselectivity of the synthesis of new  $\sigma$ -element-substituted cyclopenta[*b*]thiophene derivatives, **7**, 1282

#### Thiophanium ions

Diastereoselective synthesis of polyfunctional compounds based on the tandem sequence of three *Ad<sub>E</sub>* reactions using cyclic vinyl ethers as first alkene components, **1**, 85

#### Thiophene

The radical cation of hydrogen sulfide and related organic reactions, **7**, 1178

#### Thiopyrans

The radical cation of hydrogen sulfide and related organic reactions, **7**, 1178

#### Thiosulfonates

Novel sulfo-sulfonylating reagents based on S—SO<sub>2</sub>-containing compounds, **5**, 960

#### Thioureas

Thiocarbamoylation of amine-containing compounds. 5. The mechanism of reactions of tetramethylthiuram disulfide with aliphatic amines, **2**, 335

Reaction of (alkylthio)chloroacetylenes with thiourea, **7**, 1319

Catalytic properties of rhenium(v) complexes with thiourea derivatives in cyclohexene hydrogenation, **10**, 1732

Thioureidoquinazolin-4(3*H*)-ones. 1. Acid-induced recyclization of 3-(*N'*,*N'*-dialkylthioureido)quinazolin-4(3*H*)-ones into 1,3,4-thiadiazoles, **10**, 1763

Synthesis of substituted 2-amino-1,3-thiazine-6-thiones, **11**, 1917

#### Thiuram disulfides

Thioureidoquinazolin-4(3*H*)-ones. 1. Acid-induced recyclization of 3-(*N'*,*N'*-dialkylthioureido)quinazolin-4(3*H*)-ones into 1,3,4-thiadiazoles, **10**, 1763

#### Tin compounds

Diastereoselective synthesis of polyfunctional compounds based on the tandem sequence of three *Ad<sub>E</sub>* reactions using cyclic vinyl ethers as first alkene components, **1**, 85

Unexpected formation of a dimeric cation-anionic complex of hypercoordinated tin in the reaction of bis[(2-oxopyrrolidino)methyl]tin dichloride with AgBF<sub>4</sub>, **4**, 755

Molecular structures of acetylene derivatives of tin. 6. Molecular structure of bis(trimethylstannyl)acetylene and analysis of vibrational spectra of its isotopomers by scaling of quantum-chemical force field, **4**, 620

Molecular structures of acetylene derivatives of tin. 7. Bis(trimethylstannyl)acetylene: analysis of electron diffraction data taking into account nonlinear relations between Cartesian and internal vibrational coordinates, **4**, 631

#### Titanium compounds

On the mechanism of titanium-catalyzed cyclopropanation of esters with aliphatic organomagnesium compounds. Deuterium distribution in the reaction products of (CD<sub>3</sub>)<sub>2</sub>CHMgBr with ethyl 3-chloropropionate in the presence of titanium tetraisopropoxide, **2**, 378

Changes in the acid-base properties of hydrogels of metal oxide hydroxides induced by aging in solutions of electrolytes, **8**, 1323

Electronic structure and stability of polymorphous modifications of titanium monocarbide, **10**, 1796

Structure and acid-basic properties of the surface of titanium oxides modified by phosphorus and aluminum and prepared by the alkoxo method. 1. Structural organization of modified titanate systems, **11**, 1803

Structure and acid-basic properties of the surface of titanium oxides modified by phosphorus and aluminum and prepared by the alkoxo method. 2. Study of the active surface of titanium oxides, **12**, 2003

#### $\alpha$ -Tocopherol (vitamin E), analogs of

Synthesis of optically active analogs of  $\alpha$ -tocopherol based on (*S*)-(+)-dihydromyrcene, **9**, 1620

#### Tolan

Synthesis and properties of paramagnetic derivatives of linear and fused polyaromatic compounds, **8**, 1409

**Topological index**

Thermochemistry of heteroatomic compounds. 17. Theoretical calculations of vaporization enthalpies for alkylphosphines and alkyl(aryl)phosphines, **1**, 33

Electronegativity of atoms of ring-containing molecules—NMR spectroscopy data correlations: a description within the framework of topological index approach, **3**, 402

**S-Tosylsulfenamides and S-tosylthiosulfenamides**

Novel sulfo-sulfonylating reagents based on S—SO<sub>2</sub>-containing compounds, **5**, 960

**Transfer reaction**

Interaction of O<sup>+</sup> ion with water molecules: a quantum-chemical study, **6**, 976

**Transition metals**

Acetylide derivatives of transition metal cluster carbonyls (review), **7**, 1135

Synthesis and structures of complexes of *N*-(2-aminoethyl)diaziridines with transition metal salts, **11**, 1882

**Transition states**

Quantum-chemical study of the protonation of pyrrolo[2,1-*b*]thiazole and its selenium and tellurium analogs, **10**, 1691

**Triacetylene trioxilin precursor**

Synthetic study of hepixilins. 9. Stereoselective total synthesis of trioxilin (10*S*,11*S*,12*S*)-B<sub>3</sub>, **3**, 549

**Triallylborane**

2-Phenyl-1-boraadamantane complexes. Synthesis and intramolecular dynamics, **3**, 499

Synthesis of 1,2-bis(1-boraadamant-2-yl)ethane derivatives. Crystal structure of the racemic form, **3**, 503

Stereoselective nucleophilic addition of butyllithium and triallylborane to [2.2]paracyclophane-4,7-quinone, **3**, 572

**1,4,8-Triazabicyclo[5.3.0]dec-4-ene derivatives**

Reactions of β-amino-β-polyfluoroalkylvinyl ketones with diethylenetriamine. Simple synthesis of 1,4,8-triazabicyclo[5.3.0]dec-4-ene derivatives, **8**, 1426

**Triazine derivatives**

Evaluation of the polarity and boiling points of nitrogen-containing heterocyclic compounds by gas-chromatography, **2**, 325

Nucleophilic substitution of hydrogen in the reaction of 1,2,4-triazin-4-oxides with cyanamide, **6**, 1122

**Triazoles**

Evaluation of the polarity and boiling points of nitrogen-containing heterocyclic compounds by gas-chromatography, **2**, 325

**Triazolides**

Relationship of energy characteristics and the Randic indices of imidazole and some azolides of sulfonic acids with chromatographic retention, **8**, 1395

**Trichloroacetonitrile**

Condensation of 2-hydroxyacetophenones with trichloroacetonitrile as a route to 2-trichloromethylchromones and 4-hydroxycoumarins, **3**, 478

**Trichloromethylarenes**

An alternative channel of reductive condensation of trichloromethylarenes with hydrazines, **5**, 886

**2-Trichloromethylchromones**

Condensation of 2-hydroxyacetophenones with trichloroacetonitrile as a route to 2-trichloromethylchromones and 4-hydroxycoumarins, **3**, 478

**Tricyclohexane**

Photochemical transformations of 3-alkyl-3-ferrocenylcyclopropenes, **12**, 2059

**(S)-Tridec-2-yl acetate**

Synthesis of derivatives of (*S*)-2-alkanols, components of pheromones of *Drosophila mulleri* and *Rhyzopertha dominica*, from (*S*)-(+)-3,7-dimethylocta-1,6-diene, **11**, 1899

**Trienes**

3,5-Bis(ferrocenylmethylene)-1-methyl-4-methylene-piperidine. Synthesis and some chemical properties, **3**, 514

**Triethylaluminum**

Synthesis and conversions of metallocycles. 22. NMR studies of the mechanism of Cp<sub>2</sub>ZrCl<sub>2</sub>-catalyzed cycloaluminum of olefins with triethylaluminum to form aluminacyclopentanes, **12**, 2051

**Trifluoroacetic acid**

Synthesis of high-molecular-weight polyamine by radical polymerization of *N,N*-diallyl-*N*-methylamine, **3**, 431

Complexes with strong symmetric hydrogen bonds and their solvation in the trifluoroacetic acid—*N,N*-dimethylformamide system studied by IR spectroscopy, **9**, 1526

**Trifluoromethanesulfonic anhydride**

Synthetic potentialities of sulfonylsulfonium salts: a new approach to the preparation of disulfonium dications, **8**, 1415

**2-Trifluoromethylchromones**

2-Polyfluoroalkylchromones. 5. Nitration and chlorination of 2-trifluoromethylchromones, **12**, 2074

**Triisobutylaluminum**

Highly active three-component catalytic systems based on dialkylzirconocenes, triisobutylaluminum, and perfluorophenyl borates for synthesis of low-molecular-weight polyethylene, **7**, 1185

**Triisobutylboron**

The synthesis of poly(styrenechromiumtricarbonyl) in the presence of triisobutylboron, **7**, 1316

**β-Triketones**

The structure of benzoyldimedone from X-ray diffraction analysis, **6**, 1068

**(S)-(–)-(1-Trimethylammonio)ethylferrocene iodide**

Model solid-state reactions for the formation of a peripheral layer of organometallic dendrimers. Solid-state α-ferrocenylethylation of phenols, **6**, 1106

**Trimethylhydroquinone**

Synthesis of optically active analogs of α-tocopherol based on (*S*)-(+)-dihydromyrcene, **9**, 1620

**Trimethylsilyl azide**

Synthesis of 1,1-bis(trifluoromethyl)alkyl isocyanates, carbamates, and ureas, **7**, 1202

**Trimethylsilyl cation**

Reactivity of functional groups toward H<sup>+</sup> and SiMe<sub>3</sub><sup>+</sup> ions, **3**, 570

**1,3,5-Trinitrobenzene**

Synthesis of 5-alkoxy-3-amino-7-nitro-1,2,4-benzotriazine 1-oxides from 1,3,5-trinitrobenzene, **9**, 1640

**1,3,8-Trinitronaphthalene**

29. 1,8-Bis(dimethylamino)-3-nitro- and -3,6-dinitronaphthalenes and 5,6-bis(dimethylamino)-3-nitro- and -3,8-dinitroacenaphthenes as the first representatives of "proton sponges" *meta*-substituted relative to NMe<sub>2</sub> groups, **8**, 1399

**2,4,6-Trinitrotoluene (trityl)**

Synthesis of 4,6-dinitro-2-trihalogenomethyl-2,3-dihydro-benzo[*b*]furans, **3**, 573

Synthesis of picryl-substituted 1,3,4-oxadiazoles, **9**, 1572

**Trioxilins**

Synthetic study of hepixilins. 9. Stereoselective total synthesis of trioxilin (10*S*,11*S*,12*S*)-B<sub>3</sub>, **3**, 549

**(*R*)- and (*S*)-1,1,2-Triphenylethane-1,2-diol**

Efficient resolution of (±)-pantolactone by inclusion crystallization with the use of chiral 1,1,2-triphenylethane-1,2-diol, **8**, 1483

**Triphenylphosphine**

Complexation of paramagnetic intermediates formed in the photolysis of 7,7-dimethyl-1,4,5,6-tetraphenyl-2,3-benzo-7-silanorbornadiene: a study by spin chemistry methods, **3**, 421

Photochemical reaction of the heterometallic complex (μ-H)Os<sub>3</sub>{μ-O<sub>2</sub>CC<sub>5</sub>H<sub>4</sub>Mn(CO)<sub>3</sub>}(CO)<sub>10</sub> with triphenylphosphine, **4**, 747

**Triple-decker complexes**

Synthesis of triple-decker iron and cobalt complexes with a central tetramethylphosphoryl ligand, **9**, 1637

**Triplet excited state**

Resonance capture of electrons by substituted pyrazoline molecules, **4**, 705

**Triplet-triplet annihilation**

Laser flash photolysis study of the phase transition effect on the kinetics of the triplet-triplet annihilation of tetraphenylporphine in *n*-decanol, **11**, 1831

**Tris(dimethylamino)phosphine**

Some features of an SmI<sub>2</sub>—(Me<sub>2</sub>N)<sub>3</sub>P—THF system. Transformation of esters into dimethylamides, **2**, 329

**Tröger base**

Asymmetric nitrogen. 82. Tröger base: study of its complex with HgBr<sub>2</sub> and its methiodide, **7**, 1241

**Trypaflavine**

Pyrene sensitized phosphorescence enhanced by the heavy atom effect in the water—heptane—sodium dodecyl sulfate—pentanol microemulsion, **9**, 1518

**Tungsten compounds**

Synthesis, structures, and properties of the molybdenum and tungsten chalcogenide cubane complexes (NH<sub>4</sub>)<sub>6</sub>[M<sub>4</sub>Q<sub>4</sub>(CN)<sub>12</sub>]·6H<sub>2</sub>O (M = Mo or W; Q = S or Se), **1**, 19

Reduction of the photoexcited uranyl ion by water. 1. U<sup>IV</sup> and H<sub>2</sub>O<sub>2</sub> formation, **2**, 285

Study of the state of rhodium in the potassium rhodiumundecatungstosilicate/alumina system by diffuse-reflectance IR spectroscopy, **7**, 1174

An EXAFS study of the molecular structure of heterometallic chalcogenide clusters, **8**, 1389

*n*-Alkane isomerization on heteropolyacids. 1. The influence of acid-base properties of alumina systems on the state of supported 12-tungstophosphoric heteropolyacid in Pt-containing catalysts and their activity in *n*-pentane isomerization, **10**, 1726

**U****Ultrasound**

Isotope effect in the formation of hydrogen peroxide by the sonolysis of light and heavy water, **4**, 649

A synergetic effect in nitrous acid formation by sonolysis of nitric acid in the presence of nitrous oxide, **12**, 2077

**Uranium compounds**

Reduction of the photoexcited uranyl ion by water. 1. U<sup>IV</sup> and H<sub>2</sub>O<sub>2</sub> formation, **2**, 285

Uranyl-catalyzed chemiluminescent reaction of U<sup>4+</sup> oxidation by dioxygen in aqueous HClO<sub>4</sub> solution, **9**, 1512

Ion-selective electrodes for determination of phenylalanine based on uranyl complexes of phosphoryl-containing podands, **10**, 1712

Photochemistry of f-element ions (review), **12**, 1925

**Ureas**

Synthesis of 1,1-bis(trifluoromethyl)alkyl isocyanates, carbamates, and ureas, **7**, 1202

**Urocanic acid**

Reagents for addressed modification of biopolymers. 11. The synthesis of N<sup>lm</sup>-2,4-dinitrophenyl derivatives of histidine and urocanic and imidazolylacetic acids for anchoring imidazole residues to oligonucleotides, **3**, 540

**UV spectroscopy**

Stable vinylnitroxyl radicals, pyrroline derivatives, **1**, 106

Homopolycondensation of 1-halogenopropane-2-thiones, **2**, 332

Two-fragment α-adrenolytics. 2. Synthesis of alkyl(phenyl)-[ω-(*N*-phenylpiperazino)alkyl]phosphine oxides, **3**, 490

Investigation of structures of mono- and diorgano-substituted oligosiloxanes containing transition metal atoms, **10**, 1789

Synthesis, structures, and spectral properties of biomimetic azomethine metal chelates with chromophores CuN<sub>2</sub>S<sub>2</sub>, CuN<sub>2</sub>O<sub>2</sub>, and CuN<sub>2</sub>Se<sub>2</sub>. Crystal structure of bis[4-(benzyl)-aldimino-3-methyl-1-phenyl-5-pyrazolothiolato]copper(II), **11**, 1863

Protonation of 1,2-disubstituted imidazolines and other products of condensation of 2-ethylhexanoic acid with diethylenetriamine and triethylenetetramine, **12**, 2007

Synthesis of phosphorylated methanofullerenes, **12**, 2048

Synthesis of dolichyl phosphates with a fluorescent label in the γ-isoprene unit of the chain, **12**, 2065

**V****Vanadium(IV) complexes**

Synthesis of the scalemic form of alkaloid (–)-diphthocarpamine, **3**, 569

**Vibrational spectra**

Molecular structures of acetylene derivatives of tin. 6. Molecular structure of bis(trimethylstannyl)acetylene and analysis of vibrational spectra of its isotopomers by scaling of quantum-chemical force field, **4**, 620

**Vinyl ethers**

Diastereoselective synthesis of polyfunctional compounds based on the tandem sequence of three *Ad<sub>E</sub>* reactions using cyclic vinyl ethers as first alkene components, **1**, 85

**Vinyl halides**

A quantum-chemical approach to the analysis of intramolecular interactions using the fragment orbitals and MNDO method. Calculations for vinyl fluoride and vinyl iodide, **11**, 1808

**Vinyl nitroxides**

Stable vinylnitroxyl radicals, pyrroline derivatives, **1**, 106

**O-Vinylacetoxime**

Hydration and protonation of *O*-vinylacetoxime in the gas phase: an *ab initio* study, **4**, 601

**Vinylcarbenes**

Photochemical transformations of 3-alkyl-3-ferrocenylcyclopropenes, **12**, 2059

**Vinylidene complexes**

Chemistry of vinylidene complexes. 15. Transmetalation of  $\mu$ -vinylidene MnPd complexes. Synthesis, X-ray diffraction analysis, and mass spectrometric study of the ( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>)MnFe<sub>2</sub>( $\mu_3$ -C=CHPh)(CO)<sub>8</sub> cluster, **3**, 526

**2-Vinylxyquinoxaline**

Nucleophilic addition of 2-hydroxyquinoxaline to acetylenes, **4**, 740

**1-Vinyl-2-quinoxalone**

Nucleophilic addition of 2-hydroxyquinoxaline to acetylenes, **4**, 740

**Viscosity**

Synthesis of phthalide-containing dihalogeno derivatives and polyarylene ether ketones based on them, **6**, 1093

**W****Wacker—Tsuji reaction**

Synthesis of derivatives of (*S*)-2-alkanols, components of pheromones of *Drosophila mulleri* and *Rhyzopertha dominica*, from (*S*)-(+)-3,7-dimethylocta-1,6-diene, **11**, 1899

**Water**

Formation of formic and acetic acids by low-temperature condensation of a mixture of methane and water vapor dissociated in MW discharge, **2**, 380

The formation of formic acid upon low-temperature condensation of CO<sub>2</sub>—H<sub>2</sub> and CO—H<sub>2</sub>O gas mixtures dissociated in electric discharge, **4**, 642

Interaction of O<sup>+</sup> ion with water molecules: a quantum-chemical study, **6**, 976

A simple method for evaluation of the self-consistency of the radial distribution functions and the orientation of water molecules in the first coordination sphere from the results of molecular dynamics calculations, **11**, 1815

Structure and acid-basic properties of the surface of titanium oxides modified by phosphorus and aluminum and prepared by the alkoxo method. 2. Study of the active surface of titanium oxides, **12**, 2003

**Wave packet**

The influence of ultrashort excitations on the vibrational dynamics in a diatomic molecule, **12**, 1960

**Wittig reaction**

Heteroorganic betaines. 1. Synthesis of betaines containing the <sup>+</sup>P—C—Si—S<sup>-</sup> and <sup>+</sup>P—C—C—S<sup>-</sup> fragments and their characterization by multinuclear NMR spectroscopy, **5**, 920

Heteroorganic betaines. 4. Photolysis and thermolysis of betaines containing the <sup>+</sup>P—C—Si—S<sup>-</sup> structural fragment, **9**, 1583

**X****XANES spectroscopy**

Structure and acid-basic properties of the surface of titanium oxides modified by phosphorus and aluminum and

prepared by the alkoxo method. 2. Study of the active surface of titanium oxides, **12**, 2003

**Xenon**

Structural peculiarities of particle solvation in *N,N*-dimethylformamide, **4**, 588

**X-ray diffraction analysis**

Synthesis, structures, and properties of the molybdenum and tungsten chalcogenide cubane complexes (NH<sub>4</sub>)<sub>6</sub>[M<sub>4</sub>Q<sub>4</sub>(CN)<sub>12</sub>]·6H<sub>2</sub>O (M = Mo or W; Q = S or Se), **1**, 19

Photochromic dihetarylethenes. 4. The molecular and crystal structures of 1,2-bis(2-ethyl-5-ethylsulfonylthien-3-yl)perfluorocyclopentene and 1,2-bis[5-(benzoxazol-2-yl)-2-methylthien-3-yl]perfluorocyclopentene, **1**, 77

Synthesis and crystal structure of a new molecular complex of fullerene C<sub>70</sub>, 4BNDY·3C<sub>70</sub>·4C<sub>6</sub>H<sub>6</sub> (BNDY is binaphtho[1,8-*d,e*]-1,3-dithiin-2-ylidene), **1**, 102

Reaction of 2-(4,5-dihydrofur-3-yl)-1,3-diphenyl-1,3-diazol-2-ylidene with *C,N*-diphenylnitrimine, **1**, 129

Synthesis, crystal and molecular structures, and stereochemical nonrigidity of *N*-(chlorodimethylgermylmethyl)- and *N*-(bromodimethylgermylmethyl)-*N*-[(*S*)-1-phenylethyl]acetamides and *N*-(chlorodimethylgermylmethyl)-4-phenyl-2-pyrrolidone, **1**, 140

Reaction of DL-2-aminopropiohydroxamic acid with acetone: selective synthesis of 3-hydroxy-2,2,5-trimethylimidazolidin-4-one, **1**, 182

Synthesis, crystal structure, and spectral studies of the molecular complex of [60]fullerene with chloro(triphenylphosphine)gold(I), C<sub>60</sub>·2[(Ph<sub>3</sub>P)AuCl], **2**, 367

Synthesis, crystal structure, and conducting properties of a new molecular conductor (DBTTF)<sub>11</sub>(TeCl<sub>6</sub>)<sub>4</sub>, **2**, 372

Synthesis, crystal structures, Mossbauer spectra, and redox properties of binuclear and tetranuclear iron-sulfur nitrosyl clusters, **3**, 444

Electron density distribution in the crystal of the Meisenheimer complex of potassium 3-methyl-5',7'-dinitro-5',8'-dihydrospiro(1,3-oxazolidine-2,8'-quinolinide) based on X-ray diffraction data at 153 K, **3**, 452

Synthesis of 1,2-bis(1-boraadamant-2-yl)ethane derivatives. Crystal structure of the racemic form, **3**, 503

Chemistry of vinylidene complexes. 15. Transmetalation of  $\mu$ -vinylidene MnPd complexes. Synthesis, X-ray diffraction analysis, and mass spectrometric study of the ( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>)MnFe<sub>2</sub>( $\mu_3$ -C=CHPh)(CO)<sub>8</sub> cluster, **3**, 526

Synthesis of new acyclic aminophosphites and their chelate complexes with rhodium(I) and palladium(II), **3**, 533

Synthesis and structure of the complex of 2-(2-pyridyl)-2-oxazoline with PdCl<sub>2</sub>, **3**, 566

Synthesis, structure, and properties of piperidinium 3-(4-chlorophenyl)-2-cyano-3-(2-hydroxy-4,4-dimethyl-6-oxocyclohex-1-enyl)thiopropionimide, **4**, 736

Unexpected formation of a dimeric cation-anionic complex of hypercoordinated tin in the reaction of bis[(2-oxopyrrolidino)methyl]tin dichloride with AgBF<sub>4</sub>, **4**, 755

Lengthening of O—H distance of the intramolecular O—H...O hydrogen bonds in molecular systems with conjugation, **4**, 758

Heteroorganic betaines. 2. X-ray diffraction study of betaines containing the <sup>+</sup>P—C—Si—S<sup>-</sup> fragment, **5**, 929

- Heteroorganic betaines. 3. Reactions of betaines containing the  $^+P-C-Si-S^-$  fragment, **5**, 933
- Unusual thermal dimerization of thrimethylacetate cobalt complexes. Synthesis and structure of  $Co_8(\mu_4-O)_2(\mu_n-OCCMe_3)_{12}$ , **5**, 958
- The structure of benzoyldimmedone from X-ray diffraction analysis, **6**, 1068
- peri*-Naphthylenediamines. 27. Transformations of tertiary carbocations stabilized by the 4,5-bis(dimethylamino)-1-naphthyl group, **6**, 1097
- Influence of the cation on the properties of binuclear iron nitrosyl complexes. Synthesis and crystal structure of  $[Pr^n_4N]_2[Fe_2S_2(NO)_4]$ , **6**, 1109
- P,S*-Ligands. Complexes of *P,P,P',P'*-tetraphenylethylene-diphosphine monosulfide with  $PdCl_2$ , **6**, 1116
- Influence of solvents on the molecular and crystal structure of the complex of 1,3-diallyl-5-[3-(diphenylphosphino)propyl]-1,3,5-triazine-2,4,6(1*H*,3*H*,5*H*)-trione with palladium(II) dichloride, **7**, 1195
- Asymmetric nitrogen. 82. Tröger base: study of its complex with  $HgBr_2$  and its methiodide, **7**, 1241
- Reactions of aliphatic  $\beta$ -amino- $\beta$ -(trichloromethyl)vinyl ketones with ethylenediamine. Synthesis and structures of 2-acetonilideneimidazolidines, **7**, 1245
- Synthesis and X-ray diffraction studies of 3-cyano-2-trifluoromethyl-4*H*-pyrido[1,2-*a*]pyrimidine derivatives, **7**, 1257
- Synthesis and some properties of lanthanum, neodymium, and samarium *tert*-butoxycuprates  $[(Bu^tO)_5Cu_2Ln]_2$ , **7**, 1270
- Cycloaddition of dialkylgermoles: synthesis and structures of 2,2,3,3-tetracyano-1,4,5,6-tetraphenyl-7-germanorborn-5-enes, **7**, 1275
- Synthesis of bis-cyclopentadienyl compounds with a 9,9-fluorenylidene bridge. Crystal and molecular structure of  $[\mu-9,9-Flu(\eta^5-Cp)_2]ZrCl_2$ , **7**, 1287
- Synthesis of ferrocenylacetylidene derivatives of gold-ruthenium and gold-osmium clusters. Crystal structures of  $M_3(AuPPh_3)(C\equiv CFc)(CO)_9$  ( $M = Ru$  or  $Os$ ;  $Fc$  is ferrocenyl), **7**, 1292
- X-Ray diffraction investigations of  $Ag_2ReCl_6$  and  $Ag_2OsCl_6$ , **7**, 1310
- Unusual transformation of *N*-arylamino-1,4-dihydropyridines, **7**, 1318
- Reactions of 1,4-diphenylbut-1-en-3-yne and 1,4-diferrocenylbuta-1,3-diyne with  $Ru_3(CO)_{10}(\mu-dppm)$ . Unusual structures of the clusters  $Ru_3(CO)_5(\mu-CO)(\mu-dppm)\{\mu_3-C_4Ph_2(CH=CHPh)_2\}$  (two isomers) and  $Ru_3(CO)_5(\mu-CO)(\mu-dppm)\{\mu_3-C_4Fc_2(C\equiv CFc)_2\}$ , **7**, 1321
- Synthesis of optically active hydridocarbonyl triosmium clusters with terpene derivatives as ligands. Molecular structure and absolute configuration of a cluster with a bridging dihydroimidazole ligand, **8**, 1440
- Heteroorganic betaines. 4. Photolysis and thermolysis of betaines containing the  $^+P-C-Si-S^-$  structural fragment, **9**, 1583
- Electrophilic substitution reactions of ferracarborane 3-( $\eta^5-Cp$ )-4- $SMe_2$ -3,1,2- $FeC_2B_9H_{10}$ , **9**, 1598
- Reaction of  $Ru_3(CO)_{12}$  with 1,3-diferrocenylprop-2-ene-1-one. Crystal and molecular structures of the complexes  $Ru_3(CO)_8(FcC=CHCOFc)_2$  and  $[Ru(CO)_2Cl(FcC=CHCOFc)]_2$ , **9**, 1605
- Synthesis, structure, and biological activity of mixed-ligand platinum(II) complexes with aminonitroxides, **9**, 1613
- Reaction of guaianolide achillin with chlorine in methanol, **9**, 1624
- "Anhydrolycaconitine," a new diterpene alkaloid from *Aconitum septentrionale* K., **9**, 1629
- Physicochemical features of the formation of siliceous porous mesophases. 3. Conditions of formation and properties of mesoporous silica, **10**, 1669
- Photochromic dihetarylethenes. 5. Synthesis, structure, and photochromic properties of 4,4'-disubstituted 1,2-bis[2-ethyl-5-ethylthio(ethylsulfonyl)-3-thienyl]perfluorocyclopentenes, **10**, 1757
- Unusual condensation of *N*-phenylsemiquinonediimine ligands coordinated to the  $Ni^{II}$  atom with an acetone molecule to form a heterocycle, **10**, 1771
- Crystal and molecular structures of six-coordinate germanium difluorides and dibromides containing lactamomethyl C,O-chelating ligands, **10**, 1775
- Synthesis, structures, and properties of 3,6-di-*tert*-butyl-*o*-benzosemiquinone complexes of copper(I) with 1,5-diaza-3,7-diphosphacyclooctanes, **10**, 1782
- Synthesis and structure of bis(acetylacetonato)germanium(IV) diazide, **10**, 1800
- Synthesis, structures, and spectral properties of biomimetic azomethine metal chelates with chromophores  $CuN_2S_2$ ,  $CuN_2O_2$ , and  $CuN_2Se_2$ . Crystal structure of bis[4-(benzyl)-aldimino-3-methyl-1-phenyl-5-pyrazolothiolato]copper(II), **11**, 1863
- Synthesis and properties of homoleptic 2,2'-bipyridyl complexes of rare-earth elements. Crystal and molecular structures of the complexes  $Ln(N_2C_{10}H_8)_4$  ( $Ln = Sm, Eu, Yb, or Lu$ ) and the ionic complex  $[Lu(N_2C_{10}H_8)_4][Li(THF)_4]$ , **11**, 1869
- Synthesis and the crystal structure of a supramolecular adduct of the cubane cluster  $[ClPdMo_3Se_4(H_2O)_7Cl_2]^+$  with macrocyclic cavitand cucurbituril, **11**, 1877
- Synthesis and structures of complexes of *N*-(2-aminoethyl)diaziridines with transition metal salts, **11**, 1882
- Synthesis and structures of nickel(II) trimethylacetate dimers with coordinated diamines, **11**, 1887
- Synthesis of two new chloro derivatives of guaianolide grossmisin and the crystal structure of one derivative, **11**, 1902
- 3-(1,1-Dialkyl-2-hydroxyethyl)-5-hydroxyamino-5-trifluoromethyl- $\Delta_2$ -isoxazolines: the first representatives of  $\beta$ -dioximes existing in the cyclic form, **11**, 1910
- Different reactivities of regioisomeric azimines, adducts of phthalimidonitrene with 5-bromospiro[1-pyrazoline-3,1'-cyclopropane], **11**, 1919
- Molecular and crystal structure of the clathrochelate complex  $FeDm_3(BF)_2 \cdot C_6H_6$  and parameters of its  $^{57}Fe$  Mössbauer spectra, **12**, 2018
- Reaction of 3(*Z*)-benzoylmethylidene-6-nitro-3,4-dihydro-2*H*-1,4-benzoxazin-2-one with oxalyl chloride, **12**, 2045
- Photochemical transformations of 3-alkyl-3-ferrocenylcyclopropenes, **12**, 2059
- Synthesis and crystal structure of dimethyl 2-benzoyl-2-ethyl-3-phenylcyclopropane-1,1-dicarboxylate, **12**, 2072

**X-ray fluorescence spectroscopy**

X-Ray spectroscopic study of graphite fluoride (C<sub>2</sub>F)<sub>n</sub> intercalated with benzene, **4**, 709

**X-ray phase analysis**

Synthesis and investigation of polyphenyldimethylsiloxane block copolymers with bimodal chain length distribution of oligodimethylsiloxane blocks, **9**, 1531

**X-ray photoelectron spectroscopy**

Microstructure and surface composition of corn starch cryogels with sorbed organic flavoring agents, **2**, 314

Synthesis, crystal structure, and spectral studies of the molecular complex of [60]fullerene with chloro(triphenylphosphine)gold(I), C<sub>60</sub> · 2[(Ph<sub>3</sub>P)AuCl], **2**, 367

Specific features of the interaction of components in the DMSO—HBr—Pd<sup>0</sup> system, **10**, 1722

**m-Xylene**

Proton affinities of fluoro derivatives of benzene, toluene, and *m*-xylene from *ab initio* MP2 calculations, **11**, 1820

**Y****Ytterbium complexes**

Reaction of a naphthalene complex C<sub>10</sub>H<sub>8</sub>Yb(THF)<sub>2</sub> with cyclopentadienyl-substituted alcohols and amines as a convenient synthetic route to the half-sandwich complexes of divalent ytterbium, **4**, 744

**Yttrium-containing fullerenes**

New EPR signals of endohedral metallofullerenes, **10**, 1745

**Z****Zeolites**

Preparation of highly dispersed copper oxide by thermal destruction of binuclear Cu<sup>II</sup> monofluoroacetate in zeolite Y cavities, **8**, 1365

Isomerization of *n*-pentane and *n*-hexane on modified zeolites, **11**, 1838

**Zinc**

Preconcentration of heavy metal impurities from water on chromatographic paper, **8**, 1393

Synthesis and crystal structure of dimethyl 2-benzoyl-2-ethyl-3-phenylcyclopropane-1,1-dicarboxylate, **12**, 2072

**Zirconium compounds**

Properties of surface acid sites of ZrO<sub>2</sub> and SO<sub>4</sub>/ZrO<sub>2</sub>-based systems studied by diffuse-reflectance Fourier-transform IR spectroscopy: adsorption of acetonitrile-d<sub>3</sub>, **1**, 39

Changes in the acid-base properties of hydrogels of metal oxide hydroxides induced by aging in solutions of electrolytes, **8**, 1323

Synthesis and conversions of metallocycles. 22. NMR studies of the mechanism of Cp<sub>2</sub>ZrCl<sub>2</sub>-catalyzed cycloaluminum of olefins with triethylaluminum to form aluminacyclopentanes, **12**, 2051

**Zirconocenes**

Electrochemistry of bis(indenyl)dimethylzirconium complex — the precursor of the olefin polymerization catalyst, **1**, 60

Effect of substituents on the catalytic properties of bis(cyclopentadienyl)zirconium dichloride complexes with polymethylaluminum and AlBu<sup>i</sup><sub>3</sub>/CPh<sub>3</sub>B(C<sub>6</sub>F<sub>5</sub>)<sub>4</sub> cocatalysts in ethylene polymerization, **2**, 303

Synthesis of 1-(cyclopentadienyl)adamantane and the corresponding zirconium complexes, **3**, 508

Synthesis of [μ-methylenebis(η<sup>5</sup>-3-*tert*-butyl-2-methylindenyl)]dichlorozirconium(IV), **5**, 942

Electrochemical potentials, optical transitions, and frontier orbitals of non-bridged and bridged bent sandwich zirconocene complexes, **6**, 1037

A DFT study of ethylene polymerization on zirconocene catalysts. 1. Model system [Cp<sub>2</sub>ZrEt]<sup>+</sup> + C<sub>2</sub>H<sub>4</sub>, **7**, 1164

Highly active three-component catalytic systems based on dialkylzirconocenes, triisobutylaluminum, and perfluorophenyl borates for synthesis of low-molecular-weight polyethylene, **7**, 1185

Synthesis of bis-cyclopentadienyl compounds with a 9,9-fluorenylidene bridge. Crystal and molecular structure of [μ-9,9-Flu(η<sup>5</sup>-Cp)<sub>2</sub>]ZrCl<sub>2</sub>, **7**, 1287

A DFT study of ethylene polymerization on zirconocene catalysts. 2. Substituted zirconocene catalysts, **10**, 1735

**Zwitterionic intermediates**

Heteroorganic betaines. 1. Synthesis of betaines containing the <sup>+</sup>P—C—Si—S<sup>-</sup> and <sup>+</sup>P—C—C—S<sup>-</sup> fragments and their characterization by multinuclear NMR spectroscopy, **5**, 920

Heteroorganic betaines. 4. Photolysis and thermolysis of betaines containing the <sup>+</sup>P—C—Si—S<sup>-</sup> structural fragment, **9**, 1583