

Contents of 2006 issues

Issue 1, 2006

Reviews

		Version	
		Engl./Russ.	
The nature and energy characteristics of intramolecular hydrogen bonds in crystals	K. A. Lyssenko and M. Yu. Antipin	1	1

Full Articles

Quantum chemical calculations of N@C _n endofullerenes (<i>n</i> ≤ 60)	N. N. Breslavskaya, A. A. Levin, and A. L. Buchachenko	16	15
Cage complexes as a molecular scaffold for polyfunctional and polytopic systems: synthesis of the first <i>closo</i> -borate iron(II) clathrochelate	Ya. Z. Voloshin, O. A. Varzatskii, K. Yu. Zhizhin, N. T. Kuznetsov, and Yu. N. Bubnov	22	21
Synthesis and guest exchange reactions of inclusion compounds of cucurbit[8]uril with nickel(II) and copper(II) complexes	T. V. Mitkina, D. Yu. Naumov, N. V. Kurat'eva, O. A. Gerasko, and V. P. Fedin	26	25
Co(II)-Mediated and microwave assisted coupling between 2,6-diaminopyridine and nitriles. A new synthetic route to <i>N</i> -(6-aminopyridin-2-yl)carboximidamides	N. A. Bokach, V. Yu. Kukushkin, M. Haukka, T. B. Mikhailova, A. A. Sidorov, and I. L. Eremanko	36	35
Synthesis and structures of five-coordinate bis- <i>o</i> -iminobenzo-semiquinone complexes M(ISQ-R) ₂ X (X = Cl, Br, I, or SCN; M = Co ^{III} , Fe ^{III} , or Mn ^{III})	G. A. Abakumov, V. K. Cherkasov, M. P. Bubnov, L. G. Abakumova, V. N. Ikorskii, G. V. Romanenko, and A. I. Poddel'sky	44	43
Rhenium(IV) and rhenium(V) complexes with 3,5-dimethylpyrazole	M. N. Sokolov, N. E. Fedorova, N. V. Pervukhina, E. V. Peresyphkina, A. V. Virovets, R. P'rtov, V. E. Fedorov, and D. Fenske	53	52
Synthesis and antitumor properties of new platinum(IV) complexes with aminonitroxyl radicals	V. D. Sen', V. A. Golubev, N. Yu. Lugovskaya, T. E. Sashenkova, and N. P. Konovalova	62	60
Copper(II) bis(hexafluoroacetylacetonate) complexes with 2-(2-methyltetrazolyl)-4,4,5,5-tetramethyl-4,5-dihydro-1 <i>H</i> -imidazole 1-oxides	E. V. Tretyakov, S. V. Fokin, G. V. Romanenko, V. N. Ikorskii, A. V. Podoplelov, and V. I. Ovcharenko	66	64
Reactions of germanium(II), tin(II), and antimony(III) chlorides with acenaphthene-1,2-diimines	I. L. Fedushkin, N. M. Khvoynova, A. Yu. Baurin, V. A. Chudakova, A. A. Skatova, V. K. Cherkasov, G. K. Fukin, and E. V. Baranov	74	71

		Version	
		Engl./Russ.	
Sandwich iridium complexes with the monoanionic carborane ligand [9-SMe ₂ -7,8-C ₂ B ₉ H ₁₀] ⁻	D. A. Loginov, M. M. Vinogradov, D. S. Perekalin, Z. A. Starikova, K. A. Lyssenko, P. V. Petrovskii, and A. R. Kudinov	84	81
Ruthenium carborane complexes in the controlled radical polymerization of methyl methacrylate	E. V. Kolyakina, I. D. Grishin, D. N. Cheredilin, F. M. Dolgushin, I. T. Chizhevsky, and D. F. Grishin	89	85
Crown-containing butadienyl dyes. 8. Structures and complexation of chromogenic dithia-15(18)-crown-5(6) ethers	E. N. Ushakov, L. G. Kuz'mina, A. I. Vedernikov, M. S. Kapichnikova, J. A. K. Howard, M. Wurner, A. M. Braun, M. V. Alfimov, and S. P. Gromov	94	90
Synthesis and photochromic properties of 4-[2-(anthracen-9-yl)-5-methyloxazolyl] fulgide	V. P. Rybalkin, E. N. Shepelenko, V. V. Tkachev, G. V. Shilov, S. K. Balenko, A. V. Tsukanov, L. L. Popova, A. D. Dubonosov, S. M. Aldoshin, V. A. Bren', and V. I. Minkin	101	97
Stereoselective electrocatalytic cyclization of 3-substituted 2,2-dicyanocyclopropane-1,1-dicarboxylic acid esters to form 6-substituted (1 <i>R</i> ,5 <i>R</i> ,6 <i>R</i>)*-4,4-dialkoxy-5-cyano-2-oxo-3-azabicyclo[3.1.0]hexane-1-carboxylic acid esters	M. N. Elinson, S. K. Fedukovich, Z. A. Starikova, A. N. Vereshchagin, P. A. Belyakov, S. V. Gorbunov, and G. I. Nikishin	106	102
Cascade reactions of nitrogen- and phosphorus-containing ylides with methyl diazoacetate and <i>in situ</i> generated diazocyclopropane	Yu. V. Tomilov, D. N. Platonov, D. V. Dorokhov, and I. V. Kostyuchenko	112	108
Bis(tetrazolyl)benzenes as ligands in the Suzuki reaction: promoters or inhibitors?	A. S. Burukin, A. A. Vasil'ev, N. L. Merkulova, M. I. Struchkova, and S. G. Zlotin	118	114
Synthesis of annulated oxazolidinones as potential precursors of cyclic <i>cis</i> -β-amino alcohols	Yu. B. Chudinov, S. B. Gashev, N. B. Chernysheva, and V. V. Semenov	123	119
Annulated benzotetrazine 1,3-dioxides. 1. [1,2,5]Oxadiazolo[3,4- <i>f</i>][1,2,3,4]benzotetrazine 2,4,7- and 2,4,9-trioxides	O. Yu. Smirnov, A. Yu. Tyurin, A. M. Churakov, Yu. A. Strelenko, and V. A. Tartakovsky	137	133
[6+4] Cycloaddition reactions of acceptor thiophene dioxides: the synthesis of substituted azulenes	A. M. Moiseev, E. S. Balenkova, and V. G. Nenajdenko	141	137
Synthesis of 5-mercapto-1,2-dithiol-3-thiones and their transformation into 5-chloro-1,2-dithiol-3-ones	L. S. Konstantinova, A. A. Berezin, K. A. Lysov, and O. A. Rakitin	147	143
Synthesis of aminoethyl glycoside of the oligosaccharide chain of ganglioside Fuc-GM ₁	P. E. Cheshev, Yu. E. Tsvetkov, and N. E. Nifantiev	152	148
Simple reagent for the synthesis of oligonucleotides labeled with 3,3',3'-tetramethyl-2,2'-indodicarbocyanine	M. V. Kvach, S. V. Gontarev, I. A. Prokhorenko, I. A. Stepanova, V. V. Shmanai, and V. A. Korshun	159	154

Brief Communications

A method for determination of the structure of the intramolecular hydrogen bond in the cations of unsymmetrically substituted 1,8-bis(dimethylamino)naphthalenes in solution	V. A. Ozeryanskii and A. F. Pozharskii	164	159
--	--	-----	-----

		Version	
		Engl./Russ.	
Exchange reactions of 1,3-bis(nitroarylthio)propanes with propane-1,3-dithiols	A. V. Miroshnichenko, D. V. Demchuk, and G. I. Nikishin	168	163
Regioselective synthesis of 1-aryl-4-bromo-5-trifluoromethylpyrazoles	V. G. Nenajdenko, A. L. Reznichenko, and E. S. Balenkova	172	167

Letters to the Editor

Protolytic B—C ₆ F ₅ bond cleavage in zwitterionic titanocene monochloride Cp[η ⁵ -C ₅ H ₄ B(C ₆ F ₅) ₃]TiCl with water to form titanocene chloride hydroxide complex Cp[η ⁵ -C ₅ H ₄ B(C ₆ F ₅) ₂]TiCl(μ-OH)	L. I. Strunkina, M. Kh. Minacheva, K. A. Lyssenko, P. V. Petrovskii, V. V. Burlakov, U. Rosenthal, and V. B. Shur	174	169
Unusual reactions of 2-methyltellurocyclohexene-1-carbaldehyde with phenacyl bromides	A. V. Zakharov, I. D. Sadekov, A. A. Maksimenko, G. S. Borodkin, and V. I. Minkin	177	172
Synthesis of 2-arylamino-4,5,6,7-tetrahydro-1,2-benzotellurazolium perchlorates	A. V. Zakharov, I. D. Sadekov, and V. I. Minkin	179	174
Information		181	177

Issue 2, 2006

Full Articles

Quantum chemical study of C—H bond activation in methane molecule by Au ^{III} aqua chloride complexes	D. A. Pichugina, A. F. Shestakov, and N. E. Kuz'menko	195	191
Interaction of nitro compounds with radicals: a quantum chemical study	S. V. Zelentsov and I. V. Simdyanov	207	202
Using artificial neural networks for prediction of organic acid partition coefficients	A. V. Kalach	212	207
Synthesis and structures of germanium-containing tungsten carbyne complexes Ph ₃ GeC≡W(CH ₂ Bu ^t) ₃ and Ph ₃ GeC≡W(CH ₂ SiMe ₃) ₃	A. V. Safronova, L. N. Bochkarev, N. E. Stolyarova, I. K. Grigorieva, I. P. Malysheva, G. V. Basova, G. K. Fukin, E. V. Baranov, Yu. A. Kurskii, and G. A. Abakumov	218	213
Interaction in fullerene—ammonia system at 423—773 K	V. N. Fokin, Yu. M. Shul'ga, E. E. Fokina, and B. P. Tarasov	222	217
Fullerene complexes with bis(η ⁶ -hexamethylbenzene)chromium, hexamethylbenzene, and hexaethylbenzene	G. A. Domrachev, Yu. A. Shevelev, V. K. Cherkasov, G. K. Fukin, G. V. Markin, and A. I. Kirillov	225	220
Crystallization of chiral compounds. 3. 3-Phenoxypropane-1,2-diol and 3-(2-halophenoxy)propane-1,2-diols	D. V. Zakharychev, S. N. Lazarev, Z. A. Bredikhina, and A. A. Bredikhin	230	225
Guest—host complexes of spin-labeled indoles with cyclodextrins in the solid phase: an ESR study	V. A. Livshits, B. G. Dzikovskii, E. A. Samardak, and M. V. Alfimov	238	233
Directed synthesis of isomerically pure platinum pyrazole complexes	A. V. Khripun, M. Haukka, and V. Yu. Kukushkin	247	242

		Version	
		Engl./Russ.	
Solid-phase thermal decomposition of polynuclear nickel(II) and cobalt(II) complexes	Zh. V. Dobrokhotova, I. G. Fomina, M. A. Kiskin, A. A. Sidorov, V. M. Novotortsev, and I. L. Eremenko	256	250
Synthesis and crystal structures of supramolecular compounds of polynuclear aluminum(III) aqua hydroxo complexes with cucurbit[6]uril	E. A. Mainicheva, O. A. Gerasko, L. A. Sheludyakova, D. Yu. Naumov, M. I. Naumova, and V. P. Fedin	267	261
Synthesis of fluorine-containing tetraketones and diketo esters and luminescence-spectral properties of their complexes with lanthanide ions	D. V. Romanov, N. V. Vasil'ev, A. I. Lyamin, N. P. Ivanovskaya, and N. S. Osin	276	269
New diphthalocyanine complexes of rare-earth metals based on 4,5-isopropylidenedioxiphthalonitrile	A. V. Ivanov, P. A. Svinareva, I. V. Zhukov, L. G. Tomilova, and N. S. Zefirov	281	274
Synthesis and complexation properties of photochromic benzochromenes containing aza- and diaza-18-crown-6-ether fragments	O. A. Fedorova, Yu. P. Strokach, A. V. Chebun'kova, T. M. Valova, S. P. Gromov, M. V. Alfimov, V. Lokshin, and A. Samat	287	280
Regioselective phosphorylation of α - <i>N</i> -alkylamino ketones	S. E. Pipko, Yu. V. Balitsky, N. V. Simurova, and A. D. Sinitsa	295	288
Synthesis and structure elucidation of oxidative coupling products of 2-hydroxy-1,4-naphthoquinones	A. Ya. Yakubovskaya, T. Yu. Kochergina, V. A. Denisenko, D. V. Berdyshev, V. P. Glazunov, and V. Ph. Anufriev	301	294
Synthesis of α -tocopherol and naphthotocopherol analogs with a carboxyl group in the side chain	A. Yu. Spivak, O. V. Knyshenko, M. I. Mallyabaeva, and V. N. Odinokov	306	299
Reactions of aminophenols with formaldehyde and hydrogen sulfide	V. R. Akhmetova, G. R. Nadyrgulova, S. R. Khafizova, T. V. Tyumkina, A. A. Yakovenko, M. Yu. Antipin, L. M. Khalilov, R. V. Kunakova, and U. M. Dzhemilev	312	305
Reactions of 3-nitro-2-trihalomethyl-2 <i>H</i> -chromenes with S- and N-nucleophiles. Synthesis and stereochemistry of 2,3,4-trisubstituted chromanes	V. Yu. Korotaev, V. Ya. Sosnovskikh, I. B. Kutyashev, and M. I. Kodess	317	309
Syntheses based on anabasine. Preparation and transformations of <i>N</i> -oxides	L. A. Musina, E. E. Shul'ts, L. A. Krichevskii, S. M. Adekenov, M. M. Shakirov, and G. A. Tolstikov	331	322
Reaction of thiosemicarbazide with <i>N</i> -cyanoguanidine: synthesis of 3,5-diamino-1-thiocarbamoyl- and 3,5-diamino-1-thiazol-2-yl-1,2,4-triazoles	V. M. Chernyshev, A. E. Kosov, E. S. Gladkov, S. V. Shishkina, V. A. Taranushich, S. M. Desenko, and O. V. Shishkin	338	329
Synthesis and chemical transformations of partially hydrogenated [1,2,4]triazolo[5,1- <i>b</i>]quinazolines	V. V. Lipson, S. M. Desenko, I. V. Ignatenko, O. V. Shishkin, and S. V. Shishkina	345	335
Annulated benzotetrazine 1,3-dioxides. 2. [1,2,5]Oxadiazolo[3,4- <i>f</i>][1,2,3,4]benzotetrazine 1,3,7-trioxide	A. Yu. Tyurin, O. Yu. Smirnov, A. M. Churakov, Yu. A. Strelenko, and V. A. Tartakovsky	351	341
Synthesis of 2-alkyl-1,2,4-benzotriazin-3(2 <i>H</i>)-ones and 2-alkyl-1,4-dihydro-1,2,4-benzotriazin-3(2 <i>H</i>)-ones	D. L. Lipilin, A. M. Churakov, Yu. A. Strelenko, and V. A. Tartakovsky	357	346

		Version	
		Engl./Russ.	
Synthesis and study of new 2-aryl-1-(4-nitrophenyl)-1,1a-dihydroazireno[1,2-a]quinoxaline derivatives	A. I. Zbruyev, F. G. Yaremenko, V. A. Chebanov, S. M. Desenko, O. V. Shishkin, E. V. Lukinova, and I. V. Knyazeva	362	350
Insertion of an unnatural amino acid into the protein structure: preparation and properties of 3-fluorotyrosine-containing organophosphate hydrolase	Yu. A. Votchitseva, E. N. Efremenko, and S. D. Varfolomeyev	369	357
Study of plant coumarins. 1. Transformations of peucedanin	S. A. Osadchii, E. E. Shul'ts, M. M. Shakirov, and G. A. Tolstikov	375	362

Brief Communications

Hidden rearrangement processes in short-lived negative molecular ions	M. V. Muftakhov, P. V. Schukin, and R. V. Khatymov	380	367
Use of the <i>tert</i> -amino effect in the synthesis of spirocyclic fused α -carboline	M. N. Babakova, V. V. Mezheritskii, and V. G. Kartsev	384	371
Synthesis of <i>N</i> -substituted amides by the Ritter reaction with heteropoly acids as catalysts	V. R. Kartashov, A. V. Arkhipova, K. V. Malkova, and T. N. Sokolova	387	374
Reaction of 2,2,2-trichlorobenzo[<i>d</i>]-1,3,2-dioxaphosphole-5-carbonylchloride with phenylacetylene: predominant formation of 2-(2-chloro-2-phenylethenyl)-2,2-dichlorobenzo[<i>d</i>]-1,3,2-dioxaphosphole-5-carbonylchloride	V. F. Mironov, A. V. Bogdanov, and A. I. Kononov	390	377
Tris(5- <i>O</i> -nitro-1,4:3,6-dianhydro-D-sorbit-2-yl) phosphate: synthesis and structure	L. T. Eremenko, G. V. Oreshko, G. V. Lagodzinskaya, G. G. Aleksandrov, and I. L. Eremenko	393	380
Reaction of 1,7,7-trimethylbicyclo[2.2.1]heptane-2,3-dione with hexaethyltriamidophosphite in the presence of diethylammonium chloride. Synthesis and the three-dimensional structure of (1,7,7-trimethyl-2-oxobicyclo[2.2.1]hept-3-yloxy)tris(diethylamino)-phosphonium chloride	A. V. Bogdanov, V. F. Mironov, N. R. Khasiyatullina, D. B. Krivolapov, I. A. Litvinov, A. V. Kuchin, and A. I. Kononov	396	383

Issue 3, 2006

Full Articles

Nature of weak inter- and intramolecular interactions in crystals. 7. Stability of homochiral supramolecular organization of dications in crystals of 1,3-dialkyl-4,5-bis(3-guanidinio-amino)imidazolidin-2-one salts	Yu. V. Nelyubina, K. A. Lyssenko, A. S. Sigachev, M. Yu. Antipin, and A. N. Kravchenko	399	387
Nature of weak inter- and intramolecular interactions in crystals. 8. Influence of intermolecular contacts on the strength of intramolecular O—H...N bonds in crystals of 3-(2-hydroxyphenyl)-1,2,4-triazoles	D. G. Golovanov, A. O. Tokareva, A. I. Uraev, Yu. I. Ryabukhin, A. I. Pyshchev, T. V. Kovaleva, M. Yu. Antipin, and K. A. Lyssenko	408	396
New pentanuclear complex Ru ₅ (CO) ₁₁ (μ_4 -O)(μ_3 -H)-(p-MeC ₆ H ₄ C(O)C(H)=CPh) ₃ . Transformations of the triruthenium cluster Ru ₃ (CO) ₁₂ in thermal reactions with α,β -unsaturated carbonyl compounds	S. V. Osintseva, F. M. Dolgushin, N. A. Shtel'zer, P. V. Petrovskii, and A. Z. Kreindlin	415	403

		Version	
		Engl./Russ.	
Aluminum complexes with mono- and dianionic diimine ligands	A. N. Lukoyanov, I. L. Fedushkin, M. Hummert, and H. Schumann	422	409
Synthesis, structure, and thermal transformations of double complex salts $[\text{Au}(\text{C}_4\text{H}_{13}\text{N}_3)\text{Cl}][\text{MCl}_6] \cdot n\text{H}_2\text{O}$ (M = Ir, Pt; $n = 0-2$)	S. V. Korenev, E. V. Makotchenko, P. E. Plyusnin, I. A. Baidina, and Yu. V. Shubin	429	416
Mixed-ligand guanidinate derivatives of rare-earth metals. Molecular structures of $\{(\text{Me}_3\text{Si})_2\text{NC}(\text{N-cyclo-Hex})_2\}-\text{Y}[\text{N}(\text{SiMe}_3)_2]_2$, $\{(\text{Me}_3\text{Si})_2\text{NC}(\text{N-cyclo-Hex})_2\}\text{YbI}(\text{THF})_2$, and $\{(\text{Me}_3\text{Si})_2\text{N}\}\text{Y}(\text{THF})(\mu\text{-Cl})_2$ complexes	A. A. Trifonov, D. M. Lyubov, E. A. Fedorova, G. G. Skvortsov, G. K. Fukin, Yu. A. Kurskii, and M. N. Bochkarev	435	422
Novel modified chiral Ni^{II} complexes with the Schiff bases of (<i>E</i>)- and (<i>Z</i>)-2-aminobut-2-enoic acids: synthesis and study	A. S. Saghiyan, L. L. Manasyan, S. A. Dadayan, S. G. Petrosyan, A. A. Petrosyan, V. I. Maleev, and V. N. Khrustalev	442	428
Acenaphthylene-1,2-diamine radical cation. Molecular structure of the $[(\text{dpp-BIAN})\text{H}_2]^+[\text{X}]^-$ complex ((dpp-BIAN) H_2 is <i>N,N'</i> -bis(2,6-diisopropylphenyl)acenaphthylene-1,2-diamine; X = Cl or I)	I. L. Fedushkin, N. M. Khvoynova, A. Yu. Baurin, and G. K. Fukin	451	436
Properties and structures of porphyrinoids	E. V. Tretyakov, A. S. Bogomyakov, E. Yu. Fursova, G. V. Romanenko, V. N. Ikorskii, and V. I. Ovcharenko	457	441
The molecular and electronic structure features of silatranes, germatranes, and their carbon analogs	M. V. Zabalov, S. S. Karlov, G. S. Zaitseva, and D. A. Lemenovskii	464	448
Synthesis of bifunctional tetrakis(trimethylsilyl)silane derivatives	D. Yu. Larkin, A. A. Korlyukov, A. P. Pleshkova, N. A. Chernyavskaya, M. Yu. Antipin, and A. I. Chernyavskii	477	461
Photoisomerization of quinolin-2-yl derivatives of β -tropolone	N. I. Makarova, A. V. Metelitsa, S. O. Bezuglyi, Yu. A. Sayapin, V. N. Komissarov, A. G. Starikov, M. S. Korobov, G. S. Borodkin, Z. A. Starikova, M. Yu. Antipin, and V. I. Minkin	484	467
Tautomerism of 1,2,4-triazino[2,3- <i>a</i>]benzimidazol-5(4) <i>H</i> -3-ones	A. S. Morkovnik, K. A. Lyssenko, T. A. Kuz'menko, and L. N. Divaeva	492	475
Synthesis, electrochemical properties, and thermal transformations of 1-(5-nitropyrimidin-2-yl)[60]fullereno[1,2- <i>b</i>]aziridine	I. P. Romanova, G. G. Yusupova, O. A. Larionova, A. A. Balandina, Sh. K. Latypov, V. V. Zverev, D. G. Yakhvarov, G. L. Rusinov, and O. G. Sinyashin	502	484
Synthesis, structures, and properties of new thiophosphorylated fulleropyrrolidines. First example of the Pishchimuka reaction in fullerene derivatives	G. M. Fazleeva, V. P. Gubskaya, F. G. Sibgatullina, V. V. Yanilkin, N. V. Nastapova, Sh. K. Latypov, A. A. Balandina, I. E. Ismaev, V. V. Zverev, Yu. Ya. Efremov, and I. A. Nuretdinov	507	489
Reactions of salicylaldehyde with tris(pentafluorophenyl)silanes and secondary amines	A. D. Dilman, D. E. Arkhipov, P. A. Belyakov, M. I. Struchkova, and V. A. Tartakovsky	517	498

		Version	
		Engl./Russ.	
2-Trifluoromethyl-4 <i>H</i> -thiochromen-4-one and 2-trifluoromethyl-4 <i>H</i> -thiochromene-4-thione: synthesis and reactivities	B. I. Usachev, M. A. Shafeev, and V. Ya. Sosnovskikh	523	504
Functionalized sulfur-containing compounds. 13. Synthesis of substituted 3-amino-2-(organylsulfinyl)- and -(organylsulfonyl)thieno[2,3- <i>b</i>]pyridines	V. E. Kalugin, A. M. Shestopalov, and V. P. Litvinov	529	510
Spiro[4 <i>H</i> -chromene-4,5'-isoxazolines] and related compounds: synthesis and reactivities	V. Ya. Sosnovskikh, A. Yu. Sizov, B. I. Usachev, M. I. Kodess, and V. A. Anufriev	535	516
Synthesis of 3-cyano-4,6-dinitrobenzo[<i>d</i>]isoxazole and its reactions with anionic nucleophiles	A. M. Starosotnikov, A. V. Lobach, Yu. A. Khomutova, and S. A. Shevelev	543	523
Synthesis of dibenzo[<i>b,f</i>][1,4]oxazepin-11(10 <i>H</i>)-ones from 2-nitrobenzoic acids	A. V. Samet, K. A. Kislyi, V. N. Marshalkin, and V. V. Semenov	549	529
Synthesis of 4- <i>aroyl</i> -1,2,4-triazolidin-3-ones <i>via</i> ring extension in reactions of 1,2-di- and 1,2,3,3-tetraalkyldiaziridines with <i>aroyl</i> isocyanates	A. V. Shevtsov, V. V. Kuznetsov, S. I. Molotov, K. A. Lyssenko, and N. N. Makhova	554	534
Synthesis and structures of pyrimidinophanes containing a nitrogen atom in the bridge	V. E. Semenov, A. E. Nikolaev, L. F. Galiullina, O. A. Lodochnikova, I. A. Litvinov, A. P. Timosheva, V. E. Kataev, Yu. Ya. Efremov, D. R. Sharafutdinova, A. V. Chernova, Sh. K. Latypov, and V. S. Reznik	559	539
4-Methylenedioxiolan-2-ones as convenient synthons for the preparation of natural products of the berbine and calycotomine series	I. Yu. Titov, N. B. Chernysheva, Yu. B. Chudinov, A. A. Bogolyubov, and V. V. Semenov	569	548

Brief Communications

Monoacetylferrocene crystallization in supercritical carbon dioxide	V. N. Khrustalev, L. N. Nikitin, A. Yu. Vasil'kov, and A. R. Khokhlov	576	555
Silicon—nitrogen bond cleavage in <i>N</i> -(dimethylimidosilylmethyl)imides and dimethyl(lactamomethyl)aminosilanes with BF ₃ etherate as an alternative route to <i>N</i> -(dimethylfluorosilylmethyl)imides and related compounds	A. G. Shipov, E. P. Kramarova, T. P. Murasheva, O. B. Artamkina, Vad. V. Negrebetskii, Yu. I. Baukov, S. A. Pogozhikh, Yu. E. Ovchinnikov, M. G. Voronkov, A. R. Bassindale, and P. G. Taylor	579	558
Synthesis and hydrogenation of acetylmalonaldehyde bis(ethylene acetal)	M. M. Vartanyan, A. F. Medvedev, and B. I. Ugrak	583	562
Reactions of isocyanatophosphoryl difluoride with π -abundant nitrogen heterocycles and carbonyl compounds	R. V. Smaliy, A. A. Chaikovskaya, and A. M. Pinchuk	585	564

Letters to the Editor

Complexes of lanthanide(III) diiodides with isopropylamine	M. N. Bochkarev, G. V. Khoroshen'kov, M. E. Burin, D. M. Kuzyaev, A. A. Fagin, A. A. Maleev, G. K. Fukin, and E. V. Baranov	588	567
Alkynyl-substituted nitronyl nitroxides	E. V. Tretyakov, G. V. Romanenko, and V. I. Ovcharenko	591	570

		Version	
		Engl./Russ.	
Reactions of 3-polyfluoroacylchromones with primary amines	V. Ya. Sosnovskikh, R. A. Irgashev, M. A. Barabanov, and V. S. Moshkin	593	572
Information		595	575

Issue 4, 2006

Reviews

Labile supramolecular structures and their dynamics in associated liquids based on NMR data	G. V. Lagodzinskaya, N. G. Yunda, and G. B. Manelis	597	577
---	--	-----	-----

Full Articles

Correlation analysis of quantum chemical data and the polarizability effect in H-complexes	O. V. Kuznetsova and A. N. Egorochkin	624	602
Dependence of the extraction capacity of neutral bidentate organophosphorus compounds on their structure: a quantum chemical study	S. K. Sudarushkin, V. P. Morgalyuk, I. G. Tananaev, L. A. Gribov, and B. F. Myasoedov	632	609
Donor-acceptor properties, catalytic activity, and negative charge exoemission from the alumina surface modified with lithium cations	A. V. Fionov, M. V. Burova, E. A. Tveritina, and I. V. Krylova	639	616
Complex lanthanide chromate(vi)-phosphates $K_2R(CrO_4)(PO_4)$ (R = Dy—Lu, Y)	A. P. Bobylev, L. N. Komissarova, and E. V. Leutkina	645	622
Formation of palladium nanoparticles in olefin oxidation with iron(III) aqua ions in the presence of the Pd/ZrO ₂ /SO ₄ metallic catalyst	V. V. Potekhin and V. A. Matsura	650	627
Transformations of cyclohexane and benzene on the bimetallic Ru—Pt oxide catalysts	O. V. Masloboishchikova, E. G. Khelkovskaya-Sergeeva, V. I. Bogdan, T. V. Vasina, and L. M. Kustov	656	633
Simulation of ion mass transfer processes with allowance for the concentration dependence of diffusion coefficients	A. V. Noskov, S. A. Lilin, and V. I. Parfenyuk	661	638
Volume properties of solutions of oleic, linoleic, and linolenic acids in <i>n</i> -hexane and <i>n</i> -heptane at 298.15 K	A. G. Ramazanova, V. I. Yashkova, O. V. Balmasova, V. V. Korolev, and E. V. Ivanov	666	643
Thermodynamics of semi-interpenetrating polymeric networks based on crosslinked poly(cyanurate) and linear poly(urethane) in the temperature region from $T \rightarrow 0$ to 350 K	N. N. Smirnova, T. G. Kulagina, T. A. Bykova, and A. M. Fainleib	672	648
Dephenylation of triphenylbismuth(v) and antimony(v) derivatives in a methyl acrylate—methanol system in the presence of copper and palladium salts	A. V. Gushchin, M. V. Korotkova, Yu. B. Malysheva, V. A. Morugova, and D. V. Moiseev	679	655
Synthesis and structures of 1,1'-bis(diphenylphosphino)metallocenyl complexes $M(\eta^5-C_5H_4PPh_2)_2Ru(H_2O)_2(OTs)_2$ (M = Fe, Ru, or Os)	T. A. Peganova, N. V. Vologdin, P. V. Petrovskii, I. D. Nesterov, K. A. Lyssenko, and O. V. Gusev	683	659

		Version	
		Engl./Russ.	
Doping of fullerite with molecular oxygen at low temperature and pressure	Yu. M. Shul'ga, V. M. Martynenko, A. F. Shestakov, S. A. Baskakov, S. V. Kulikov, V. N. Vasilets, T. L. Makarova, and Yu. G. Morozov	687	662
Synthesis and electrochemical properties of individual isomers of isocyanurate-substituted bis-organodiazadihomofullerenes	I. P. Romanova, G. G. Yusupova, O. A. Larionova, A. A. Balandina, Sh. K. Latypov, D. G. Yakhvarov, V. V. Zverev, and O. G. Sinyashin	697	672
Photooxidative dehydrogenation of Δ^8 -drimen- and Δ^8 -11-homodrimen-7-ones into α, α' -dienes	P. F. Vlad, M. N. Coltsa, A. N. Aricu, A. G. Ciocarlan, E. C. Gorincioi, C. G. Edu, and C. Deleanu	703	678
A reaction of 3,6-di(<i>tert</i> -butyl)-4-chloro-1,2-benzoquinone with potassium ethyl xanthate. New sulfur-containing <i>o</i> -quinones	V. A. Kuropatov, V. K. Cherkasov, Yu. A. Kurskii, G. K. Fukin, L. G. Abakumova, and G. A. Abakumov	708	683
Reactions of electron-withdrawing thiophene 1,1-dioxides with furans. A novel reaction pathway	A. M. Moiseev, E. S. Balenkova, and V. G. Nenajdenko	712	687
Effective synthesis of 5-aryl-3-ethylidene-3 <i>H</i> -pyrrol-2-ones	A. Yu. Yegorova, I. E. Kamneva, and L. S. Shtykova	718	693
New acenaphthene-1,2-diimine and its reduction to the tetraanion. Molecular structures of 1,2-bis[(trimethylsilyl)imino]-acenaphthene and its lithium derivatives	I. L. Fedushkin, N. M. Khvoynova, A. V. Piskunov, G. K. Fukin, M. Hummert, and H. Schumann	722	697
Acylimines of hexafluoroacetone in cyclocondensation with C,N-binucleophiles	V. B. Sokolov, A. Yu. Aksinenko, and I. V. Martynov	731	706
Synthesis of derivatives of a new heterocyclic system pyrazolo[3,4- <i>b</i>]pyrido[1',2':1,2]imidazo[4,5- <i>d</i>]pyridine	E. S. Komarova, V. A. Makarov, L. M. Alekseeva, G. V. Avramenko, and V. G. Granik	735	710

Brief Communications

Effect of temperature on the H/D-isotope effects in the enthalpy of hydration of tetramethyl-bis-carbamide	E. V. Ivanov, V. K. Abrosimov, and D. V. Batov	741	715
Coordination compounds based on the cluster anion $[\text{Re}_4\text{Te}_4(\text{CN})_{12}]^{4-}$ and Zn^{2+} cation	Yu. V. Mironov, O. A. Efremova, D. Yu. Naumov, and V. E. Fedorov	744	718
Effect of the temperature on the composition and ratio of hydrolysis products of 1,2-dichlorotetramethyldisilane	A. I. Chernyavskii and A. P. Pleshkova	748	722
Reactions of 1-hydro- and 1-halosilatranes with metal salts	N. F. Lazareva and V. A. Pestunovich	751	725

Letters to the Editor

Anomalous chemiluminescence in reaction of uranium(IV) with xenon difluoride at low uranium concentrations	G. A. Masyagutova, G. Ya. Maistrenko, A. V. Mamykin, and V. P. Kazakov	753	727
--	--	-----	-----

Issue 5, 2006

Reviews

		Version	
		Engl./Russ.	
The role of a P-cluster in the nitrogenase ATPase reaction	L. A. Syrtsova, I. A. Tukhvatulin, N. S. Goryachev, and N. I. Shkondina	755	729

Full Articles

Synthesis and the crystal and electronic structure of Hg ₄ AsI ₅	O. S. Oleneva, T. A. Shestimerova, A. V. Olenev, E. V. Dikarev, and A. V. Shevelkov	762	736
Recombination rate constant of free electrons and holes in thin CdSe films	N. A. Radychev and G. F. Novikov	766	740
Pore structure and adsorption properties of stone active carbons prepared by physicochemical and chemical activation methods	T. G. Lupascu, G. A. Petukhova, P. I. Nastas, and N. S. Polyakov	770	744
Hydrolysis of tetrafluorosilane under neutral conditions: a quantum chemical study	M. V. Zabalov, S. S. Karlov, D. A. Lemenovskii, and G. S. Zaitseva	775	749
Transformations of 3,4-bisindolylmaleimides with differently bonded indole and maleimide moieties under the action of protic acids: a quantum chemical study	E. E. Bykov, S. A. Lakatosh, and M. N. Preobrazhenskaya	781	754
Electrochemical and spectral study of intramolecular charge transfer in dinuclear and polynuclear ladder complexes	T. V. Magdesieva, O. M. Nikitin, M. G. Ezernitskaya, T. Yu. Orlova, A. G. Ginzburg, and Yu. S. Nekrasov	788	761
Catalytic behavior of a polynuclear Mg—Mo complex and nitrogenase active site (FeMoco) isolated from the enzyme in reactions with C ₂ H ₂ , N ₂ , and CO: a comparative study	N. V. Bardina, T. A. Bazhenova, G. N. Petrova, A. K. Shilova, and A. E. Shilov	793	766
Synthesis and structures of new heteronuclear cluster complexes [PPh ₄][Fe ₄ Rh ₃ Se ₂ (CO) ₁₆] and [PPh ₄] ₂ [Fe ₃ Rh ₄ Te ₂ (CO) ₁₅]	D. A. Bashirov, O. Fuhr, and S. N. Konchenko	802	775
Transformations of high spin Mn ^{II} and Fe ^{II} polymeric pivalates in reactions with pivalic acid and <i>o</i> -phenylenediamines	M. A. Kiskin, G. G. Aleksandrov, Zh. V. Dobrokhotova, V. M. Novotortsev, Yu. G. Shvedenkov, and I. L. Eremenko	806	779
Anionic chiral cobalt(III) complexes as catalysts of asymmetric synthesis of cyanohydrins	Yu. N. Belokon', V. I. Maleev, I. L. Mal'fanov, T. F. Savel'eva, N. S. Ikonnikov, A. G. Bulychev, D. L. Usanov, D. A. Kataev, and M. North	821	793
Synthesis and physicochemical properties of chelating sorbents containing functional groups of <i>N</i> -aryl-3-aminopropionic acids	L. K. Neudachina, Yu. G. Yatluk, N. V. Baranova, A. V. Pestov, A. A. Vshivkov, A. Yu. Plekhanova, and M. V. Zorina	828	800
Cross-linking radical polymerization of di(meth)acrylates in the presence of cobalt(II) porphyrin	S. V. Kurmaz and E. O. Perepelitsina	835	807
Thermodynamic properties of linear polyurethanes based on 1,6-hexamethylenediisocyanate with butane-1,4-diol and hexane-1,6-diol in the temperature range from $T \rightarrow 0$ to 460 K	N. N. Smirnova, K. V. Kandejev, T. A. Bykova, T. G. Kulagina, and A. M. Fainleib	845	817

		Version	
		Engl./Russ.	
ESR study of hypercrosslinked polystyrene carbonizate—organic solvent—oxygen systems	A. V. Pastukhov, S. F. Ginzburg, and V. A. Davankov	852	824
Vinamidinium salts of <i>N</i> -substituted aminoacetic acids	V. A. Valiullin, T. E. Ivakhnenko, G. S. Borodkin, Sh. G. Mkoyan, S. M. Aldoshin, and E. P. Ivakhnenko	860	832
α -Ureidoalkylation of thiosemicarbazide and aminoguanidine	A. S. Sigachev, A. N. Kravchenko, P. A. Belyakov, O. V. Lebedev, and N. N. Makhova	865	836
Cyclizations in the reactions of isocyanates with compounds containing active methylene groups in the presence of triethylamine	O. A. Linchenko, P. V. Petrovskii, I. Yu. Krasnova, V. N. Kalinin, Z. A. Starikova, and Yu. G. Gololobov	873	844
C \rightarrow N Migration of methoxycarbonyl and acetyl groups in reactions of functionally substituted carbanions with aryl isocyanates. Kinetics and mechanism of the reactions	V. I. Galkin, Yu. V. Bakhtiyarova, D. B. Mal'tsev, I. V. Galkina, Yu. G. Gololobov, and O. A. Linchenko	879	850
Reactions of destabilized β -dicarbonyl sulfonium and iodonium ylides with isocyanates	Yu. G. Gololobov, I. R. Golding, M. A. Galkina, B. V. Lokshin, I. A. Garbuzova, P. V. Petrovskii, Z. A. Starikova, and B. B. Averkiev	883	854
Unusual reaction of α -diketones of the indole series with hydrazine	A. V. Kolotaev, L. I. Belen'kii, A. S. Kononikhin, and M. M. Krayushkin	892	862
Synthesis of 5-arylmethylpyrazoles and their hydrazones from difluoroboron chelates of aroylacetones	V. A. Dorokhov, I. V. Kravtsov, P. A. Belyakov, and S. V. Baranin	898	867
Synthesis of 2-substituted 1-tosyl-3-(1-tosyliminoalkyl)-imidazolidines and -hexahydropyrimidines	G. V. Pokhvisneva and O. A. Luk'yanov	903	872
<i>N</i> -Alkylation of 2,3-dihydroimidazo[2,1- <i>b</i>]quinazolin-1(10) <i>H</i> -5-one. On the cryptoanionic mechanism of <i>N</i> -substitution	A. S. Morkovnik, L. N. Divaeva, and T. A. Kuz'menko	907	876
Synthesis and aggregation properties of novel amino acetals with the calix[4]resorcinol platform	A. R. Burilov, L. I. Vagapova, M. A. Pudovik, T. N. Pashirova, I. S. Ryzhkina, L. A. Kudryavtseva, A. P. Timosheva, W. D. Habicher, and A. I. Konovalov	920	888
Study of the influence of the alkyl ester group in (<i>S</i>)-valinates on diastereoselectivity of their condensation with <i>N</i> -acetylphenylalanine by the mixed anhydride method	E. A. Zhdanova, N. Z. Solieva, L. Sh. Sadretdinova, M. A. Ezhikova, M. I. Kodess, and V. P. Krasnov	925	892
New cerebroside from the marine sponge <i>Oceanapia</i> sp.	A. G. Guzii, T. N. Makarieva, V. A. Denisenko, V. I. Svetashev, S. A. Rodkina, P. S. Dmitrenok, S. D. Anastyuk, and V. A. Stonik	928	895

Brief Communications

New hexanuclear antiferromagnetic heterospin iron complex	M. A. Kiskin, G. G. Aleksandrov, Yu. G. Shvedenkov, V. M. Novotortsev, and I. L. Eremenko	934	900
---	---	-----	-----

		Version	
		Engl./	Russ.
Selective reduction of one, two, or three nitro groups in 1,3,5-trinitrobenzene with hydrazine hydrate	A. Kh. Shakhnes, S. S. Vorob'ev, and S. A. Shevelev	938	904
A new Belousov—Zhabotinsky reaction with fructose 1,6-bisphosphate as the organic substrate	Hu Gu-Ping, Lin Yong-Cheng, and Yin Wen-Qing	940	906

Letters to the Editor

New heterometallic organosiloxanes	A. N. Bilyachenko, N. V. Sergienko, A. A. Korlyukov, M. Yu. Antipin, B. G. Zavin, and M. M. Levitskii	943	909
2-Aryl-5-imino-2,5-dihydro-1,2,3-thiadiazoles: new examples of 1,3-dipolar compounds	M. L. Kondrat'eva, N. P. Bel'skaya, and V. A. Bakulev	946	912

Issue 6, 2006

Full Articles

Effect of partial substitution of nickel for copper on LaNi ₅ activation	O. A. Veremeeva, N. A. Yakovleva, S. N. Klyamkin, E. A. Berdonosova, and E. V. Shelekhov	949	915
Quenching of electronically excited Ln ^{3+*} ions by C ₆₀ fullerene	R. G. Bulgakov, D. I. Galimov, Yu. G. Ponomareva, E. Yu. Nevyadovskii, and R. Kh. Gainetdinov	955	921
Temperature dependence of EPR spectrum of 2-trifluoromethyl-nitrobenzene radical anion in acetonitrile	E. A. Polenov, L. A. Shundrin, and P. V. Mel'nikov	961	926
Synthesis of methylcyclotetra(hexa)siloxanes with different reactive groups at the same silicon atom	N. N. Makarova, I. M. Petrova, T. V. Vlasova, and P. V. Petrovskii	968	932
Effect of solvent on the kinetics of arylsulfonylation of <i>N</i> -alkylated anilines in a water—propan-2-ol system	T. P. Kustova and I. O. Sterlikova	973	937
Reductive activation of arenes. 20. Anionic products of two-electron reduction of tolunitriles in liquid ammonia: the nature and electronic structure	T. A. Vaganova, P. S. Yuferov, L. I. Goryunov, E. V. Panteleeva, G. E. Sal'nikov, L. N. Shchegoleva, V. I. Mamatyuk, and V. D. Shteingarts	976	940
Reductive activation of arenes. 21. Reaction of products of two-electron reduction of arenecarbonitriles by alkali metals in liquid ammonia with bromo- and dibromoalkanes	T. A. Vaganova, E. V. Panteleeva, P. S. Yuferov, Yu. V. Rebitva, and V. D. Shteingarts	981	945
Thermolysis of α -pinene in supercritical lower alcohols	A. M. Chibiryaev, V. I. Anikeev, A. Yermakova, P. E. Mikenin, I. V. Kozhevnikov, and O. I. Sal'nikova	987	951
Catalytic oxidation of α -pinene with <i>tert</i> -butyl hydroperoxide in the presence of Fe-pillared montmorillonite	E. P. Romanenko, E. A. Taraban, and A. V. Tkachev	993	956
Structure of (<i>Z</i>)-(5 <i>R</i>)-methyl-2-(4-phenylbenzylidene)-cyclohexanone as chiral component of liquid-crystalline systems	A. I. Krivoshey, N. S. Pivnenko, S. V. Shishkina, A. V. Turov, L. A. Kutulya, and O. V. Shishkin	999	962

		Version	
		Engl./Russ.	
Copolymerization of <i>N</i> -allenylimidazole with di(ethylene glycol) divinyl ether and complexation of the copolymers with CuCl ₂	L. V. Morozova, I. V. Tatarinova, N. P. Kuznetsova, M. V. Markova, O. A. Tarasova, L. M. Sinegovskaya, T. I. Vakul'skaya, A. I. Mikhaleva, and B. A. Trofimov	1010	973
5-(Pyridylmethylidene)-substituted 2-thiohydantoin and their complexes with Cu ^{II} , Ni ^{II} , and Co ^{II} : synthesis, electrochemical study, and adsorption on the cystamine-modified gold surface	E. K. Beloglazkina, A. G. Majouga, I. V. Yudin, N. A. Frolova, N. V. Zyk, V. D. Dolzhikova, A. A. Moiseeva, R. D. Rakhimov, and K. P. Butin	1015	978
Copper 2,9(10),16(17),23(24)- and 1,8(11),15(18),22(25)-tetra-(4-carboxyphenoxy)phthalocyanines and their esters: the synthesis and liquid-crystalline properties	E. V. Kudrik, A. I. Smirnova, V. E. Maizlish, T. V. Tararykina, G. P. Shaposhnikov, and N. V. Usol'tseva	1028	991
Structure-dependent transformations of the tetrachlorocyclopentadienone dimer and the product of its substitutive rearrangement in reactions with NaBH ₄ , CrCl ₂ , LiAlH ₄ , and Zn	F. A. Gimalova, O. A. Gavrillov, and M. S. Miftakhov	1038	1001
Reaction of <i>Z</i> isomers of alkylaromatic 1,2-hydroxyl-amino oximes with 1,2-diketones	S. A. Amitina, I. A. Grigor'ev, and A. Ya. Tikhonov	1046	1008
<i>N</i> -Substituted imines of methyl trifluoropyruvate in the synthesis of 5-amino-5-trifluoromethylhydantoin	A. Yu. Aksinenko, T. V. Goreva, T. A. Epishina, A. N. Pushin, and V. B. Sokolov	1052	1014
Reactions of β-aroylacrylic acids with 2-aminophenols	T. V. Beryozkina, N. N. Kolos, V. I. Musatov, and V. D. Orlov	1056	1018
The structure of 2,4,6-tris[di(<i>tert</i> -butoxycarbonyl)-methylidene]hexahydro-1,3,5-triazine	A. V. Shastin, T. I. Godovikova, T. S. Pivina, N. I. Golovina, G. V. Shilov, Yu. A. Strelenko, B. L. Korsunskii, and V. P. Lodygina	1060	1022
Synthesis and structures of 3-hydroxy-6-(<i>R</i> -phenylazo)-7,8-benzo-1,2,3,4-tetrahydroquinolines as products of analytical test reactions for nitrite and nitrate anions	V. M. Ostrovskaya, A. V. Tsygankov, S. E. Nefedov, O. A. Prokopenko, and E. A. Reshetnyak	1066	1027
Synthesis of 2-thio derivatives of 4-phenyl-9 <i>H</i> -pyrimido[4,5- <i>b</i>]indole	V. P. Borovik, V. G. Vasil'ev, and O. P. Shkurko	1071	1032
Study of alkaloids of the Siberian and Altai flora. 12. Synthesis of new lappaconitine derivatives containing olefinic substituents	S. A. Osadchii, E. E. Shul'ts, E. V. Polukhina, M. M. Shakirov, and G. A. Tolstikov	1077	1038

Brief Communications

Energy barriers to degenerate rearrangements of long-lived carbocations: quantum chemical calculations vs. experiment	A. M. Genaev and V. G. Shubin	1085	1045
Three-component synthesis of 4-aryl-5-cyano-2-hetaryl-aminopyrimidines	Kh. S. Shikhaliev, V. I. Kryl'skaya, and A. Yu. Potapov	1089	1049
Xyloketal H from the mangrove endophytic fungus <i>Xylaria</i> sp. 2508	X. Liu, F. Xu, Y. Zhang, L. Liu, H. Huang, X. Cai, Y. Lin, and W. Chan	1091	1051
Information		1093	1053

Issue 7, 2006

Full Articles

		Version	
		Engl./Russ.	
High-temperature X-ray diffraction study of thermolysis of the double complex salt $[\text{Rh}(\text{NH}_3)_5\text{Cl}][\text{PtCl}_4]$	Yu. V. Shubin, S. V. Korenev, and M. R. Sharafutdinov	1109	1069
Sonoluminescence of terbium chloride in an $\text{H}_2\text{O}-\text{D}_2\text{O}$ mixture	G. L. Sharipov, R. Kh. Gainetdinov, and A. M. Abdrakhmanov	1114	1074
Cage complexes as a molecular "scaffold" for assembling of polyfunctional and multicentered systems: synthesis of ribbed-functionalized dopamine-containing iron(II) clathrochelate and its properties as a receptor for boric acid	Ya. Z. Voloshin, O. A. Varzatskii, A. S. Belov, and Yu. N. Bubnov	1119	1079
Photochemical synthesis and ESR spectra of quintet <i>meta</i> -phenylenedinitrenes	S. V. Chapyshev	1126	1085
Photoinitiated oxidation of NADH catalyzed by horseradish peroxidase studied by chemically induced dynamic nuclear polarization	M. S. Afanasyeva, P. A. Purto, M. B. Taraban, T. V. Leshina, and C. B. Grissom	1132	1090
Stereochemistry of 1,3-diheterocyclanes. 4. Molecular and crystal structures of monosubstituted five-membered cyclic sulfites	A. A. Bredikhin, A. T. Gubaidullin, D. B. Krivolapov, Z. A. Bredikhina, and I. A. Litvinov	1137	1095
New lead(II) catecholate and <i>o</i> -semiquinone complexes	G. A. Abakumov, V. K. Cherkasov, A. V. Piskunov, A. V. Lado, G. K. Fukin, and L. G. Abakumova	1146	1103
Synthesis and spectral properties of new planar binuclear phthalocyanines sharing the benzene ring	A. Yu. Tolbin, V. E. Pushkarev, L. G. Tomilova, and N. S. Zefirov	1155	1112
Synthesis of planar chiral ferrocene alcohols as potential dendrimer cores	N. S. Khrushcheva and V. I. Sokolov	1159	1116
Facile method for the synthesis of ruthenacarboranes, diamagnetic 3,3- $[\text{Ph}_2\text{P}(\text{CH}_2)_n\text{PPh}_2]-3\text{-H-3-Cl-}closo\text{-}3,1,2\text{-RuC}_2\text{B}_9\text{H}_{11}$ ($n = 3$ or 4) and paramagnetic 3,3- $[\text{Ph}_2\text{P}(\text{CH}_2)_n\text{PPh}_2]-3\text{-Cl-}closo\text{-}3,1,2\text{-RuC}_2\text{B}_9\text{H}_{11}$ ($n = 2$ or 3), as efficient initiators of controlled radical polymerization of vinyl monomers	D. N. Cheredilin, F. M. Dolgushin, I. D. Grishin, E. V. Kolyakina, A. S. Nikiforov, S. P. Solodovnikov, M. M. Il'in, V. A. Davankov, I. T. Chizhevsky, and D. F. Grishin	1163	1120
Reactions of 4-acylresorcinol derivatives with 3,5-di- <i>tert</i> -butyl-4-hydroxybenzyl acetate	E. M. Kasymova, A. R. Burilov, L. I. Vagapova, N. A. Mukmeneva, S. V. Bukharov, G. N. Nugumanova, D. B. Krivolapov, M. A. Pudovik, I. A. Litvinov, and A. I. Konovalov	1171	1128
Reduction of aromatic ketones with the (dpp-BIAN)AlI(Et ₂ O) complex	I. L. Fedushkin, A. N. Lukoyanov, G. K. Fukin, M. Hummert, and H. Schumann	1177	1134
Synthesis and spectroscopic and structural studies of cross-conjugated dienones derived from cyclic ketones and aromatic aldehydes	S. Z. Vatsadze, M. A. Manaenkova, N. V. Sviridenkova, N. V. Zyk, D. P. Krut'ko, A. V. Churakov, M. Yu. Antipin, J. A. K. Howard, and H. Lang	1184	1141
Quinonimines and aminoquinones, the reaction products of 3,6-di(<i>tert</i> -butyl)- <i>o</i> -benzoquinone with primary and secondary amines	G. A. Abakumov, V. K. Cherkasov, T. N. Kocherova, N. O. Druzhkov, Yu. A. Kurskii, and L. G. Abakumova	1195	1151

		Version	
		Engl./Russ.	
Synthesis and reactivity of fluorine-containing thiols and thioacyl halides	A. Yu. Sizov, A. N. Kovregin, R. N. Serdyuk, M. V. Vorob'ev, V. A. Porosyatnikov, A. A. Tsvetkov, D. O. Korneev, and A. F. Ermolov	1200	1156
Ketones in the catalytic three-component "one-pot" Kabachnik—Fields synthesis of α -amino phosphonates	E. D. Matveeva, T. A. Podrugina, M. V. Prisyajnoy, and N. S. Zefirov	1209	1164
Reactions of 5,6,7,8-tetrafluoro-4-hydroxycoumarin derivatives with benzylamine and aniline	K. V. Shcherbakov, Ya. V. Burgart, and V. I. Saloutin	1215	1170
Reactions of alkyl 3-amino-5-aryl-2-benzoyl-5-oxopent-2-enoates with hydrazine	A. V. Vasilyev, S. V. Baranin, P. A. Belyakov, and V. A. Dorokhov	1220	1175
Cascade cyclization reactions of 3,4,5-triamino-1,2,4-triazole with aromatic aldehydes and cycloalkanones	V. V. Lipson, S. M. Desenko, V. V. Borodina, M. G. Shirobokova, O. V. Shishkin, and R. I. Zubatyuk	1224	1178
Synthesis of new 3,4-di- and 1,2,3,4-tetrahydroquinazolin-4-one derivatives and X-ray diffraction study of crystal solvates of 3-methylsulfonylamino-2-(2-methylsulfonylamino-phenyl)-1,2,3,4-tetrahydroquinazolin-4-one	L. Yu. Ukhin and L. G. Kuz'mina	1229	1183
Synthesis and tautomeric transformations of 2-(<i>tert</i> -butyl)-1,2,4-benzotriazine-3(2 <i>H</i>)-thiones	D. L. Lipilin, A. Yu. Tyurin, O. Yu. Smirnov, A. M. Churakov, Yu. A. Strelenko, and V. A. Tartakovsky	1239	1192
Tandem of nucleophilic substitution of hydrogen and cyclocondensation with participation of nitro group in the synthesis of fluorine-containing 3-amino-1,2,4-benzotriazines	G. A. Zhumabaeva, S. K. Kotovskaya, N. M. Perova, V. N. Charushin, and O. N. Chupakhin	1243	1196
Synthesis of 4-aminopyrido[3,2- <i>b</i>]indole derivatives	S. Yu. Ryabova, L. M. Alekseeva, E. A. Lisitsa, and V. G. Granik	1248	1201
Synthesis of 4-arylcarbonyl-5-(2-hydroxynaphthylazo)-imidazoles and 1-substituted naphtho[2,1- <i>e</i>]imidazo-[5,1- <i>c</i>][1,2,4]triazines	E. V. Sadchikova and V. S. Mokrushin	1255	1208
Synthesis of spaced derivatives of β -lactosylamine with an amino function at the terminal position of an aglycon	L. M. Likhosherstov, O. S. Novikova, L. O. Kononov, and V. N. Shibaev	1262	1214
Oligonucleotides containing arylacetylene residues: synthesis and post-synthetic modification <i>via</i> [3+2] cycloaddition	A. V. Ustinov and V. A. Korshun	1268	1220
Suppression of <i>MDR1</i> gene expression by chemically modified siRNAs	E. B. Logashenko, A. V. Vladimirova, A. A. Volkov, M. N. Repkova, A. G. Ven'yaminova, M. A. Zenkova, E. L. Chernolovskaya, and V. V. Vlassov	1275	1227
Cleavage of RNA bulge loops by artificial RNases	I. L. Kuznetsova, M. A. Zenkova, and V. V. Vlassov	1284	1236

Brief Communications

A new route for the metallation of trihydrohepta-phosphine P_7H_3 with butyllithium	V. A. Milyukov, A. V. Kataev, O. G. Sinyashin, and E. Hey-Hawkins	1295	1247
---	---	------	------

		Version	
		Engl./Russ.	
A new method for the preparation of solution of sodium pentaphosphacyclopentadienide	V. A. Milyukov, A. V. Kataev, O. G. Sinyashin, and E. Hey-Hawkins	1297	1249
Transformation of homoallylic alcohol oxides into 3-hydroxytetrahydrofurans in aqueous HClO ₄	M. V. Chirskaya, A. A. Vasil'ev, S. V. Shorshnev, and S. I. Sviridov	1300	1252
Synthesis of 4-bromocubane-1-carbaldehyde	A. V. Shastin, V. V. Zakharov, G. P. Bugaeva, L. T. Eremenko, L. B. Romanova, G. V. Lagodzinskaya, G. G. Aleksandrov, and I. L. Eremenko	1304	1256
Rearrangement of 2-amino-1-aryl-1,4-dihydropyridines	P. V. Pasternak, V. I. Dyachenko, Z. A. Starikova, A. S. Peregudov, M. Yu. Antipin, and N. D. Chkanikov	1307	1259

Letters to the Editor

Intramolecular 1,3-C—C migration of fluorine in a σ complex formed by 2,4,6-trinitrofluorobenzene and the P-zwitterion	Yu. G. Gololobov, O. A. Linchenko, P. V. Petrovskii, I. A. Garbuzova, and V. N. Khrustalev	1309	1261
The first example of synergism in glycosylation. Possible reasons and consequences	L. O. Kononov, N. N. Malysheva, E. G. Kononova, and O. G. Garkusha	1311	1263

Issue 8, 2006

Full Articles

On the theory of processes in reaction centers of polyatomic molecules	L. A. Gribov, V. I. Baranov, and V. A. Dement'ev	1315	1267
Computer-assisted prediction of antioxidant activities and toxicities of ionol, 5-hydroxy-6-methyluracil, and their derivatives	V. R. Khairullina, S. A. Kirlan, A. Ya. Gerchikov, L. A. Tyurina, G. G. Garifullina, Yu. B. Monakov, E. A. Kantor, and A. V. Kirlan	1322	1274
Electronic structures and reactivities of iodinating agents in the gas phase and in solutions: a density functional study	V. D. Filimonov, E. A. Krasnokutskaya, O. Kh. Poleshchuk, Yu. A. Lesina, and V. K. Chaikovskii	1328	1280
DFT calculation of α -cyclodextrin dimers. Contribution of hydrogen bonds to the energy of formation	V. Yu. Rudyak, V. G. Avakyan, V. B. Nazarov, and N. I. Voronezhzheva	1337	1289
Electronic structures of monosubstituted benzenes and X-ray emission spectroscopy. 5. Nitrobenzene	V. D. Yumatov, N. V. Davydova, and G. G. Furin	1346	1297
Effect of processes at the reactor surface on the low-pressure hydrogen flame	E. N. Aleksandrov, S. N. Kozlov, and N. M. Kuznetsov	1351	1301
Orientation of molecules by magnetic field as a new source of information on their structures	A. K. Shestakova, A. V. Makarkina, O. V. Smirnova, M. M. Shtern, and V. A. Chertkov	1359	1309
Ferrocenylalkylation processes under electrospray ionization conditions	Yu. S. Nekrasov, R. S. Skazov, A. A. Simenel, L. V. Snegur, and I. V. Kachala	1368	1318

		Version	
		Engl./Russ.	
Formation of secondary fullerene ozonides in the ozonolysis of C ₆₀ solutions and chemiluminescence upon their hydrolysis	R. G. Bulgakov, E. Yu. Nevyadovsky, Yu. G. Ponomareva, D. Sh. Sabirov, and S. D. Razumovsky	1372	1322
Combined inhibitory effect of sulfur-containing phenol SO-4 with natural and synthetic antioxidants in the oxidation of methyl oleate	M. G. Perevozkina, N. M. Storozhok, A. P. Krysin, and V. E. Borisenko	1380	1330
Thermal decomposition mechanisms of nitro-1,2,4-triazoles: a theoretical study	V. L. Korolev, T. V. Petukhova, T. S. Pivina, A. A. Porollo, A. B. Sheremetev, K. Yu. Suponitskii, and V. P. Ivshin	1388	1338
Mixed micelles of cetyltrimethylammonium bromide and poly(ethylene glycol)-600 monolaurate as catalysts of polyethylenimine phosphorylation in chloroform	G. A. Gainanova, E. P. Zhil'tsova, L. A. Kudryavtseva, S. V. Kharlamov, Sh. K. Latypov, A. P. Timosheva, and A. I. Konovalov	1411	1359
Receptor properties of calix[4]resorcinarenes toward tetramethylammonium and choline cations in micellar solutions of sodium dodecyl sulfate	A. R. Mustafina, Yu. G. Elistratova, V. V. Syakaev, R. R. Amirov, and A. I. Konovalov	1419	1366
Synthesis of carbon nanostructures on the Fe—Mo catalysts supported on modified SiO ₂	A. A. Volodin, P. V. Fursikov, Yu. A. Kasumov, I. I. Khodos, and B. P. Tarasov	1425	1372
Synthesis of tri- and tetraalkynylgermanes	A. A. Andreev, V. V. Konshin, N. A. Vinokurov, and N. V. Komarov	1430	1377
Reactions of thiols and organic sulfides with hydrogen in the presence of iron powder	G. F. Pavelko	1433	1380
Reactions of thiols and organic disulfides with iron and its oxides	G. F. Pavelko	1436	1383
Mono- and bis[<i>N</i> -aryl(benzyl)]amides of phosphorylacetic acids. One-pot synthesis and extraction of actinides from nitric acid solutions	O. I. Artyushin, E. V. Sharova, I. L. Odinets, K. A. Lyssenko, D. G. Golovanov, T. A. Mastryukova, G. A. Pribylova, I. G. Tananaev, and G. V. Myasoedova	1440	1387
First chiral phosphite with a quaternary ammonium fragment: synthesis and use in Rh-catalyzed asymmetric hydrogenation	S. E. Lyubimov, V. A. Davankov, P. M. Valetskii, P. V. Petrovskii, M. G. Maksimova, and K. N. Gavrilov	1448	1395
Synthesis and structures of 1,4-bis(chloromethyl)- and 1,4-bis(bromomethyl)cubanes	A. V. Shastin, L. B. Romanova, L. T. Eremenko, V. V. Zakharov, G. V. Lagodzinskaya, G. G. Aleksandrov, and I. L. Eremenko	1452	1399
Substituted benzaldehydes in the Darzens condensation with alkyl dihaloacetates	V. A. Mamedov, E. A. Berdnikov, S. Tsuboi, H. Hamamoto, T. Komiyama, E. A. Gorbunova, A. T. Gubaidullin, and I. A. Litvinov	1455	1402
Rh ₂ (OAc) ₄ -Catalyzed reactions of methyl diazoacetate with 1,3-oxazolidines and 1,3-oxathiolanes	M. D. Khanova, R. M. Sultanova, S. L. Khursan, V. A. Dokichev, and Yu. V. Tomilov	1464	1411
New approach to the synthesis of 4-amino-2-pyridone and 1-phenyl-1,6-naphthyridinone derivatives based on substituted 3- and 5-formyl-2-pyridones	N. Z. Tugusheva, L. M. Alekseeva, A. S. Shashkov, and V. G. Granik	1470	1416

		Version
		Engl./Russ.
Synthesis and functionalization of 4-arylamino-2-pyridone derivatives	N. Z. Tugusheva, L. M. Alekseeva, A. S. Shashkov, V. V. Chernyshev, and V. G. Granik	1475 1421
Cyclization of 1-acylaminoacridones into 7 <i>H</i> -pyrido[2,3,4- <i>k</i>]acridin-2(3 <i>H</i>)-ones	M. V. Gorelik, S. P. Titova, and E. V. Gordievskaya	1487 1433
Synthesis and rearrangements of 7 <i>H</i> -pyrrolo[3,2- <i>e</i>][1,2,4]triazolo[1,5- <i>c</i>]- and 7 <i>H</i> -pyrrolo[3,2- <i>e</i>][1,2,4]triazolo[4,3- <i>e</i>]pyrimidines	E. V. Vorob'ev, E. S. Kurbatov, V. V. Krasnikov, V. V. Mezheritskii, and E. V. Usova	1492 1438

Brief Communications

Reversible dimerization of 9-cyano-10-methylacridinyl radical	A. I. Matern, V. V. Yanilkin, N. V. Nastapova, V. I. Morosov, V. N. Charushin, and O. N. Chupakhin	1498 1444
---	--	-----------

Issue 9, 2006

Full Articles

The chemical structure matrix and a new formalism for the QSPR problem	E. A. Smolenskii	1501 1447
<i>Ad hoc</i> optimal topological indices for QSPR	E. A. Smolenskii, G. V. Vlasova, D. Yu. Platunov, and A. N. Ryzhov	1508 1454
Geometric parameters as a criterion for assessment of the bioactive conformations of opiate receptor ligands	N. E. Kuz'mina, E. S. Osipova, V. S. Kuz'min, and V. B. Sitnikov	1516 1462
A general model of the opiate pharmacophore. 1. Regions of the opiate pharmacophore responsible for nonselective affinity for the opiate receptor	N. E. Kuz'mina, E. S. Osipova, V. S. Kuz'min, and V. B. Sitnikov	1523 1469
Calculation of the adsorption of rod-like molecules in narrow slit-shaped pores	Yu. K. Tovbin and A. B. Rabinovich	1530 1476
Concentration dependences of the transport coefficients of rod-like molecules in narrow slit-shaped pores	Yu. K. Tovbin and A. B. Rabinovich	1539 1485
Effect of solvation on the kinetic parameters of the reactions of phenoxyl radicals with phenols and semiquinone radicals with hydroquinones	V. T. Varlamov and B. E. Krisyuk	1549 1495
Competition between mono- and bimolecular reactions of artemisinin alkoxy radicals	S. L. Solodova and E. T. Denisov	1557 1502
Synthesis and crystal structures of Pr ^{III} and Nd ^{III} complexes with the macrocyclic cavitand cucurbit[6]uril	E. A. Mainicheva, A. A. Tripolskaya, O. A. Gerasko, D. Yu. Naumov, and V. P. Fedin	1566 1511
1-Methylimidazol-2-yl-functionalized cyclopentadienyl titanium and zirconium complexes. Crystal structure of [η ⁵ :η ¹ -C ₅ H ₄ CPh ₂ CH ₂ -(1-MeC ₃ H ₂ N ₂)]TiCl ₃	D. P. Krut'ko, M. V. Borzov, Long Yu Liao, Wan Li Nie, A. V. Churakov, J. A. K. Howard, and D. A. Lemenovskii	1574 1518

	Version	
	Engl./Russ.	
Stacking reactions of the borole complex Cp*Rh(η^5 -C ₄ H ₄ BPh) with the dicationic fragments [Cp*M] ²⁺ (M = Rh or Ir)	D. A. Loginov, D. V. Muratov, Z. A. Starikova, P. V. Petrovskii, and A. R. Kudinov	1581 1525
<i>o</i> -Benzoquinone photoreduction products in the presence of <i>N,N</i> -dimethylanilines	M. P. Shurygina, Yu. A. Kurskii, S. A. Chesnokov, N. O. Druzhkov, G. K. Fukin, G. A. Abakumov, and V. K. Cherkasov	1585 1528
Photochemical synthesis and properties of quintet pyridyl-2,6-dinitrenes	S. V. Chapyshev	1593 1536
Photochemical study of the zinc <i>cis</i> -3-(4-imidazolylphenyl)- 1-(pyridin-2-yl)[60]fullereno[1,2- <i>c</i>]pyrrolidine— <i>meso</i> -tetraphenylporphyrinate dyad	I. A. Mochalov, A. N. Lapshin, V. A. Nadtochenko, V. A. Smirnov, and N. F. Goldshleger	1598 1541
Photo- and thermochromic properties of 1',3',3'-trimethyl- 6-nitro-8-pyridiniomethylspiro[2 <i>H</i> -[1]benzopyran- 2,2'-indoline] chloride in the crystalline state	N. K. Artemova, V. A. Smirnov, B. G. Rogachev, G. V. Shilov, and S. M. Aldoshin	1605 1548
Use of 2-(methoxycarbonyl)phenyllead triacetate in lactone synthesis	B. A. Maryasin, A. S. Shavyrin, J.-P. Finet, and A. Yu. Fedorov	1612 1554
Electrochemical study of the sequence of reductive dehalogenation of 2-bromo-5-dibromomethyl-4-dichloromethyl- 4-methylcyclohexa-2,5-dien-1-one and its analogs	G. V. Gavrilova, A. A. Moiseeva, E. K. Beloglazkina, A. A. Gavrilov, and K. P. Butin	1617 1558
Addition of tetrachloromethane to oct-1-ene initiated by amino alcohols	I. G. Tarkhanova, M. G. Gantman, A. O. Chizhov, and V. V. Smirnov	1624 1565
Hetarylamidines derived from Pt ^{IV} -mediated coupling of nitriles with aminoheterocycles	D. A. Garnovskii, E. D. Garnovskaya, A. I. Uraev, M. Haukka, I. L. Eremenko, and V. Yu. Kukushkin	1631 1572
Study of reactions of lactim ethers with cyanoaceto-hydrazide	D. B. Nilov and V. G. Granik	1636 1577
Synthesis of 4-aminopolymethoxycoumarins from 4-hydroxycoumarin triflates	O. G. Ganina, I. S. Veselov, G. V. Grishina, A. Yu. Fedorov, and I. P. Beletskaya	1642 1583
Synthesis of first nonannulated 1,2,3,4-tetrazine 1,3-dioxides	A. Yu. Tyurin, A. M. Churakov, Yu. A. Strelenko, M. O. Ratnikov, and V. A. Tartakovsky	1648 1589
Synthesis of 1,2,3,4-tetrazino[5,6- <i>g</i>]benzo-1,2,3,4-tetrazine 1,3,7,9-tetraoxides	A. E. Frumkin, A. M. Churakov, Yu. A. Strelenko, and V. A. Tartakovsky	1654 1595
Synthesis of new pyrido[3,4- <i>c</i>]carbazole derivatives	V. M. Lyubchanskaya, L. M. Alekseeva, and V. G. Granik	1659 1600
Syntheses of 7 <i>H</i> -pyrido- and 7 <i>H</i> -pyrano[2,3,4- <i>kl</i>]- acridin-2(3 <i>H</i>)-ones from 9-chloroacridines	M. V. Gorelik, S. P. Titova, and E. V. Gordievskaya	1664 1605
Fused polycyclic nitrogen-containing heterocycles. 15. 1,3-Bis(4-hydroxy-4-methoxycarbonyl- 3,5-diphenylthiazolidin-2-ylideneamino)benzene in the synthesis of thiazolo[3,4- <i>a</i>]quinoxalines	V. A. Mamedov, E. A. Khafizova, E. A. Berdnikov, Ya. A. Levin, I. Kh. Rizvanov, I. Bauer, and W. D. Habicher	1670 1611
Synthesis of fluorescein-labeled oligonucleotides bearing a tag in position 2' of modified adenosine and arabinoadenosine	S. V. Vasileva, E. E. Krasnousova, A. A. Donina, T. V. Abramova, L. G. Zhdanova, S. P. Kovalenko, and V. N. Silnikov	1677 1618

Brief Communications

		Version
		Engl./Russ.
Determination of the configuration of piperidin-4-ol silyl ethers by mass spectrometry with chemical ionization	R. S. Borisov, V. G. Zaikin, and K. A. Loginova	1684 1625
First example of regioselective nucleophilic 1,6-addition of trimethyl(trifluoromethyl)silane to 4 <i>H</i> -chromene derivatives	V. Ya. Sosnovskikh, B. I. Usachev, M. N. Permyakov, D. V. Sevenard, and G.-V. Ruschenthaler	1687 1628

Issue 10, 2006

Reviews

Dynamic NMR spectroscopy in studies of the kinetics of photoinduced chemical exchange in solutions	S. P. Babailov	1691 1631
Electron spin relaxation of radicals in weak magnetic fields	M. V. Fedin, S. R. Shakirov, P. A. Purtov, and E. G. Bagryanskaya	1703 1642

Full Articles

Crystal structure and properties of the Na _{1-x} Ru ₂ O ₄ phase	R. V. Panin, N. R. Khasanova, A. M. Abakumov, W. Schnelle, J. Hadermann, and E. V. Antipov	1717 1655
Determination of dissociation energies of N—H bond in the 4-anilino-diphenylaminyl radical and O—H bond in the 2,5-dichloro-4-hydroxyphenoxy radical from the equilibrium constants of chain reactions in quinoneimine—hydroquinone systems	A. V. Antonov, S. Ya. Gadomsky, and V. T. Varlamov	1723 1661
Chemistry of naphthazarin derivatives. 13. Conformational analysis of 3-(alk-1-enyl)-2-hydroxy-1,4-naphthoquinones by quantum chemistry methods	V. P. Glazunov, D. V. Berdyshev, A. Ya. Yakubovskaya, and N. D. Pokhilo	1729 1667
4-Dimethylaminochalcone as a fluorescent probe: quantum chemical calculations of its interaction with the environment	S. K. Gularyan, G. E. Dobretsov, B. M. Polyak, V. Yu. Svetlichny, N. E. Zhukhlistova, B. M. Krasovitskii, L. I. Kormilova, and V. E. Zavodnik	1737 1674
Preparation and characterization of low-amount Yb ³⁺ -doped TiO ₂ photocatalyst	H. Q. Jiang, P. Wang, X. L. Guo, and H. Z. Xian	1743 1680
Synthesis and electronic spectra of dimeric phthalocyanines	S. G. Makarov, K. N. Maksimova, E. V. Baranov, G. K. Fukin, O. N. Suvorova, D. Wöhrle, and G. A. Domrachev	1748 1686
Formation and properties of the nanocluster structure of iron oxides	I. P. Suzdalev, Yu. V. Maksimov, V. K. Imshennik, S. V. Novichikhin, V. V. Matveev, Yu. D. Tret'yakov, A. V. Lukashin, A. A. Eliseev, N. V. Avramenko, A. A. Malygin, and E. A. Sosnov	1755 1693

		Version	
		Engl./Russ.	
Catalytic conversions of chloroolefines over iron oxide nanoparticles. 3. Electronic and magnetic properties of γ -Fe ₂ O ₃ nanoparticles immobilized on different silicas	T. N. Rostovshchikova, O. I. Kiseleva, V. V. Smirnov, Yu. V. Maksimov, I. P. Suzdalev, V. E. Prusakov, M. V. Tsodikov, and V. N. Ikorskii	1768	1705
Surface structure and adsorption properties of multiwalled carbon nanotubes	S. Ya. Brichka, L. A. Belyakova, G. P. Prikhod'ko, and N. V. Roik	1775	1712
Products, kinetic regularities, and mechanism of thermal decomposition of ethyl(methyl)dioxirane	S. A. Grabovskiy, E. A. Markov, A. B. Ryzhkov, and N. N. Kabal'nova	1780	1716
Acid-base properties and nucleophilicity of <i>o</i> -aminomethylphenols in aqueous micellar solutions and microemulsions	A. B. Mirgorodskaya, N. S. Erzikova, L. A. Kudryavtseva, and A. I. Kononov	1788	1724
Complexes of titanium(IV) chloride with <i>N</i> -(3,5- <i>R</i> , <i>R</i> '-salicylidene)-2(3,4)-[bis(5-methyl-2-furyl)methyl]aniline, a novel type of phenoximine catalysts for olefin polymerization	S. Ch. Gagieva, T. A. Sukhova, D. V. Savinov, V. A. Tuskaev, K. A. Lyssenko, N. M. Bravaya, Yu. N. Belokon', and B. M. Bulychev	1794	1730
Synthesis and electrochemical study of 2-(2-pyridyl)benzothiazole complexes with transition metals (Co ^{II} , Ni ^{II} , and Cu ^{II}). Molecular structure of aquabis[2-(2-pyridyl)benzothiazole]-copper(II) diperchlorate	E. K. Beloglazkina, I. V. Yudin, A. G. Majouga, A. A. Moiseeva, A. I. Tursina, and N. V. Zyk	1803	1738
Pyridine-containing nickel(II) bis-formazanates: synthesis, structure, and electrochemical study	N. A. Frolova, S. Z. Vatsadze, V. E. Zavodnik, R. D. Rakhimov, and N. V. Zyk	1810	1745
Synthesis of new <i>o</i> -isobornylphenol derivatives	I. Yu. Chukicheva, E. V. Buravlev, L. V. Spirikhin, A. V. Churakov, and A. V. Kuchin	1819	1754
Cyclothiomethylation of aryl hydrazines with formaldehyde and hydrogen sulfide	V. R. Akhmetova, G. R. Nadyrgulova, T. V. Tyumkina, Z. A. Starikova, D. G. Golovanov, M. Yu. Antipin, R. V. Kunakova, and U. M. Dzhemilev	1824	1758
New catalytic system for the synthesis of imidazo[1,2- <i>a</i>]pyridines by the Ugi reaction	M. A. Mironov, M. I. Tokareva, M. N. Ivantsova, and V. S. Mokrushin	1835	1768
Competitive formation of 4-aminoisoxazoles and 5-aminooxazoles in the cyclization reactions of <i>O</i> -alkylated hydroxyimino nitriles	V. P. Kislyi, E. B. Danilova, V. V. Semenov, A. A. Yakovenko, and F. M. Dolgushin	1840	1773
A new method for the synthesis of <i>N</i> -(2-aminoethyl)azoles by alkylation of azoles with 2-alkyl-4,5-dihydrooxazoles	S. V. Popkov and M. N. Skvortsova	1848	1781
Synthesis and characterization of a pyridine-containing Schiff base oligomer	H. Ö. Demir, I. Kaya, and M. Saçak	1852	1785
Synthesis of pennogenyl saponin analogs using three methods	Shouqin Zhang, Jinsong Zhang, and Changzheng Wang	1856	1789
Covalent immobilization of invertase on chemically activated poly(2-hydroxyethyl methacrylate) microbeads	H. Altinok, S. Aksoy, H. Tümtürk, and N. Hasirci	1860	1793

Letters to the Editor

		Version
		Engl./Russ.
Halo(trimethyl)silanes as activating coreagents in sulfenylation of olefins	N. V. Zyk, A. Yu. Gavrilova, O. A. Mukhina, O. B. Bondarenko, and N. S. Zefirov	1865 1798
New thermal rearrangement of 2,4,6-triarylthio(seleno)pyrylium salts	B. I. Drevko, E. V. Suchkova, G. A. Baranchikova, and V. G. Mandych	1867 1800

Issue 11, 2006

Reviews

1,3-Dipolar cycloaddition of nitrones to free and coordinated nitriles: routes to control the synthesis of 2,3-dihydro-1,2,4-oxadiazoles	N. A. Bokach and V. Yu. Kukushkin	1869 1803
--	-----------------------------------	-----------

Full Articles

Reactions of germynes with alkynes: a quantum chemical study. Factors determining the stabilities of germacyclopropenes	V. M. Promyslov, V. I. Faustov, and M. P. Egorov	1883 1816
Sandwich compounds of second-row elements: a quantum chemical study	T. N. Gribova, R. M. Minyaev, and V. I. Minkin	1893 1825
Heterospin complexes based on dinuclear Cu ^{II} triketonate and nitroxides	V. I. Ovcharenko, S. V. Fokin, G. V. Romanenko, V. N. Ikorskii, R. Z. Sagdeev, D. S. Yachevskii, D. L. Chizhov, and V. N. Charushin	1904 1836
High-spin carboxylate polymers [M(OOCCMe ₃) ₂] _n of Group VIII 3d metals	I. G. Fomina, G. G. Aleksandrov, Zh. V. Dobrokhotova, O. Yu. Proshenkina, M. A. Kiskin, Yu. A. Velikodnyi, V. N. Ikorskii, V. M. Novotortsev, and I. L. Eremenko	1909 1841
Mono- and polynuclear Co ^{II} complexes with 2-hydroxy-6-methylpyridine	A. A. Sidorov, M. E. Nikiforova, E. V. Pakhmutova, G. G. Aleksandrov, V. N. Ikorskii, V. M. Novotortsev, I. L. Eremenko, and I. I. Moiseev	1920 1851
New type of compounds based on s- and d-block metal trimethylacetates	E. Yu. Fursova, O. V. Kuznetsova, G. V. Romanenko, and V. I. Ovcharenko	1933 1863
Synthesis and structures of new compounds based on tetrahedral rhenium chalcocyanide cluster anions [Re ₄ Q ₄ (CN) ₁₂] ⁴⁻ (Q = S or Se) and [Cu(bipy) ₂] ²⁺ cations	O. A. Efremova, Yu. V. Mironov, N. V. Kurat'eva, and V. E. Fedorov	1946 1875
Synthesis and comparative X-ray diffraction study of first ruthenocene-based pincer palladium complexes, PdCl[2,5-(Bu ^t ₂ PCH ₂) ₂ C ₅ H ₂]Ru(Cp ^ˆ)] (Cp ^ˆ = C ₅ H ₅ or C ₅ Me ₅)	S. A. Kuklin, F. M. Dolgushin, P. V. Petrovskii, and A. A. Koridze	1950 1879

		Version	
		Engl./Russ.	
Use of the macrocyclic ligand cucurbit[6]uril for isolation of tetranuclear lanthanide aquahydroxo-carboxylate complexes from aqueous solutions	E. A. Mainicheva, O. A. Gerasko, L. A. Sheludyakova, D. Yu. Naumov, I. I. Karsanova, R. R. Amirov, and V. P. Fedin	1956	1885
Mechanochemical synthesis and crystal structure of acetylacetonate complexes with the triangular $\text{Mo}_3\text{Q}_7^{4+}$ core (Q = S or Se)	A. L. Gushchin, M. N. Sokolov, D. Yu. Naumov, and V. P. Fedin	1966	1895
Application of the allylboration reaction of terminal acetylenes with allyldihaloboranes for the preparation of capping agents for the synthesis of precursors of polymeric iron(II) clathrochelates	Ya. Z. Voloshin, E. G. Lebed, S. Yu. Erdyakov, I. G. Makarenko, K. A. Lyssenko, Z. A. Starikova, M. E. Gurskii, and Yu. N. Bubnov	1971	1899
Reactivity of iron(II) dichloride clathrochelate: synthesis and properties of mono- and disubstituted amino clathrochelates	A. B. Burdukov, M. A. Vershinin, N. V. Pervukhina, Ya. Z. Voloshin, and O. A. Varzatskii	1982	1910
Crystal structure of 1,3-dialkyldiazolium bromides	D. G. Golovanov, K. A. Lyssenko, Ya. S. Vygodskii, E. I. Lozinskaya, A. S. Shaplov, and M. Yu. Antipin	1989	1916
Synthesis of tris(β -diketones) and study of their complexation with some transition metals	S. N. Podyachev, S. N. Sudakova, A. K. Galiev, A. R. Mustafina, V. V. Syakaev, R. R. Shagidullin, I. Bauer, and A. I. Konovalov	2000	1926
Decomposition of <i>N</i> -cyclopropyl- <i>N</i> -nitrosourea in the presence of reducing agents as a new way of generating the cyclopropyl radical	Yu. V. Tomilov, I. V. Kostyuchenko, G. P. Okonishnikova, I. P. Klimenko, and E. V. Shulishov	2008	1934
Electrochemical synthesis of pentamethylenediazine	M. D. Vedenyapina, V. V. Kuznetsov, E. A. Nizhnikovskii, E. D. Strel'tsova, N. N. Makhova, M. I. Struchkova, and A. A. Vedenyapin	2013	1939
Synthesis of unsaturated dibasic acid esters from five-, six-, and seven-membered cycloalkanones	E. K. Starostin, D. B. Furman, A. V. Ignatenko, A. P. Barkova, and G. I. Nikishin	2016	1942
Reactions of 3-nitro-2-trihalomethyl-2 <i>H</i> -chromenes with C-nucleophiles. Synthesis of 3-nitro-4-(pyrazol-4-yl)-2-trihalomethylchromanes	V. Yu. Korotaev, V. Ya. Sosnovskikh, I. B. Kutyashev, and M. I. Kodess	2020	1945
New method for the synthesis of β -tropolones: structures of condensation products of <i>o</i> -quinones with 2-methylquinolines and the mechanism of their formation	V. I. Minkin, S. M. Aldoshin, V. N. Komissarov, I. V. Dorogan, Yu. A. Sayapin, V. V. Tkachev, and A. G. Starikov	2032	1956
New method for the synthesis and the mechanism of formation of 1,2-di- and 1,2,3-trialkyldiaziridines	V. V. Kuznetsov, V. B. Ovchinnikova, V. P. Ananikov, and N. N. Makhova	2056	1978
Silylation of bicyclic six-membered nitronates. Ring-chain tautomerism of intermediate <i>N,N</i> -bis(oxy)iminium cations	V. O. Smirnov, Yu. A. Khomutova, A. A. Tishkov, and S. L. Ioffe	2061	1983
New approach to the synthesis of azauracils and azaisocytosines	T. S. Shestakova, S. L. Deev, E. N. Ulomsky, V. L. Rusinov, O. N. Chupakhin, O. A. D'yachenko, O. N. Kazheva, A. N. Chekhlov, P. A. Slepukhin, and M. I. Kodess	2071	1993
Regioselective synthesis of pentathiepinones fused with pyrrole, thiophene, or indole rings	L. S. Konstantinova, S. A. Amelichev, and O. A. Rakitin	2081	2002

		Version
		Engl./Russ.
Synthesis of new pyrido[2,3- <i>d</i>]pyrimidine derivatives by three-component condensation of 5-acetyl-4-aminopyrimidines, cyclohexane-1,3-diones, and orthocarboxylic acid esters	A. V. Komkov, M. A. Prezent, A. V. Ignatenko, I. P. Yakovlev, and V. A. Dorokhov	2085 2006
Synthesis and structures of boron complexes of acyl hydroxy coumarins	A. V. Manaev, T. A. Chibisova, K. A. Lyssenko, M. Yu. Antipin, and V. F. Travenç	2091 2012
Synthesis of 3-aminopropyl β -glycoside of sialyl-3'-lactose and derived neoglycoconjugates as a tumor vaccine prototype and artificial antigens for the control of immune response	E. A. Khatuntseva, O. N. Yudina, Yu. E. Tsvetkov, A. A. Grachev, R. N. Stepanenko, R. Ya. Vlasenko, V. L. Lvov, and N. E. Nifantiev	2095 2016

Brief Communications

New versions of Pd ⁰ -catalyzed allylation of C-nucleophiles	A. V. Lozanova, T. M. Ugurchieva, and V. V. Veselovsky	2103 2024
Novel initiating systems based on nickel phosphine complexes	D. F. Grishin, N. B. Valetova, I. S. Il'ichev, M. G. Prokhorova, and I. P. Beletskaya	2106 2027
Nickel-catalyzed addition of benzenethiol to alkynes: formation of carbon—sulfur and carbon—carbon bonds	V. P. Ananikov, S. S. Zalesskiy, N. V. Orlov, and I. P. Beletskaya	2109 2030
First example of direct introduction of nucleophiles bearing a stable radical moiety into azaaromatic substrates	E. V. Verbitskiy, G. L. Rusinov, P. A. Slepukhin, A. I. Matern, Yu. N. Shvachko, D. V. Starichenko, V. N. Charushin, and O. N. Chupakhin	2114 2035
Effect of ω -substituents in the hydrazones of conjugated pregnane 20-ketosteroids on their ability to cyclize to pyrazolines	A. V. Kamernitskii, E. I. Chernoburova, V. V. Chertkova, V. N. Yarovenko, I. V. Zavarzin, and M. M. Krayushkin	2117 2038
Synthesis and structure of 4',4'-dimethyl[16 α ,17 α]spiro-pentanopregn-4-ene-3,20-dione	I. S. Levina, L. E. Kulikova, E. V. Shulishov, I. P. Klimenko, A. V. Kamernitskii, and Yu. V. Tomilov	2119 2040

Letters to the Editor

New metal-containing matrix in the design of heterospin systems: bis(1,1,1,5,5,5-hexafluoro-4-imino-pent-2-en-2-olato)copper(II) complex with nitroxide	V. I. Ovcharenko, S. V. Fokin, G. V. Romanenko, E. V. Tretyakov, N. S. Boltacheva, V. I. Filyakova, and V. N. Charushin	2122 2043
Synthesis of scopine 3-amino-2-phenylpropionate derivatives	L. I. Vlasova, N. Z. Baibulatova, A. N. Lobov, V. A. Dokichev, and Yu. V. Tomilov	2125 2046

Issue 12, 2006

Full Articles

Determination of isothermic compressibility of solvent from changes in the absorbance of a dye solution under pressure	V. D. Kiselev, A. V. Bolotov, E. A. Kashaeva, and A. I. Kononov	2129 2049
--	---	-----------

		Version	
		Engl./Russ.	
Experimental and theoretical studies of the structure and IR spectra of neutral diamagnetic binuclear iron nitrosyl complexes $\text{Fe}_2(\mu\text{-SC}_{6-n}\text{H}_{5-n}\text{N}_n)_2(\text{NO})_4$ ($n = 0, 1, 2$)	A. F. Shestakov, Yu. M. Shul'ga, N. S. Emel'yanova, N. A. Sanina, and S. M. Aldoshin	2133	2053
Reaction of 2-methyl-3-morpholino-1-phenylprop-2-en-1-one with $\text{Ru}_3(\text{CO})_{12}$	N. A. Shtel'tser, S. V. Osintseva, P. V. Petrovskii, A. Z. Kreindlin, and F. M. Dolgushin	2143	2063
Quantum chemical study of the transformation of 2-(<i>N</i> -alkylamino)-3-(indol-1-yl)- and 2-(<i>N</i> -alkylamino)-3-(indol-3-yl)maleimides by protic acids: tandem hydride transfer/cyclization mechanism	E. E. Bykov, S. A. Lakatos, and M. N. Preobrazhenskaya	2149	2069
Structure and properties of 1,2-, 1,7-, and 1,12-dicarbocloso-dodecaboranes(12): a quantum chemical study	S. P. Knyazev, E. G. Gordeev, and E. A. Chernyshev	2154	2074
Structure and molecular dynamics of the ternary complexes of cyclodextrins with spin-labeled indoles and hydrocarbons in the solid phase. ESR spectroscopy and quantum chemical calculations	V. A. Livshits, I. V. Demisheva, B. G. Dzikovskii, V. G. Avakyan, and M. V. Alfimov	2161	2081
Ternary inclusion complexes of cyclodextrins with spin-labeled indoles and hydrocarbons. The formation of 2 : 1 : 2 complexes and partial dissociation of spin-labeled guests in the presence of a hydrocarbon liquid phase	I. V. Demisheva, V. A. Livshits, and M. V. Alfimov	2174	2094
Unusual magnetic behavior of the new supramolecular ensemble $[\text{Ni}_2\text{L}_4]_2 \cdot [\text{NiCl}_2(\text{LH})_2(\text{MeCN})_2] \cdot 4\text{MeCN}$ (LH is 2-mercaptobenzimidazole)	M. E. Nikiforova, M. O. Talismanova, G. G. Aleksandrov, S. K. Kotovskaya, A. A. Sidorov, V. M. Novotortsev, V. N. Ikorskii, V. N. Charushin, I. L. Eremenko, and I. I. Moiseev	2181	2101
[(1 <i>S</i>)-endo]-(-)-Borneol-tethered oxazoline phosphite as a <i>P,N</i> -bidentate ligand in palladium-catalyzed enantioselective allylic amination	E. B. Benetsky, A. S. Safronov, T. B. Grishina, P. V. Petrovskii, V. A. Davankov, and K. N. Gavrilov	2187	2106
Polymer-catalyzed hydrolysis of <i>p</i> -nitrophenyl butyrate in an oil/water emulsion	I. M. Okhapkin, E. E. Makhaeva, and A. R. Khokhlov	2190	2109
Asymmetric exchange of cyclopalladated ligands: a new route to optically active phosphapalladacycles	V. V. Dunina, O. N. Gorunova, E. D. Kuznetsova, E. I. Turubanova, M. V. Livantsov, Yu. K. Grishin, L. G. Kuz'mina, and A. V. Churakov	2193	2112
Photochemical chlorination of nanodiamond and interaction of its modified surface with C-nucleophiles	G. V. Lisichkin, V. V. Korol'kov, B. N. Tarasevich, I. I. Kulakova, and A. V. Karpukhin	2212	2130
Potassium and sodium 2,6-di- <i>tert</i> -butylphenoxides and their properties	A. A. Volod'kin and G. E. Zaikov	2220	2138
Boron chelates in the synthesis of α,β -unsaturated ketones of the coumarin series	A. V. Manaev, T. A. Chibisova, and V. F. Traven	2226	2144
Transformations of 5-methyl-2-phenyl-2,4-dihydro-3 <i>H</i> -pyrazol-3-one under various conditions of cyclopropyldiazonium generation	G. P. Okonnishnikova, I. V. Kostyuchenko, E. V. Shulishov, and Yu. V. Tomilov	2233	2151
Synthesis of fused nonaromatic heterocyclic systems based on dioxolanones and hydrazine	Yu. B. Chudinov, S. B. Gashev, and V. V. Semenov	2238	2156
Studies on mechanisms of the rearrangement of thieno[3,2- <i>e</i>][1,2,4]-triazolo[4,3- <i>c</i>]pyrimidines into thieno[3,2- <i>e</i>][1,2,4]triazolo-[1,5- <i>c</i>]pyrimidines	E. V. Vorob'ev, M. E. Kletskii, V. V. Krasnikov, V. V. Mezheritskii, and D. V. Steglenko	2247	2164

		<u>Version</u>
		<u>Engl./Russ.</u>
Combined application of 2D NMR correlation methods and <i>ab initio</i> chemical shift calculations to the structure determination of new heterocyclic compounds	A. A. Balandina, V. A. Mamedov, E. A. Khafizova, and Sh. K. Latypov	2256 2172
[3,4]-Annulated pyrroles. 1. Polynuclear heterocyclic systems based on pyrrolo[3,4- <i>d</i>]pyrimidine-2,4-dione	E. B. Tsupak and M. A. Shevchenko	2265 2180
A new approach to the synthesis of pyrrolo[1,2- <i>a</i>]indole derivatives	S. Yu. Ryabova, L. M. Alekseeva, E. A. Lisitsa, N. S. Masterova, S. S. Kiselev, M. I. Evstratova, and V. G. Granik	2271 2186
A new method for the synthesis of [1,4]diazepino[6,5- <i>b</i>]indole derivatives	S. Yu. Ryabova, L. M. Alekseeva, N. A. Rastorgueva, E. A. Lisitsa, D. M. Papakhin, V. A. Parshin, and V. G. Granik	2278 2193
Modification of dipeptides by alkyl chloroformate—alkanol mixtures for analysis by gas chromatography/mass spectrometry with electron and chemical ionization and collisional activation: differentiation of isomers	R. S. Borisov, V. G. Zaikin, B. V. Vas'kovskii, and L. Yu. Sklyarov	2285 2200

Letters to the Editor

Synthesis of ZnO nanostructures and H ₂ by reactions of Zn with H ₂ O	A. A. Vostrikov, A. V. Shishkin, and N. I. Timoshenko	2291 2205
Reactions of 3-(polyfluoroacyl)chromones with indole and <i>N</i> -methylindole	V. Ya. Sosnovskikh and R. A. Irgashev	2294 2208
The P—N bond cleavage during the phase transfer alkylation of <i>N</i> -alkyl-diphenylphosphinic amides	A. V. Kharlamov, A. G. Vendilo, and N. A. Bondarenko	2296 2210
Information		2299 2213
