

Contents of 2008 issues

Issue 1, 2008

		Version	
		Engl./Russ.	
Reviews			
Triple-decker complexes with a central borole ligand C ₄ H ₄ BR	D. A. Loginov, D. V. Muratov, and A. R. Kudinov	1	1
Immobilization of (dd)heteronuclear hexacyanoferrates(II) in a gelatin matrix	O. V. Mikhailov	8	8
Full Articles			
Estimation of the minimum pore size sufficient for capillary hysteresis	Yu. K. Tovbin and A. G. Petukhov	18	18
Physicochemical features of formation of silicate porous mesophases. 5. Synthesis of mesoporous mesophases in a moderately acidic region at pH = 2.5–5.0 using water-soluble sodium silicate	V. N. Romannikov, M. S. Mel'gunov, A. N. Shmakov, M. E. Malyshev, A. N. Vodennikov, and V. B. Fenelonov	29	29
Synthesis and structures of new heterometallic clusters [Fe ₂ (MCp ^x)(CO) ₆ (μ ₃ -S) ₂] (M = Rh, Ir; Cp ^x = Cp*, C ₅ H ₃ Bu ^t ₂)	N. A. Pushkarevsky, M. A. Ogienko, N. V. Kuratieva, and S. N. Konchenko	36	35
Synthesis and properties of bis(indenyl) derivatives of ytterbium and lutetium. Molecular structures of the complexes (C ₉ H ₇) ₂ Ln(μ-Cl) ₂ Li(Et ₂ O) ₂ (Ln = Yb, Lu) and [(C ₉ H ₇) ₂ YbCl ₂][Li(DME) ₃]	I. D. Gudilenkov, G. K. Fukin, E. V. Baranov, and A. A. Trifonov	40	39
Formation of polynuclear palladium complexes with the benzimidazole-2-thiolate anion	M. O. Talismanova, A. A. Sidorov, G. G. Aleksandrov, V. N. Charushin, S. K. Kotovskaya, V. P. Ananikov, I. L. Eremenko, and I. I. Moiseev	47	45
Complexes of α,ω-bis(3,3-dialkyldiaziridin-1-yl)alkanes and their bis(2-arylcarbamoyl) derivatives with cadmium and nickel salts	T. V. Skrupskaya, A. A. Kislukhin, A. V. Shevtsov, V. Yu. Petukhova, K. A. Lyssenko, and N. N. Makhova	56	53

	Version	
	Engl./Russ.	
Synthesis and structures of the η^5 -C ₅ H ₅ Cl(CO) ₂ W- η^1 , η^5 - (PPh ₂)C ₅ H ₄ (CO) ₂ Fe- η^1 , η^5 -C ₅ H ₄ Mn(CO) ₃ and MeSi[C ₅ H ₄ (CO) ₂ Fe- η^1 , η^5 -C ₅ H ₄ Mn(CO) ₂ PPh ₃] ₃ complexes	T. Yu. Orlova, Yu. S. Nekrasov, P. V. Petrovskii, M. G. Ezernitskaya, Z. A. Starikova, and O. L. Lependina	63 60
Reduction of bis[(2-phosphinoethyl)tetramethyl- cyclopentadienyl]zirconium dichlorides: intramolecular C—H activation <i>vs.</i> stabilization of the low-valence metal center	D. P. Krut'ko, M. V. Borzov, E. N. Veksler, and R. S. Kirsanov	68 65
Synthesis and structures of two new coordination polymers formed by large polyoxometalate fragments and lanthanide cations	N. V. Izarova, M. N. Sokolov, D. G. Samsonenko, A. Rothenberger, D. Fenske, and V. P. Fedin	78 75
A kinetic model for limonene oxidation	L. M. Pisarenko, D. A. Krugovov, A. N. Shchegolikhin, and O. T. Kasaikina	83 80
Electrochemical desulfurization of (1-adamantyl)- (alkylsulfonyl)pyridines	L. M. Korotaeva, T. Ya. Rubinskaya, I. A. Rybakova, and V. P. Gulyai	90 87
Tandem ESI mass spectrometry of 11 α - and 11 β -{4-[<i>N,N</i> -bis(2-chloroethyl)amino]- phenyl}acetates of the estrane steroids	V. I. Kadentsev, A. O. Chizhov, O. S. Chizhov, N. G. Kolotyrkina, A. A. Kutin, V. M. Rzhiznikov, and L. E. Golubovskaya	95 92
BEDT-TTF-based radical cation salt with the cyanurate anion: synthesis, structure, conductivity, and polarized reflection spectra	A. M. Flakina, A. N. Chekhlov, M. G. Kaplunov, K. V. Van, and R. N. Lyubovskaya	99 96
Transesterification and esterification with subcritical methanol. Synthesis of biodiesel	S. A. Lermontov and L. L. Ushakova	105 102
New chiral Schiff bases derived from (+)- and (-)- α -pinenes in the metal complex catalyzed asymmetric oxidation of sulfides	E. A. Koneva, K. P. Volcho, D. V. Korchagina, N. I. Komarova, A. I. Kochnev, N. F. Salakhutdinov, and A. G. Tolstikov	108 105
Solid-phase oxidative halodecarboxylation of β -arylacrylic acids with the ceric ammonium nitrate—alkali halide system	G. I. Nikishin, L. L. Sokova, V. D. Makhaev, and N. I. Kapustina	118 114
α,ω -Bis(3,6-dimethyl-2,4-dioxo-1,2,3,4-tetrahydro- pyrimidin-1-yl)alkanes and products of their cyclization, pyrimidinophanes: intra- and inter- molecular interaction in crystals and in solutions	V. E. Semenov, O. A. Lodochnikova, A. T. Gubaidullin, O. N. Kataeva, A. V. Chernova, Yu. Ya. Efremov, S. V. Kharlamov, Sh. K. Latypov, and V. S. Reznik	124 119
First chiral [2.2]paracyclophane-derived phosphite ligands: synthesis and application in asymmetric reactions	S. E. Lyubimov, R. P. Zhuravskii, V. I. Rozenberg, A. S. Safronov, P. V. Petrovskii, and V. A. Davankov	137 132
Syntheses based on anabasine. 2. Synthesis of piperidyl-substituted indolizines	L. A. Musina, E. E. Shults, I. Yu. Bagryanskaya, Yu. V. Gatilov, M. M. Shakirov, G. A. Tolstikov, and S. M. Adekenov	140 135
Spiroprans and spirooxazines. 4. Synthesis and spectral properties of 6'-halo-substituted spiro[indoline- 2,2'-2 <i>H</i> -pyrano[3,2- <i>h</i>]quinolines]	N. A. Voloshin, A. V. Chernyshev, S. O. Bezuglyi, A. V. Metelitsa, E. N. Voloshina, and V. I. Minkin	151 146

		Version	
		Engl./Russ.	
Synthesis and structures of benzo[<i>cd</i>]furo[2,3- <i>f</i>]indol-4(5 <i>H</i>)-one derivatives	I. G. Davydenko, Yu. L. Slominskii, O. I. Kalchenko, A. V. Gutov, A. N. Chernega, and A. I. Tolmachev	159	154
Synthesis and transformations of 4-amino-4'-(4-nitro-1 <i>H</i> -1,2,3-triazol-1-yl)- and 4-amino-4'-(1,2,3-triazolo[4,5- <i>c</i>]-1,2,5-oxadiazol-5-yl)-3,3'-(NNO)-azoxy-1,2,5-oxadiazoles	L. V. Batog, V. Yu. Rozhkov, E. V. Shatunova, and M. I. Struchkova	165	159
Cyanamides in cyclization reactions with anthranilates, 2-aminophenyl ketones, and methyl 2-(3-oxopiperazin-2-yl)acetate	Kh. S. Shikhaliev, A. S. Shestakov, S. M. Medvedeva, and N. V. Gusakova	170	164
New synthesis of pyrido[4,3- <i>b</i>]indoles (γ -carbolines) on the basis of indolin-2-one lactim ether	T. V. Golovko, N. P. Solov'eva, O. S. Anisimova, O. B. Smirnova, M. I. Evstratova, S. S. Kiselev, and V. G. Granik	177	171
Synthesis and properties of a new fused heterocyclic system 12 <i>H</i> -benzo[5,6][1,2,4]triazepino-[3,4- <i>a</i>]isoindol-5(6 <i>H</i>)-one	L. Yu. Ukhin, L. G. Kuz'mina, T. N. Gribanova, L. V. Belousova, and Zh. I. Orlova	186	180
Benzo-1,2,3,4-tetrazine 1,3-dioxides annulated with tetraazapentalenes. 1. Annulation at the C(5)—C(6) bond	A. Yu. Tyurin, A. M. Churakov, Yu. A. Strelenko, and V. A. Tartakovskiy	193	186
Reactions of 2-alkoxy-3-alkyl-1,3,2-oxazaphosphinanes with alkyl chloroformates	A. E. Shipov, G. K. Genkina, P. V. Petrovskii, K. A. Lyssenko, and T. A. Mastryukova	197	189
Polar steroidal compounds from the Far-Eastern starfish <i>Lethasterias fusca</i>	N. V. Ivanchina, T. V. Malyarenko, A. A. Kicha, A. I. Kalinovskii, and P. S. Dmitrenok	204	196

Brief Communications

Formation of the fullerene radical anion in the reaction of C ₆₀ with phosphorous triamides	I. P. Romanova, V. F. Mironov, O. A. Larionova, V. I. Morozov, V. V. Zverev, and O. G. Sinyashin	209	201
Photoinduced template synthesis of cyclobutane-containing crown ether	I. G. Ovchinnikova, O. V. Fedorova, P. A. Slepukhin, and G. L. Rusinov	212	204
Formylation and acetylation of 2-ethoxynaphthalene with 1,3,5-triazines in polyphosphoric acid	A. V. Aksenov, I. V. Aksenova, I. V. Borovlev, and A. A. Zamorkin	215	207
Synthesis of 1,3,7-triazapyrene and 1,2,3,7-tetraazapyrene derivatives as a result of anomalous Hoesch reaction	A. V. Aksenov, I. V. Borovlev, I. V. Aksenova, A. S. Lyakhovnenko, and D. A. Kovalev	217	209

Letters to the Editor

Competition of imidazo-annulation and pyrrole formation in the reactions of benzylamine with 3-acetylquinoxalin-2-ones	A. A. Kalinin and V. A. Mamedov	219	211
Information		221	213

Version
Engl./Russ.

Issue 2, 2008

Reviews

Symmetry specified enumeration of substituted derivatives: an easy solution to the complex problem	S. S. Tratch and N. S. Zefirov	235	227
--	--------------------------------	-----	-----

Full Articles

Quantum chemical analysis of possible fragmentation of $[M + H]^+$ and $[M + Na]^+$ complexes of monosubstituted methane, cyclohexane, and benzene derivatives in mass spectrometric studies	N. D. Chuvylkin, I. D. Nesterov, and V. I. Kadentsev	253	246
Radius of energy transfer as an indicator of the interaction of aromatic amines with an olefin	G. V. Loukova, D. K. Susarova, and V. A. Smirnov	257	250
Alkane films on water: stability and wetting transitions	L. B. Boinovich and A. M. Emel'yanenko	263	256
Intramolecular chain reaction of artemisinin oxidation	S. L. Solodova and E. T. Denisov	274	267
Kinetics and mechanism of the reactions of ozone with guaiacol, veratrol, and veratrol derivatives	A. G. Khudoshin, A. N. Mitrofanova, and V. V. Lunin	283	276
Decomposition of electron-excited molecules of molybdenum and tungsten phosphine hydride and phosphine nitrogen complexes. 1. Photodehydrogenation, photodenitrogenation, and formation of coordinatively unsaturated species	A. P. Pivovarov	289	282
The role of acid catalysis in the electrosynthesis of <i>N</i> -(2,5-dimethoxyphenyl)azoles	V. A. Petrosyan and A. V. Burasov	292	285
Modification of multiwalled carbon nanotubes by carboxy groups and determination of the degree of functionalization	M. N. Kirikova, A. S. Ivanov, S. V. Savilov, and V. V. Lunin	298	291
Oxidation of fullerene C_{60} with the system aluminum tri- <i>tert</i> -butoxide— <i>tert</i> -butyl hydroperoxide	E. A. Ziburdaeva, M. A. Lopatin, T. I. Lopatina, and V. A. Dodonov	304	296
ESR study of reactivity of the complex $(\eta^2-C_{60})Os(CO)(PPh_3)_2(CNBu^t)$ toward free radicals	R. G. Gasanov, M. V. Tsikalova, E. V. Martynova, and Yu. N. Novikov	309	301
Structure of electroactive coatings based on fullerene and its derivatives	N. F. Goldshleger, A. N. Lapshin, V. I. Zolotarevskii, A. M. Kolesnikova, E. V. Ovsyannikova, and N. M. Alpatova	316	308
On the triplet nature of paramagnetic centers in conducting polymers	A. V. Kulikov, A. S. Komissarova, M. N. Shishlov, and L. S. Fokeeva	324	316
Photoorientation in hydrogen-bonded blends of liquid-crystalline polymers with a low-molecular photochromic dopant	A. A. Obratsov, A. Yu. Bobrovsky, and V. P. Shibaev	330	322

		Version	
		Engl./Russ.	
Gold nanoparticles as structurizing agents for the formation of hybrid nanocomposites	I. V. Bakeeva, Yu. A. Kolesnikova, N. A. Kataeva, K. S. Zaufinskaya, S. P. Gubin, and V. P. Zubov	337	329
Carboranylphosphites as new ligands for Rh-catalyzed asymmetric hydrogenation	S. E. Lyubimov, A. S. Safronov, A. A. Tyutyunov, V. N. Kalinin, E. E. Said-Galiev, A. R. Khokhlov, P. V. Petrovskii, P. M. Valetskii, and V. A. Davankov	345	337
Synthesis of platinum complexes containing (+)-bornyl and (–)-menthylammonium in the outer coordination sphere and their catalytic activity in hydrosilylation reactions	D. A. de Vekki, V. M. Uvarov, A. N. Reznikov, and N. K. Skvortsov	349	341
Synthesis and electrochemical characterization of complexes of 1,2-bis[2-(pyridylmethylidene-amino)phenylthio]ethanes with transition metals (Co ^{II} , Ni ^{II} , Cu ^{II})	E. K. Beloglazkina, A. G. Majouga, A. A. Moiseeva, I. V. Yudin, F. S. Moiseev, O. I. Shmatova, and N. V. Zyk	358	350
Mesitylenesulfonic acid dihydrate: structure and proton conductivity	A. V. Pisareva, G. V. Shilov, A. I. Karelin, R. V. Pisarev, and Yu. A. Dobrovolsky	364	356
Supramolecular catalytic systems based on anionic amphiphiles and polyethyleneimine for hydrolytic cleavage of phosphorus ester bonds	L. Ya. Zakharova, F. G. Valeeva, A. R. Ibragimova, M. A. Voronin, L. A. Kudryavtseva, V. V. Syakaev, E. Kh. Kazakova, Yu. E. Morozova, N. A. Makarova, N. B. Mel'nikova, O. E. Zemnyakova, and A. I. Konovalov	374	366
<i>N</i> -(<i>n</i> -Alkyl)- <i>N'</i> -diphenylphosphorylureas as a new type of extractants for preconcentration of actinides and lanthanides	E. I. Goryunov, A. M. Safulina, V. P. Morgalyuk, I. B. Goryunova, G. N. Molchanova, T. V. Baulina, E. I. Matrosov, P. V. Petrovskii, I. G. Tananaev, E. E. Nifant'ev, and B. F. Myasoedov	383	374
Complexation and extraction properties of <i>N',N'</i> -dibutyloctanohydrazide	V. Yu. Gusev, A. V. Radushev, T. A. Verkholtantseva, and T. D. Batueva	389	380
Biradical with the "non-linear" diacetylene fragment	S. E. Tolstikov, E. V. Tretyakov, G. V. Romanenko, D. V. Stass, A. S. Bogomyakov, Z. Sagdeev, and V. I. Ovcharenko	394	385
One-pot process in phosphonium-iodonium ylides: nucleophilic substitution and the Wittig reaction	E. D. Matveeva, T. A. Podrugina, A. S. Pavlova, A. V. Mironov, and N. S. Zefirov	400	391
Cubane derivatives. 9. Synthesis of <i>N</i> -(morpholinomethyl)-cubane-carboxamides	L. T. Eremenko, L. B. Romanova, V. S. Malygina, and L. S. Barinova	406	396
Synthesis of benzotriazolysuccinimides in melt	I. A. Farion, Z. M. Khaltarov, D. F. Kushnarev, and A. V. Rokhin	409	399

		Version	
		Engl./	Russ.
Reactions of α -pentafluorophenylpyrylium salts with hydroxylamine	I. Yu. Kargapolova, K. S. Shmuilovich, N. A. Orlova, M. M. Shakirov, T. V. Rybalova, and V. V. Shelkovnikov	412	402
A new modification of the Friedländer synthesis. A simple route to 2-aminoquinoline-3-carboxylic acid and its derivatives	L. Yu. Ukhin and E. G. Belov	418	408
Synthesis of novel 3-(1,3-thiazol-2-yl)-7,8-dihydroquinoline-2,5(1 <i>H</i> ,6 <i>H</i>)-diones	S. G. Dzhavakhishvili, N. Yu. Gorobets, V. N. Chernenko, V. I. Musatov, and S. M. Desenko	422	412

Brief Communications

A method and program for mass quantum chemical calculations of protein—ligand docking complexes	N. A. Anikin, A. S. Mendkovich, M. B. Kuz'minskii, and A. M. Andreev	428	418
Reactions of the paramagnetic quaternary Mannich base in an alkaline medium	A. D. Malievskii and A. B. Shapiro	431	421
Synthesis of substituted 7,8-di(propylsulfonyl)-pyrrolo[1,2- <i>a</i>]pyrazines	N. E. Dontsova, A. M. Shestopalov, and V. P. Litvinov	434	424
A complex of europium monophthalocyanine with 2-aminopyridine: synthesis and spectroscopic characteristics	K. N. Maksimova, G. A. Domrachev, O. N. Suvorova, N. L. Bazyakina, and S. G. Makarov	437	427

Issue 3, 2008

Reviews

Modes of coordination and stereochemistry of the NO ₃ ⁻ anions in inorganic nitrates	I. V. Morozov, V. N. Serezhkin, and S. I. Troyanov	439	429
--	---	-----	-----

Full Articles

Geometry and electronic structure of a heterometallic cluster Mo ₂ Mg ₂ in different oxidation states of Mo: a DFT study	T. A. Savinykh and A. F. Shestakov	451	441
Cetane numbers of hydrocarbons: calculations using optimal topological indices	E. A. Smolenskii, V. M. Bavykin, A. N. Ryzhov, O. L. Slovokhotova, I. V. Chuvaeva, and A. L. Lapidus	461	451
Adsorption of solvent and oxidant molecules on magnesium surface: effect on the electronic structure and reactivity of magnesium in reactions of Grignard reagent formation	S. V. Pantelev, S. K. Ignatov, and S. V. Maslennikov	468	458
Structure of (Me ₂ Cu)Li•3DME and its oligomers [(Me ₂ Cu)Li•3DME] _{<i>n</i>} (<i>n</i> = 2–5): a theoretical study	P. I. Demyanov, P. M. Polestshuk, V. S. Petrosyan, and R. Gschwind	480	470
Perforated cenosphere-supported pH-sensitive spin probes	E. V. Fomenko, A. A. Bobko, A. N. Salanov, I. A. Kirilyuk, I. A. Grigor'ev, V. V. Khramtsov, and A. G. Anshits	493	482

		Version	
		Engl./Russ.	
Vibrational spectra of 1,1,3,3-tetramethyl-2-nitroguanidine and their interpretation with the use of scaling of quantum-chemical force field	L. S. Khaikin, O. E. Grikin, B. V. Lokshin, K. P. Dyugaev, and A. M. Astakhov	499	488
Self-diffusion in the isotropic and mesomorphic states of the lanthanide-containing system based on nonionic surfactant according to the NMR data	N. M. Selivanova, O. I. Gnezdilov, A. B. Konov, Yu. F. Zuev, and Yu. G. Galyametdinov	506	495
Conformational analysis and interpretation of $\nu(\text{OH})$ bands in the IR spectrum of <i>o</i> -vinylphenol: a DFT study	D. V. Berdyshev, V. P. Glazunov, and V. L. Novikov	510	499
Antioxidant properties of gold nanoparticles studied by ESR spectroscopy	N. O. Yakimovich, A. A. Ezhevskii, D. V. Guseinov, L. A. Smirnova, T. A. Gracheva, and K. S. Klychkov	520	509
Photochemical generation of triplet-triplet nitrene pairs in aromatic diazide crystals	S. V. Chapyshev, V. F. Lavitskii, A. V. Akimov, E. Ya. Misochnko, A. V. Shastin, D. V. Korchagin, G. V. Shilov, and S. M. Aldoshin	524	513
New scandium rhodium boride $\text{Sc}_4\text{Rh}_{17}\text{B}_{12}$ with a framework structure: synthesis, crystal structure, and properties	A. M. Alekseeva, A. Leithe-Jasper, Yu. Prots, W. Schnelle, Yu. Grin, and E. V. Antipov	532	521
Synthesis and structures of new metallocene derivatives of lanthanides. Molecular structures of the complexes $(\text{C}_{13}\text{H}_9)_2\text{Eu}(\text{THF})_2$ and $(\text{C}_5\text{Me}_4\text{H})_2\text{YbI}(\text{THF})$	I. A. Borovkov, G. K. Fukin, and A. A. Trifonov	541	530
(Tetramethylcyclobutadiene)cobalt complexes. 7. Mono- and dinuclear arene complexes containing the $[(\text{C}_4\text{Me}_4)\text{Co}]^+$ fragment	D. A. Loginov, A. A. Pronin, L. S. Shul'pina, E. V. Mutseneck, Z. A. Starikova, P. V. Petrovskii, and A. R. Kudinov	546	535
Synthesis and crystal structure of new titanyl phosphate $\text{Sr}_2\text{TiO}(\text{PO}_4)_2$	R. V. Shpanchenko, A. A. Tsirlin, J. Hadermann, and E. V. Antipov	552	540
Synthesis, structure, and properties of the $[\text{RuNO}(\text{NH}_3)_5][\text{Co}(\text{CN})_6]$ complex containing a photochromic cation	L. A. Kushch, G. V. Shilov, M. A. Il'in, T. Woike, D. Schaniel, and E. B. Yagubskii	557	545
Influence of π stacking on the magnetic properties of the copper(II) complex with 6-phenyl-3-(2-pyridyl)-5-trifluoroacetyl-methylidene-4,5-dihydro-1,2,4-triazine	A. M. Prokhorov, D. N. Kozhevnikov, V. L. Rusinov, O. N. Chupakhin, G. G. Aleksandrov, Yu. N. Shvachko, D. V. Starichenko, A. V. Korolev, D. V. Bukhvalov, and V. V. Ustinov	561	549
Spectral-luminescence and magnetic relaxation properties of lanthanide- <i>p</i> -sulfonatothiacalix[4]arenes in aqueous solution of surfactants	N. V. Rusakova, S. S. Kost, A. R. Mustafina, R. R. Amirov, R. R. Zairov, S. E. Solovieva, I. S. Antipin, A. I. Kononov, and Yu. V. Korovin	567	555
Crystal structure of lithium β -diketonate containing perfluorobutyl and pyridyl substituents	P. A. Slepukhin, N. S. Boltacheva, V. I. Filyakova, and V. N. Charushin	573	561
Synthesis and electrochemical study of 3- and 4-(2-pyridyl)-1,3-benzothiazole complexes with transition metals (Co^{II} , Ni^{II} , and Cu^{II}). Molecular structure of bis{(4-(2-pyridyl)-1,3-benzothiazole)copper(II)} tetraacetate	E. K. Beloglazkina, I. V. Yudin, A. G. Majouga, A. A. Moiseeva, S. V. Zatonskii, and N. V. Zyk	577	565

	Version	
	Engl./Russ.	
A novel strategy of constructing the cyclohexane ring: stereoselective multicomponent cyclization of aromatic aldehydes, malononitrile, and acetone into <i>cis</i> -2,6-diaryl-4-dicyanomethylidencyclohexane-1,1-dicarbonitriles	A. N. Vereshchagin, M. N. Elinson, S. K. Feducovich, T. A. Zaimovskaya, Z. A. Starikova, P. A. Belyakov, and G. I. Nikishin	585 572
Asymmetric aldol condensation in an ionic liquid-water system catalyzed by (<i>S</i>)-prolinamide derivatives	A. S. Kucherenko, D. E. Syutkin, and S. G. Zlotin	591 578
Electrocatalytic chain transformation of salicylaldehyde and CH acids into substituted 4 <i>H</i> -chromenes	S. K. Feducovich, M. N. Elinson, A. S. Dorofeev, S. V. Gorbunov, R. F. Nasybullin, N. O. Stepanov, and G. I. Nikishin	595 582
Key influence of the nature of the substituent in the propynal molecule on the outcome of its reaction with vicinal di(<i>N</i> -hydroxyamine)	E. V. Tretyakov, G. V. Romanenko, D. V. Stass, A. V. Mareev, A. S. Medvedeva, and V. I. Ovcharenko	601 588
Synthesis of carboxyalkylindolenines from 6-methyl-7-oxooctanoic acid	V. E. Kuznetsova and A. V. Chudinov	608 595
Alkyl 3-fluoroalkyl-3-oxopropionates in reactions with azolyldiazonium salts	E. V. Shchegol'kov, E. V. Sadchikova, Ya. V. Burgart, and V. I. Saloutin	612 599
Reactions of diazoalkanes with unsaturated compounds. 16. Catalytic reactions of diazomethane with 2-alkenyl-1,3-oxazolidines and 2-alkenyl-1,3-oxathiolanes	M. D. Khanova, R. M. Sultanova, R. R. Rafikov, I. P. Baykova, R. Z. Biglova, V. A. Dokichev, and Yu. V. Tomilov	617 604
Dimerization of 3-(2-aryl-2-oxoethylidene)oxindoles	B. V. Paponov, O. V. Shishkin, S. V. Shishkina, R. I. Zubatyuk, A. L. Kalyuzhny, and V. I. Musatov	622 609
1,1-Bis(methoxy- <i>NNO</i> -azoxy)ethene. Synthesis and X-ray diffraction analysis	I. N. Zyuzin, N. I. Golovina, D. B. Lempert, G. N. Nechiporenko, and G. V. Shilov	632 619
Synthesis, structure, and properties of <i>N</i> -(nitramino)-phthalimide	M. S. Klenov, A. M. Churakov, O. V. Anikin, Yu. A. Strelenko, I. V. Fedyanin, K. A. Lyssenko, and V. A. Tartakovsky	638 625
Synthesis of macrocyclic systems from 4,4'-diamino-3,3'-bi-1,2,5-oxadiazole and 3(4)-amino-4(3)-(4-amino-1,2,5-oxadiazol-3-yl)-1,2,5-oxadiazole 2-oxides	M. A. Epishina, A. S. Kulikov, and N. N. Makhova	644 631
Transformations of C-adducts of 1,4-diazinium salts with dicarbonyl compounds into polycyclic systems	E. V. Verbitskiy, P. A. Slepukhin, G. L. Rusinov, and V. N. Charushin	652 639
Synthesis of (±)-4-alkanolides from pent-4-enoic acid	T. M. Ugurchieva, A. V. Lozanova, M. V. Zlokazov, and V. V. Veselovsky	657 644
Synthesis of bi- and tervalent ligands of galectins, derivatives of β-lactosylamine, with the amino group in the terminal position of the spacer	L. M. Likhosherstov, O. S. Novikova, and G. V. Mokrov	660 647
Biologically active metabolites of the actinobacterium <i>Streptomyces</i> sp. GW 33/1593	M. P. Sobolevskaya, V. A. Denisenko, S. Fotso, H. Laach, N. I. Menzorova, Yu. T. Sibirtsev, and T. A. Kuznetsova	665 652

		Version	
		Engl./	Russ.
New two-headed sphingolipid-like compounds from the marine sponge <i>Oceanapia</i> sp.	T. N. Makarieva, A. G. Guzii, V. A. Denisenko, P. S. Dmitrenok, and V. A. Stonik	669	656

Brief Communications

Effect of the alkyl chloride-to-aluminum molar ratio in the catalysts of dec-1-ene oligomerization on the product distribution and the chlorine content in the products	P. E. Matkovskii, G. P. Startseva, V. Ya. Churkina, L. P. Vasil'eva, and R. S. Yarullin	674	661
Formation of stable carbonyl oxide by photooxidation of (phenyl)(2-thienyl)diazomethane	A. G. Mukhamadeeva, E. M. Chainikova, and R. L. Safullin	679	666
Interaction of 3-amino-2-(isoxazol-3-yl)-4-methoxymethyl-6-methyl-thieno[2,3-b]pyridine with Raney nickel	E. S. Kostenko, E. A. Kaigorodova, and L. D. Konyushkin	682	669

Letters to the Editor

Reaction of selenium with acetylene: synthesis of 1,4-diselenafulvene	V. A. Potapov, S. V. Amosova, and I. V. Doron'kina	684	671
---	--	-----	-----

Issue 4, 2008

Reviews

Bistable organic, organometallic, and coordination compounds for molecular electronics and spintronics	V. I. Minkin	687	673
Heading to photoswitchable magnets	S. M. Aldoshin	718	704
Femtosecond-technology-based chemical research	O. M. Sarkisov	736	722
Molten state and solvent-free systems studied by NMR spectroscopy: addition reactions catalyzed by transition metal complexes	V. P. Ananikov and I. P. Beletskaya	754	740
Long-lived cationic complexes: "frozen" intermediates of cationoid reactions	V. G. Shubin	761	747
Reductive activation of arenecarbonitriles for the reactions with some carbon-centered electrophiles: the reaction mechanisms and synthetic applications	T. A. Vaganova, E. V. Panteleeva, and V. D. Shteingarts	768	754
Design of supramolecular metal complex catalytic systems for petrochemical and organic synthesis	E. A. Karakhanov, A. L. Maksimov, E. A. Runova, Yu. S. Kardasheva, M. V. Terenina, S. V. Kardashev, V. A. Skorkin, L. M. Karapetyan, and M. Yu. Talanova	780	766
Unusual supramolecular donor-acceptor complexes of bis(crown)stilbenes and bis(crown)azobenzene with viologen analogs	S. P. Gromov, A. I. Vedernikov, E. N. Ushakov, and M. V. Alfimov	793	779

		Version	
		Engl./	Russ.
Allylboranes and the synthesis of diamond molecules	M. E. Gurskii, S. Yu. Erdyakov, T. V. Potapova, and Yu. N. Bubnov	802	788
Some aspects of the chemical behavior of icosahedral carboranes	V. N. Kalinin and V. A. Ol'shevskaya	815	801
Nonconventional allylation of norbornene and norbornadiene derivatives: stoichiometry and catalysis	E. M. Evstigneeva and V. R. Flid	837	823
Oxazolo[3,2- <i>a</i>]pyridinium and oxazolo[3,2- <i>a</i>]pyrimidinium salts in organic synthesis	E. V. Babaev, V. L. Alifanov, and A. V. Efimov	845	831

Full Articles

A theory of spin-Peierls transitions in chains of exchange clusters	V. A. Morozov, N. N. Lukzen, and V. I. Ovcharenko	863	849
Photochromic organic compounds for optical memory	V. A. Barachevsky and M. M. Krayushkin	867	853

Issue 5, 2008

Reviews

Fluoride optical nanoceramics	T. T. Basiev, M. E. Doroshenko, V. A. Konyushkin, V. V. Osiko, P. P. Fedorov, V. A. Demidenko, K. V. Dukel'skii, I. A. Mironov, and A. N. Smirnov	877	863
New pyrrolidine and pyrroline derivatives of fullerenes: from the synthesis to the use in light-converting systems	P. A. Troshin, A. S. Peregudov, S. I. Troyanov, and R. N. Lyubovskaya	887	873
Oxidative alkylamination of aromatic and heteroaromatic substrates and accompanying heterocyclization reactions	A. V. Gulevskaya and A. F. Pozharskii	913	899
Silicon- and germanium-substituted propynals as ambident electrophiles for the design of new heterocycles and polyfunctional acetylenes	A. S. Medvedeva, A. V. Mareev, and M. M. Demina	929	914
Fluoroarenes in the synthesis of benzoannulated nitrogen-containing heterocycles	A. A. Layeva, E. V. Nosova, G. N. Lipunova, and V. N. Charushin	947	931
Azolo[5,1- <i>c</i>]-1,2,4-triazines as a new class of antiviral compounds	V. L. Rusinov, E. N. Ulomskii, O. N. Chupakhin, and V. N. Charushin	985	967
Polymeric cryogels as a new family of macroporous and supermacroporous materials for biotechnological purposes	V. I. Lozinsky	1015	996
Creation of biocatalysts with prescribed properties	V. I. Tishkov, S. S. Savin, and S. V. Khoronenkova	1033	1014

		Version	
		Engl./Russ.	
Full Articles			
Physicochemical and functional peculiarities of metal oxide whiskers	E. A. Goodilin, E. A. Pomerantseva, D. A. Semenenko, P. B. Kocherginskaya, D. M. Itkis, T. L. Kulova, A. M. Skundin, L. S. Leonova, Yu. A. Dobrovolsky, M. N. Rumyantseva, A. M. Gas'kov, S. B. Balakhonov, B. R. Churagulov, and Yu. D. Tret'yakov	1042	1023
Covalent sidewall functionalization of single-walled carbon nanotubes by amino acids	M. X. Pulikkathara and V. N. Khabashesku	1054	1035
New reaction of photoaromatization of aryl- and hetarylpyrazolines	V. F. Traven and I. V. Ivanov	1063	1044
Isomerization and 1,3-dipolar cycloaddition of <i>gem</i> -difluorinated NH-azomethine ylides in the reaction of difluorocarbene with diarylmethanimines	M. S. Novikov, A. F. Khlebnikov, K. A. Khistyayev, and I. Magull	1070	1051
Bioactive peptides from the skin of ranid frogs: modern approaches to the mass spectrometric <i>de novo</i> sequencing	T. Yu. Samgina, K. A. Artemenko, V. A. Gorshkov, and A. T. Lebedev	1080	1061

Issue 6, 2008

Reviews			
The role of intermolecular vibrations and reorganization of a reaction system in tunneling reactions with H atom transfer. A Debye model for the medium	A. A. Fokeyev, A. S. Zyubin, and L. I. Trakhtenberg	1093	1073
Chemical modification of nanocrystalline metal oxides: effect of the real structure and surface chemistry on the sensor properties	M. N. Rumyantseva and A. M. Gas'kov	1106	1086
Physicochemical problems encountered in the development of oxygen-conducting oxide materials for new devices for chemical energy conversion	E. D. Politova and G. Suchanek	1126	1106

Full Articles			
Shape of the vapor—liquid interface in narrow slit-shaped pores	Yu. K. Tovbin and A. B. Rabinovich	1138	1118
Chemical and morphological modification of complex manganese oxides with different sizes of structural tunnels	M. G. Kozlova, S. V. Balakhonov, E. A. Goodilin, B. R. Churagulov, A. G. Veresov, and Yu. D. Tret'yakov	1151	1130
Thermodynamic properties of α -platinum dichloride	Z. I. Semenova and T. P. Chusova	1157	1136
Structures of active sites for alkane transformations over the Pt/HZSM-5 and Pt/NaZSM-5 catalysts	M. N. Mikhailov, L. M. Kustov, V. Z. Mordkovich, and A. Yu. Stakheev	1160	1139
Dipole moment of a metallocene precatalyst in the ground and excited states	G. V. Loukova, A. A. Milov, V. P. Vasiliev, and V. A. Smirnov	1166	1145

		Version	
		Engl./Russ.	
Numerical simulation of the kinetics of ozone decomposition in an aqueous solution	A. N. Ignatiev, A. N. Pryakhin, and V. V. Lunin	1172	1151
Molecular structure, barriers to internal rotation, and the enthalpy of formation of cumene hydroperoxide PhCMe ₂ OOH: a DFT study	A. N. Egorova, M. V. Vener, I. S. Zhukov, G. D. Kozak, and V. G. Tsirelson	1179	1157
Studies of the reaction of the hydroxyl radical with the oxalate ion in an acidic aqueous solution by pulse radiolysis	B. G. Ershov, E. Janata, M. S. Alam, and A. V. Gordeev	1187	1165
Size-dependent luminescence of boron difluoride β-diketonates	A. G. Mirochnik, E. V. Fedorenko, and V. E. Karasev	1190	1168
Correlations between ¹³ C NMR chemical shifts of [(1-R-η ³ -C ₃ H ₄)PdCl ₂] ₂ and Na[(1-R-η ³ -C ₃ H ₄)PdCl ₂] and substituent constants	E. M. Evstigneeva and V. R. Flid	1194	1171
Polynuclear mixed-ligand Ni ^{II} complexes containing pivalate and hexafluoroacetylacetonate ligands: a new single-molecule magnet	E. Yu. Fursova, O. V. Kuznetsova, V. I. Ovcharenko, G. V. Romanenko, and A. S. Bogomyakov	1198	1175
Radical low-temperature oxidation of dibenzyl sulfide with the triphenylbismuth— <i>tert</i> -butyl hydroperoxide system	V. A. Dodonov, E. A. Ziburdaeva, E. N. Chelebaeva, and V. A. Kuropatov	1206	1183
New cobalt and iron pivalate complexes with 2,2':6',2''-terpyridine: synthesis, structure, and magnetic properties	K. L. Tokarev, M. A. Kiskin, A. A. Sidorov, G. G. Aleksandrov, V. N. Ikorskii, I. P. Suzdalev, V. M. Novotortsev, and I. L. Eremenko	1209	1186
Synthesis and structure of the ferrocenylboron-capped clathrochelate iron(II) oximehydrazonates	Y. Z. Voloshin, I. S. Makarov, A. V. Vologzhanina, E. V. Pol'shin, Yu. B. Monakov, R. M. Islamova, and Yu. N. Bubnov	1215	1191
Template synthesis and structures of bis-ferrocenylboronate macrobicyclic iron(II) tris-dioximates	Y. Z. Voloshin, I. S. Makarov, A. V. Vologzhanina, Yu. B. Monakov, R. M. Islamova, E. V. Polshin, and Yu. N. Bubnov	1223	1199
Supramolecular systems based on the melamine salt of bis(hydroxymethyl)phosphinic acid (melafen) dihydrate and surfactants. 1. Structure and self-association of melafen in water and chloroform	A. I. Konovalov, I. S. Ryzhkina, L. I. Murtazina, A. P. Timosheva, R. R. Shagidullin, A. V. Chernova, L. V. Avvakumova, and S. G. Fattakhov	1231	1207
Investigation of the reaction of 1-methylimidazole-2-thione with molecular iodine	M. S. Chernov'yants, E. V. Khokhlov, E. O. Lykova, O. N. Kazheva, G. G. Aleksandrov, and O. A. D'yachenko	1239	1215
Optically active dendrimers based on the planar chiral ferrocene core	N. S. Khrushcheva and V. I. Sokolov	1244	1220
Macromolecular transformations of polyphenyl imidates into <i>N</i> -phenyl-substituted polyaramides and poly(<i>N</i> -benzoylamines)	V. F. Burdukovskii and D. M. Mognonov	1247	1223
Synthesis of tetrasubstituted pyridazines <i>via</i> cascade reactions of diazocarbonyl compounds with pyridinium ylides	Yu. V. Tomilov, D. N. Platonov, D. V. Dorokhov, and A. A. Zhalnina	1252	1228

		<u>Version</u>	
		Engl./Russ.	
Three-component condensation of diethyl isophthaloyldiacetate, aromatic aldehyde, and urea as a new method for the synthesis of 1,3-bis(2-oxo-1,2,3,4-tetrahydropyrimidin-6-yl)benzenes	V. A. Mamedov, S. V. Vdovina, E. I. Vorkunova, L. V. Mustakimova, A. F. Saifina, A. T. Gubaidullin, I. Kh. Rizvanov, Ya. A. Levin, and I. A. Litvinov	1257	1233
The Mitsunobu 1- <i>O</i> -esterification of 1-hydroxy-3-phenyl-1 <i>H</i> -quinoxalin-2-one 4-oxide	T. A. Kropacheva and V. K. Khlestkin	1264	1240
2-R-7-Methyl[1,2,4]triazolo[2,3- <i>a</i>]pyrimidines: synthesis and structures	Kh. S. Shikhaliev, D. V. Krylski, A. Yu. Potapov, S. E. Nefedov, and O. E. Sidorenko	1268	1244
Synthesis and opening of the thiadiazine ring in 6,7-dihydro-5 <i>H</i> -[1,2,4]triazolo[3,4- <i>b</i>][1,3,4]thiadiazines	A. A. Kolodina, N. I. Gaponenko, and A. V. Lesin	1273	1249
General model of the opiate pharmacophore. 2. Regions of the opiate pharmacophore defining agonistic properties of the opiate receptor ligands	N. E. Kuz'mina, E. S. Osipova, V. S. Kuz'min, and V. B. Sitnikov	1277	1253
General model of the opiate pharmacophore. 3. Regions of the opiate pharmacophore determining antagonistic properties of the opiate receptor ligands	N. E. Kuz'mina, E. S. Osipova, V. S. Kuz'min, and V. B. Sitnikov	1285	1261
Mechanochemical preparation and pharmacological activities of water-soluble intermolecular complexes of arabinogalactan with medicinal agents	A. V. Dushkin, E. S. Meteleva, T. G. Tolstikova, G. A. Tolstikov, N. E. Polyakov, N. A. Neverova, E. N. Medvedeva, and V. A. Babkin	1299	1274

Brief Communications

The first example of the alkoxy-containing iron(II) tris-dioximate clathrochelate: synthesis, structure, and properties	M. A. Vershinin, A. B. Burdukov, N. V. Pervukhina, I. V. Eltsov, O. A. Varzatskii, and Y. Z. Voloshin	1308	1283
Crystal and molecular structures of pinacol ester of ferrocenyl-1,1'-diboronic acid	A. V. Vologzhanina, I. S. Makarov, Y. Z. Voloshin, and Yu. N. Bubnov	1314	1289

Letters to the Editor

Subnanosize thermometric NMR sensors based on paramagnetic lanthanide(III) complexes with EDTA for temperature control in aqueous media and in magnetoresonance tomography	S. P. Babailov	1317	1292
First structurally characterized five-membered hafnacyclocumulene Cp ₂ Hf(η ⁴ -Bu ^t C ₄ Bu ^t)	V. V. Burlakov, V. S. Bogdanov, K. A. Lyssenko, P. V. Petrovskii, T. Beweries, P. Arndt, U. Rosenthal, and V. B. Shur	1319	1294
Electrochemical thiocyanation of methoxy-substituted arenes	A. V. Burasov and V. A. Petrosyan	1321	1296
A reaction of selenium dichloride with divinyl sulfide	S. V. Amosova, M. V. Penzik, V. A. Potapov, and A. I. Albanov	1323	1298

Version	
Engl./	Russ.

Issue 7, 2008

Reviews

Molecular meccano for light-sensitive and light-emitting nanosized systems based on unsaturated and macrocyclic compounds	S. P. Gromov	1325	1299
---	--------------	------	------

Full Articles

Estimation of electrostriction coefficients of a nonlinear optical polymer electret	M. Yu. Balakina	1351	1324
Potential surface topology of a butene—gold atom system in the ground state	D. A. Pichugina, A. F. Shestakov, and N. E. Kuz'menko	1356	1330
Initiation of ethylene polymerization on organoelement cations L ₂ MMe ⁺ (M = Ge, Sn) with intramolecular coordination bonds: a theoretical study	M. S. Nechaev and A. V. Gorokhov	1364	1338
Cyclization of vicinally substituted heterocyclic analogs of 3,4-bis-(indol-1-yl)maleimide under the action of protic acids: a quantum chemical study	E. E. Bykov and M. N. Preobrazhenskaya	1374	1348
Ionic mobility in the antimony(III) fluorochloride complexes	V. Ya. Kavun, A. E. Panasenko, L. A. Zemnukhova, and A. B. Slobodyuk	1379	1353
Behavior of [1,2,5]oxadiazolo[3,4- <i>e</i>][1,2,3,4]tetrazine 4,6-dioxide in various media	V. P. Zelenov, A. A. Lobanova, N. I. Lyukshenko, S. V. Sysolyatin, and A. I. Kalashnikov	1384	1358
Thermochemical study of the temperature effect on the L- α -alanine—L- α -alanine interactions in aqueous solutions of urea and ethylene glycol	D. V. Batov, A. V. Kustov, and V. P. Korolev	1390	1364
Lupane type triterpenes as structuring elements in the monolayers and films of lecithin and fullerene derivatives	N. B. Mel'nikova, O. E. Zhil'tsova, G. A. Domrachev, T. I. Shuyu, L. G. Domracheva-L'vova, M. V. Gulenova, A. A. Volkov, I. A. Nuretdinov, V. P. Gubskaya, and L. Sh. Berezhnaya	1395	1369
Regularities of homo- and heteroassociation of the pinacyanol cation in aqueous solution	S. A. Shapovalov and E. A. Samoilov	1405	1379
Effect of nitroxide radicals on chemically induced dynamic electron polarization of spin-correlated radical pairs in aqueous micellar solutions of sodium dodecyl sulfate	V. R. Gorelik, V. F. Tarasov, S. R. Shakirov, and E. G. Bagryanskaya	1416	1390
Synthesis and photochemical properties of azidohemicyanine	M. F. Budyka, N. V. Biktimirova, T. N. Gavrishova, and V. I. Kozlovskii	1428	1402
Synthesis, structures, and photochromic properties of <i>N</i> -aryl-3-indolyfulgides	S. K. Balenko, V. P. Rybalkin, N. I. Makarova, S. O. Bezuglyi, E. N. Shepelenko, L. L. Popova, V. V. Tkachev, S. M. Aldoshin, A. V. Metelitsa, V. A. Bren', and V. I. Minkin	1435	1409

		Version	
		Engl./Russ.	
Synthesis and spectral-kinetic investigation of fulgimide-based photochromic autocomplexes of the dinitroquinoline series	I. G. Ilyina, V. V. Mel'nikov, S. I. Luyksaar, M. M. Krayushkin, Yu. A. P'yankov, V. A. Barachevsky, and I. V. Fedyanin	1444	1417
Synthesis and photochemical and magnetic properties of Cr, Mn, Fe, and Co complexes based on the 1-((1',3',3'-trimethyl-spiro[2H-1-benzopyran-2,2'-indolin]-8-yl)methyl)-pyridinium cation	N. A. Sanina, S. M. Aldoshin, G. V. Shilov, E. V. Kurganova, E. A. Yurieva, N. A. Voloshin, V. I. Minkin, V. A. Nadtochenko, and R. B. Morgunov	1451	1424
Spectral, luminescent, and photophysical properties of dipyrrolylbenzenes	I. K. Petrushenko, K. B. Petrushenko, V. I. Smirnov, and B. A. Trofimov	1461	1433
Synthesis and spectroscopic study of the d-metal complexes with new octa(benzo-15-crown-5)-substituted phthalocyanine	N. M. Logacheva, V. E. Baulin, A. Yu. Tsivadze, T. V. Basova, and L. A. Sheludyakova	1467	1439
Synthesis and complexation properties of carbonyl-containing thiacalix[4]arenes	S. E. Solovieva, S. R. Kleshnina, M. N. Kozlova, L. F. Galiullina, A. T. Gubaidullin, Sh. K. Latypov, I. S. Antipin, and A. I. Konovalov	1477	1448
Endohedral gadolinium-containing metallofullerenes in the trifluoromethylation reaction	I. E. Kareev, V. P. Bubnov, and E. B. Yagubskii	1486	1457
Protonation of 1,3- and 1,4-dinitrobenzene dianions	A. S. Mendkovich, M. A. Syroeshkin, L. V. Mikhailchenko, A. I. Rusakov, and V. P. Gulyai	1492	1463
4-(1-Alkylbenzimidazol-2-ylazo)-2-pyrazolin-5-ones: specific features of prototropic tautomerism	A. S. Morkovnik, L. N. Divaeva, A. I. Uraev, K. A. Lyssenko, R. K. Mamin, I. G. Borodkina, G. S. Borodkin, A. S. Burlov, and A. D. Garnovskii	1496	1467
Synthesis and structure of new 3-pyrazolinylcoumarins and 3-pyrazolinyl-2-quinolones	V. F. Traven, A. V. Manaev, I. V. Voevodina, and I. N. Okhrimenko	1508	1479
Synthesis of 4 <i>H</i> -imidazole-5-carbaldoxime 3-oxides and 4 <i>H</i> -imidazole-5-carbonitrile 3-oxides	I. A. Kirilyuk, D. A. Morozov, Yu. S. Tabatchikova, V. S. Medvedev, A. V. Lebedev, G. V. Romanenko, T. V. Rybalova, and I. A. Grigor'ev	1516	1487
Synthesis and transformations of 3-acetylpyridine-2(1 <i>H</i>)-thiones	V. K. Zav'yalova, A. A. Zubarev, and V. P. Litvinov	1534	1504
Functionalization of 4,6-dinitro-2-phenylindole at position 7	M. A. Bastrakov, A. M. Starosotnikov, A. Kh. Shakhnes, and S. A. Shevelev	1539	1508
Synthesis of 6-substituted 5,6,7,8-tetrahydropyrimido[4,5- <i>d</i>]-pyrimidine-2,4-diones and 2-thioxo-5,6,7,8-tetrahydropyrimido[4,5- <i>d</i>]pyrimidin-4-ones	A. Yu. Aksinenko, V. B. Sokolov, T. V. Goreva, T. A. Epishina, and A. N. Pushin	1543	1512
Tandem transformations of 10-substituted tetrahydrobenzo[<i>b</i>][1,6]naphthyridines resulted from the Michael addition of the nitrogen atom of the tetrahydropyridine fragment to the triple bond of activated alkynes	L. G. Voskressensky, T. N. Borisova, I. V. Vorob'ev, N. M. Postika, E. A. Sorokina, and A. V. Varlamov	1547	1516

		<u>Version</u>	
		Engl./Russ.	
Stereoselective synthesis of spirophosphoranes with a phosphorus—carbon bond based on 2-(2-acetylphenoxy)benzo-1,3,2-dioxaphosphole	L. M. Abdrakhmanova, V. F. Mironov, T. A. Baronova, D. B. Krivolapov, I. A. Litvinov, M. N. Dimukhametov, R. Z. Musin, and A. I. Konovalov	1559	1528
Brief Communications			
Structure of the Ln ^{III} tris(β-diketonate) adduct with substituted bipyridine determined by the ESR and computer simulation data	M. V. Strelkov, R. B. Zaripov, V. I. Dzhabarov, A. A. Knyazev, K. M. Salikhov, V. K. Voronkova, and Yu. G. Galyametdinov	1564	1533
Synthesis of ethyl 4-chloro-2-oxobut-3-ynoate and its addition to alkyl vinyl ethers	A. B. Koldobskii, E. V. Solodova, I. A. Godovikov, and V. N. Kalinin	1568	1537
Simple synthesis of new chiral oxindole derivative	F. Z. Makaev, O. M. Radul, and A. P. Gudima	1571	1540
Synthesis of 4,5-dihydro-1,6:3,8-dimethano-1,3,6,8-benzotetrazecine	A. I. Kuznetsov, A. H. Shukkur, and K. Kamara	1575	1544
Information		1578	1547

Issue 8, 2008

Reviews

<i>meso</i> -Aryltetrabenzoporphyrins. Synthesis and properties	N. E. Galanin, E. V. Kudrik, and G. P. Shaposhnikov	1595	1565
---	--	------	------

Full Articles

First steps of the reactions of alkanes and arenes with adamantyl cations in sulfuric acid in comparison with other reagents	E. S. Rudakov and L. K. Volkova	1611	1581
Stable cyclopentadienyl-type fullereryl radical Me ₅ C [•] ₆₀ : experimental detection by EPR spectroscopy and quantum chemical calculations	B. L. Tumanskii, I. V. Stankevich, A. V. Nikulin, V. V. Bashilov, and V. I. Sokolov	1627	1597
Magnetic properties of structurally organized ferrosodiumphenylsiloxane	M. M. Levitsky, B. G. Zavin, A. N. Bilyachenko, R. B. Morgunov, E. V. Kurganova, N. S. Ovanesyan, and E. V. Pol'shin	1630	1600
Effect of immobilization on the main dynamic characteristics of the enzymatic oxidation of methane to methanol by bacteria <i>Methylosinus sporium</i> B-2121	S. D. Razumovsky, E. N. Efremenko, T. A. Makhlis, O. V. Senko, M. Ya. Bikhovskiy, V. V. Podmaster'ev, and S. D. Varfolomeev	1633	1603
Synthesis, crystal structures, and thermal properties of rhodium(III) complexes with γ-picoline and isonicotinic acid	S. V. Korenev, D. B. Vasil'chenko, I. A. Baidina, E. Yu. Filatov, and A. B. Venediktov	1637	1607

		Version	
		Engl./Russ.	
First molecular octahedral rhenium cluster complexes with terminal As- and Sb-donor ligands	M. A. Shestopalov, Yu. V. Mironov, K. A. Brylev, and V. E. Fedorov	1644	1614
First cobalt (borole)arene complexes [(η -C ₄ H ₄ BOH)Co(arene)] ⁺	D. A. Loginov, A. A. Pronin, Z. A. Starikova, P. V. Petrovskii, and A. R. Kudinov	1650	1620
1,2,3,4,7-Pentamethylindenyl complex [(η ⁵ -C ₉ H ₂ Me ₅)RhI ₂] ₂ as a synthon for the [(η ⁵ -C ₉ H ₂ Me ₅)Rh] ²⁺ fragment	D. A. Loginov, A. V. Vologzhanina, P. V. Petrovskii, M. M. Vinogradov, and A. R. Kudinov	1653	1623
1,3-Diphenylindenyl zirconium complexes. Synthesis, structure, and reduction reactions	S. A. Belov, D. P. Krut'ko, R. S. Kirsanov, D. A. Lemenovskii, and A. V. Churakov	1657	1626
Synthesis of 2-cycloalkyl-4-phenylindenes and the derived <i>ansa</i> -zirconocenes	P. V. Ivchenko and I. E. Nifant'ev	1661	1630
New phosphorus-containing metal phthalocyanine complexes. Synthesis and spectral and electrochemical studies	A. V. Ivanov, K. V. Kabanova, M. O. Breusova, I. V. Zhukov, L. G. Tomilova, and N. S. Zefirov	1665	1634
Reactions of 2,2-disubstituted 1,1-dicyanoethenes with β -dimethylaminoacrolein iminal and 3-dimethylamino-1,1,3-trimethoxypropane	Zh. A. Krasnaya, E. O. Tret'yakova, V. V. Kachala, and S. G. Zlotin	1671	1639
Chlorination of aromatic substrates catalyzed by the phthalocyanine complexes	A. V. Ivanov, M. Yu. Tsentalovich, E. G. Kogan, L. G. Tomilova, and N. S. Zefirov	1676	1644
Synthesis of optically active omeprazole by catalysis with vanadyl complexes with chiral Schiff bases	E. A. Koneva, T. M. Khomenko, S. Yu. Kurbakova, N. I. Komarova, D. V. Korchagina, K. P. Volcho, N. F. Salakhutdinov, A. G. Tolstikov, and G. A. Tolstikov	1680	1648
Pentafluorophenylation of aromatic compounds with 4,5,6,7,8-pentafluoro-6-nitro-1-oxaspiro[2.5]octa-4,7-diene	V. N. Kovtonyuk, L. S. Kobrina, and G. Haufe	1686	1654
Quantitative ² H NMR spectroscopy. 3. Stereochemistry and the mechanism of acylation of 3-carene	Yu. K. Grishin, I. P. Gloriozov, S. M. Gerdov, V. A. Roznyatovsky, L. L. Frolova, A. V. Kuchin, and Yu. A. Ustynyuk	1689	1657
Synthesis and properties of biphenyl-containing fluorenonophanes	N. G. Luk'yanenko, T. I. Kirichenko, A. Yu. Lyapunov, and E. Yu. Kulygina	1697	1665
Azo-coupling and reduction of cyclopropane-diazonium ions in the reactions with polyhydroxyarenes and aminophenols	E. V. Shulishov, I. P. Klimenko, V. A. Korolev, I. V. Kostyuchenko, G. P. Okonnishnikova, and Yu. V. Tomilov	1703	1671
Synthesis and thermal transformations of pyrazolines obtained by 1,3-dipolar addition of diazocyclopropane to maleimides	I. V. Kostyuchenko, E. V. Shulishov, R. R. Rafikov, and Yu. V. Tomilov	1712	1680

		Version	
		Engl./Russ.	
Thermal transformation of cyclopropylazoarenes into the five-membered nitrogen-containing heterocycles	R. A. Novikov, I. P. Klimenko, E. V. Shulishov, V. A. Korolev, and Yu. V. Tomilov	1718	1686
Studies on cyclization of <i>o</i> -(alka-1,3-diyne)-arene diazonium salts	O. V. Vinogradov, V. N. Sorokoumov, S. F. Vasilevskii, and I. A. Balova	1725	1693
Synthesis and condensation reactions of the boron difluoride complex with 3-acetyl-4-hydroxy-1-methyl-2-quinolone	A. V. Manaev, I. N. Okhrimenko, K. A. Lyssenko, and V. F. Traven	1734	1701
Three-component condensation of 2,4-diaminothiazoles with aldehydes and Meldrum's acid. The synthesis of 7-aryl- and 7-alkyl-6,7-dihydro-4 <i>H</i> -thiazolo[4,5- <i>b</i>]pyridin-5-ones	A. A. Dudinov, B. V. Lichitsky, I. A. Antonov, A. N. Komogortsev, P. A. Belyakov, and M. M. Krayushkin	1740	1707
Synthesis and structures of 5(3 <i>H</i>)-oxotetrahydro-1 <i>H</i> -imidazo[4,5- <i>c</i>][1,2,5]thiadiazole 2,2-dioxides	G. A. Gazieva, A. N. Kravchenko, K. A. Lyssenko, R. G. Gaziev, O. V. Lebedev, and N. N. Makhova	1744	1711
Pyrano[4,3- <i>d</i>]pyrimidinium salts. 2. Reactions of 1,3-dimethyl-2,4-dioxypyrano[4,3- <i>d</i>]pyrimidinium salts with hydrazine	V. V. Kostrub, E. B. Tsupak, Yu. N. Tkachenko, and M. A. Shevchenko	1754	1720
Glycolurils in α -ureido- and α -aminoalkylation reactions. 2. α -Ureidoalkylation of ureas with <i>N</i> -(hydroxymethyl)glycolurils	A. N. Kravchenko, G. A. Gazieva, N. G. Kolotyrkina, and N. N. Makhova	1760	1726
Alkylation of pyrimido[5',4':5,6]pyrido[3,2- <i>b</i>]indol-4-one derivatives	N. S. Masterova, L. M. Alekseeva, A. S. Shashkov, V. A. Tafeenko, S. Yu. Ryabova, and V. G. Granik	1765	1731
Carbonate derivatives of 14 β -hydroxycodeine	I. V. Evsikova, S. K. Moiseev, P. V. Moiseev, and V. N. Kalinin	1773	1739
Simulation of interactions between DNA and diglycerides	N. I. Boiko, R. I. Zhdanov, E. P. Dyachkov, and P. N. Dyachkov	1775	1741
Structural features of semi-synthetic galactomannan sulfates	N. M. Mestechkina, V. D. Shcherbukhin, and A. S. Shashkov	1779	1745

Brief Communications

New catalytic system Cu(OAc) ₂ –2,4-lutidine–ZnCl ₂ for olefin cyclopropanation with methyl diazoacetate	V. F. Gareev, R. M. Sultanova, R. Z. Biglova, V. A. Dokichev, and Yu. V. Tomilov	1784	1750
Allylation of prochiral C-nucleophiles catalyzed by the Pd(0)–(<i>S</i>)-(–)-BINAP complex	A. V. Lozanova, T. M. Ugurchieva, and V. V. Veselovsky	1787	1753

Letters to the Editor

A novel transformation of 1,2-dithiole-3-thiones into 1,3-thiazine-4-thiones	V. A. Ogurtsov, Yu. V. Karpychev, and O. A. Rakitin	1790	1756
--	--	------	------

Issue 9, 2008

Full Articles

A fast method of large-scale serial semiempirical calculations of docking complexes	N. A. Anikin, A. M. Andreev, M. B. Kuz'minskii, and A. S. Mendkovich	1793	1759
Thermodynamics of methane adsorption on the microporous carbon adsorbent ACC	A. V. Shkolin and A. A. Fomkin	1799	1765
Dynamics and mechanism of the interaction of graphite powders with ozone	S. D. Razumovsky, V. N. Gorshenev, A. L. Kovarskii, and A. N. Shchegolikhin	1806	1772
Influence of the size of fixed-rigidity spheres on the structural and energy characteristics of hydrophobic hydration	Yu. G. Bushuev, S. V. Davletbaeva, and V. P. Korolev	1811	1777
Pulse radiolysis study of the oxidation of the I ⁻ ions with the radical anions Br ₂ ^{·-} in an aqueous solution: formation and properties of the radical anion BrI ^{·-}	B. G. Ershov, E. Janata, and A. V. Gordeev	1821	1787
Multibubble sonoluminescence of europium(III) chloride in heavy water	G. L. Sharipov, R. Kh. Gainetdinov, and A. M. Abdrakhmanov	1827	1793
Effect of argon on the multibubble sonoluminescence of cerium, terbium, and dysprosium trichlorides	G. L. Sharipov, R. Kh. Gainetdinov, and A. M. Abdrakhmanov	1831	1797
"Inversion substitution" reactions with participation of molecular oxygen: ZH ₃ I + O ₂ → O ₂ ZH ₃ + I (Z = C, Si). The potential energy surface and rate constants	G. A. Bogdanchikov, A. V. Baklanov, and D. H. Parker	1837	1803
Intramolecular reorganization. 1. Deprotonation of toluene with the CH ₂ CN ⁻ anion: an analysis in the framework of a gas-phase model	I. A. Romanskii	1842	1808
Intramolecular reorganization. 2. The Brønsted correlation for a series of gas-phase reactions of deprotonation of <i>para</i> -substituted toluene derivatives with the CH ₂ CN ⁻ anion	I. A. Romanskii	1850	1816
Dissociation energies of O—H bonds in natural antioxidants	T. G. Denisova and E. T. Denisov	1858	1824
Composition of heteroassociates formed in a binary liquid system HF—Et ₂ O	G. V. Yukhnevich, E. G. Tarakanova, A. V. Kepman, and I. V. Bykov	1867	1833
Effect of the nature of carbene fragments in the tungsten complexes PhMe ₂ E—CH=W(NAr)(OR') ₂ and Me ₃ E ₃ —CH=W(NAr)(OR') ₂ (E = C, Si) on their catalytic properties in olefin metathesis reactions	A. L. Bochkarev, Yu. E. Begantsova, E. O. Platonova, G. V. Basova, I. K. Grigor'eva, N. E. Stolyarova, I. P. Malysheva, G. K. Fukin, E. V. Baranov, Yu. A. Kurskii, L. N. Bochkarev, and G. A. Abakumov	1874	1840
Zinc(II) complexes with Schiff bases derived from ethylenediamine and salicylaldehyde: the synthesis and photoluminescent properties	O. V. Kotova, S. V. Eliseeva, A. S. Averjushkin, L. S. Lepnev, A. A. Vatschenko, A. Yu. Rogachev, A. G. Vitukhnovskii, and N. P. Kuzmina	1880	1846
Complexation of <i>N</i> -alkyl(aryl)- and <i>N,N</i> -dialkylcarbamoylmethylphosphine oxides with the f-elements	E. V. Sharova, O. I. Artyushin, Yu. V. Nelyubina, K. A. Lyssenko, M. P. Passechnik, and I. L. Odinet	1890	1856

	Version	
	Engl./	Russ.
Photophysical and electrochemical properties of the outer-sphere associate of [Ru(bipy) ₃] ²⁺ with <i>p</i> -sulfonatothiacalix[4]arene	A. R. Mustafina, V. V. Skripacheva, V. A. Burilov, A. T. Gubaidullin, N. V. Nastapova, V. V. Yanilkin, S. E. Solovieva, I. S. Antipin, and A. I. Konovalov	1897 1863
Reactions of heteroaromatic chromophores with lanthanide complexes of <i>p</i> -sulfonatothiacalix[4]arene	S. V. Fedorenko, A. R. Mustafina, R. R. Amirov, R. R. Zairov, A. T. Gubaidullin, O. D. Konovalova, N. V. Rusakova, S. S. Kost, S. E. Solovieva, I. S. Antipin, and A. I. Konovalov	1905 1871
Synthesis of new lanthanide naphthalocyanine complexes based on 6,7-bis(phenoxy)-2,3-naphthalodinitrile and their spectral and electrochemical investigation	T. V. Dubinina, R. A. Piskovoi, A. Yu. Tolbin, V. E. Pushkarev, M. Yu. Vagin, L. G. Tomilova, and N. S. Zefirov	1912 1879
Synthesis and structures of new 1,3,6,2-dioxazaborocanes containing substituents in the ocane fragment	E. Kh. Lermontova, M. M. Huang, S. S. Karlov, M. V. Zabalov, A. V. Churakov, B. Neumüller, and G. S. Zaitseva	1920 1886
Synthesis and study of <i>N</i> -(1-phenylethylidene)- <i>N</i> -(4 <i>H</i> -1,2,4-triazol-4-yl)amine, <i>N'</i> -(4 <i>H</i> -1,2,4-triazol-4-yl)benzamidine, and cobalt(II), nickel(II), and copper(II) complexes based on these ligands	E. V. Lider, E. V. Peresyphkina, K. A. Volkova, E. V. Abramova, E. V. Abramova, V. N. Ikorskii, L. A. Sheludyakova, A. I. Smolentsev, and L. G. Lavrenova	1931 1897
Magnetic properties of fullerene salts containing d- and f-metal cations (Co ²⁺ , Ni ²⁺ , Fe ²⁺ , Mn ²⁺ , Eu ²⁺ , Cd ²⁺). Specific features of the interaction between C ₆₀ ^{•-} and the metal cations	D. V. Konarev and R. N. Lyubovskaya	1944 1909
Structure of surface films of malonate mono- and dinitroxyl methanofullerenes	N. B. Mel'nikova, I. V. Gulyaev, M. V. Gulenova, A. A. Volkov, O. E. Zimnyakova, V. P. Gubskaya, L. Sh. Berezhnaya, A. T. Gubaidullin, and I. A. Nuretdinov	1955 1920
Synthesis and properties of <i>N</i> -methyl[60]fullerene[<i>c</i>]pyrrolidines containing cyclopentadienyl-(carbonyl)metal fragments	N. V. Abramova, A. G. Ginzburg, A. S. Peregudov, S. M. Peregudova, and V. I. Sokolov	1967 1932
Synthesis and properties of bis(biphenyl)chromium(II) 1,4-di(2-cyanoisopropyl)-1,4-dihydrofulleride and 1-(2-cyanoisopropyl)-1,2-dihydrofullerene	G. V. Markin, Yu. A. Shevelev, G. A. Domrachev, G. K. Fukin, E. V. Baranov, M. A. Lopatin, V. A. Kuropatov, A. I. Kirillov, A. S. Shavyrin, and Yu. A. Kurskii	1970 1935
Thermodynamic properties of graphite-like nanostructures prepared by thermobaric treatment of fullerite C ₆₀	A. V. Markin, N. N. Smirnova, I. E. Boronina, V. A. Ruchenin, and A. G. Lyapin	1975 1940
Synthesis of chiral polydentate ligands and the use of their titanium complexes as pre-catalysts for the asymmetric trimethylsilylcyanation of benzaldehyde	Yu. N. Belokon, D. A. Chusov, T. V. Skrupskaya, D. A. Bor'kin, L. V. Yashkina, K. A. Lyssenko, M. M. Il'in, T. V. Strelkova, G. I. Timofeeva, A. S. Peregudov, and M. North	1981 1946

		Version
		Engl./Russ.
Solvent-induced <i>E/Z</i> (C=N)-isomerization of imines of some hydroxy-substituted formylcoumarins	V. F. Traven' , I. V. Ivanov, A. V. Panov, O. B. Safronova, and T. A. Chibisov	1989 1954
Synthesis of new building blocks based on the <i>closo</i> -dodecaborate anion	A. A. Semioshkin, Yu. N. Las'kova, O. B. Zhidkova, and V. I. Bregadze	1996 1961
Parallel solid-phase synthesis of novel 3,7-diazabicyclo[3.3.1]nonane derivatives starting from natural alkaloid cytosine	Yu. B. Sandulenko, A. V. Ivashchenko, D. V. Kravchenko, S. E. Tkachenko, and V. Yu. Vvedensky	1999 1964
Benzannulation of 5-methyl-7-phenyl-4,7-dihydro-tetrazolo[1,5- <i>a</i>]pyrimidine with chalcones and their synthetic equivalents as a method for the synthesis of tetrazolo[5,1- <i>b</i>]quinazolines	D. Yu. Sidorenko and V. D. Orlov	2005 1971
Synthesis of 4-substituted 3-[3-(dialkylaminomethyl)indol-1-yl]maleimides and study of their ability to inhibit protein kinase C- α , prevent development of multiple drug resistance of tumor cells and cytotoxicity	A. Yu. Simonov, S. A. Lakatosh, Yu. N. Luzikov, M. I. Reznikova, O. Yu. Susova, A. A. Shtil' , S. M. Elizarov, V. N. Danilenko, and M. N. Preobrazhenskaya	2011 1977
Phosphorylation of <i>N</i> -glycosides derived from <i>para</i> -substituted aromatic amines	A. A. Bobrikova, M. P. Koroteev, A. M. Koroteev, Yu. V. Nelyubina, and E. E. Nifant'ev	2021 1986

Letters to the Editor

Chemiluminescence upon the dimerization of EtC ₆₀ [•] fullereryl radicals	R. G. Bulgakov, Yu. G. Ponomareva, and R. A. Sadykov	2028 1993
Alkoypalladation of 2,5-diphenylphosphacymantrene with sodium tetrachloropalladate in the presence of sodium acetate	A. G. Ginzburg, V. V. Bashilov, F. M. Dolgushin, and V. I. Sokolov	2030 1995
New method for the synthesis of substituted ruthenocenes	E. E. Karslyan, A. I. Konovalov, D. S. Perekalin, P. V. Petrovskii, and A. R. Kudinov	2032 1997
Unusual reactions of vinyl ketones with tetranitromethane. The synthesis of 5-acyl-3-nitroisoxazoles	Yu. A. Volkova, O. A. Ivanova, E. M. Budynina, E. B. Averina, T. S. Kuznetsova, and N. S. Zefirov	2034 1999

Issue 10, 2008

Full Articles

Cooperative effects in polymolecular nitrogen clusters	T. N. Griбанова, A. A. Milov, A. G. Starikov, O. A. Gapurenko, V. A. Gurashvili, R. M. Minyaev, and V. I. Minkin	2037 2001
Recoordination of a metal ion in the cavity of a crown compound: a theoretical study. 3. Absorption spectra and excited states of azacrown-containing styryl dyes and their complexes	A. Ya. Freidzon, A. A. Bagatur'yants, S. P. Gromov, and M. V. Alfimov	2045 2009

		Version	
		Engl./Russ.	
Catalytic activity of the VIII Group metals in the hydrogenation and isomerization of α - and β -pinenes	I. V. Delyi and I. L. Simakova	2056	2020
Critical phenomena in acetone oxidation by nitric acid	Yu. I. Rubtsov, A. I. Kazakov, T. V. Sorokina, and G. B. Manelis	2065	2028
Solution ozonolysis of C ₇₀ : stable products and chemiluminescence	R. G. Bulgakov, Yu. G. Ponomareva, Z. S. Muslimov, R. F. Tuktarov, and S. D. Razumovsky	2072	2035
New homo- and heteroleptic derivatives of trivalent ytterbium containing radical anion 1,4-diazadiene ligands. Synthesis, properties, and crystal structures of the complexes (C ₉ H ₇) ₂ Yb[2-MeC ₆ H ₄ NC(Me)C(Me)NC ₆ H ₄ Me-2] and [PhNC(Ph)C(Ph)NPh] ₃ Yb	I. D. Gudilenkov, G. K. Fukin, A. V. Cherkasov, A. S. Shavyrin, Yu. E. Larionova, and A. A. Trifonov	2081	2044
Cu ^I complexes with 2,2'-biquinolyli-containing polymeric ligands as electrocatalysts for the oxidative coupling of alkynes in the presence of dioxygen	T. V. Magdesieva, A. V. Dolganov, A. V. Yakimansky, M. Ya. Goikhman, and I. V. Podeshvo	2090	2052
Synthesis and specific features of the structure of the mixed anionic six-coordinate silicon complexes with the (O,O)-dianionic and (C,O)-monoanionic chelate ligands	A. A. Korlyukov, A. G. Shipov, E. P. Kramarova, Vad. V. Negrebetskii, and Yu. I. Baukov	2093	2055
Structure of carbosilane amphiphilic liquid-crystalline codendrimers in bulk and in thin (Langmuir) films	I. D. Leshchiner, E. V. Agina, N. I. Boiko, R. Richardson, and V. P. Shibaev	2101	2063
Modified copolymers of bifunctional vinyl ethers with methyl vinyl sulfide as active matrices of solid superbases	B. A. Trofimov, L. V. Morozova, A. I. Mikhaleva, M. V. Markova, I. V. Tatarinova, and J. Henkelmann	2111	2073
Reaction of 1-(alk-1-ynyl)-1-halocyclopropanes with alcohols and phenol in KOH/DMSO as a method for the synthesis of 2-alkoxy-1-alkynyl- and 1-alkynyl-2-phenoxy-cyclopropanes	K. N. Shavrin, V. D. Gvozdev, and O. M. Nefedov	2117	2078
Platinum(IV)-mediated nucleophilic addition of 1,3-diphenylguanidine to propionitrile	P. V. Gushchin, M. Haukka, N. A. Bokach, and V. Yu. Kukushkin	2125	2086
Synthesis and conformational analysis of furfuryl vinyl ethers	Yu. Yu. Rusakov, L. B. Krivdin, L. M. Sinegovskaya, N. V. Istomina, L. A. Oparina, A. V. Stepanov, and B. A. Trofimov	2132	2093
Functional sulfur-containing compounds. 14. Study of intramolecular cyclization of 2-organylthio-, 2-organylsulfinyl-, and 2-organylsulfonylnicotinic acid esters and nitriles upon action of a base	V. E. Kalugin and A. M. Shestopalov	2139	2100
Reaction of 3-(polyfluoroacyl)chromones with hydrazines: new regioselective synthesis of R ^F -containing pyrazoles	V. Ya. Sosnovskikh, R. A. Irgashev, V. S. Moshkin, and M. I. Kodess	2146	2107
Stable σ^H adducts in reactions of ferrocenyllithium with azines	I. A. Utepova, A. E. Lakhina, M. V. Varaksin, I. S. Kovalev, V. L. Rusinov, P. A. Slepukhin, M. I. Kodess, and O. N. Chupakhin	2156	2116

		Version	
		Engl./	Russ.
Lanthanide triiodide-catalyzed amination of phthalonitrile. The structure of 1-isopropyl-amino-3-(isopropylimino)isoindole	M. N. Bochkarev, T. V. Balashova, A. A. Maleev, I. I. Pestova, G. K. Fukin, E. V. Baranov, and Yu. A. Kurskii	2162	2121
Synthesis and properties of dihetaryl-substituted furanones. 2. Synthesis and photochromic properties of dithienylethenes with the pyridazinone bridge	M. M. Krayushkin, D. V. Pashchenko, B. V. Lichitsky, B. V. Nabatov, A. N. Komogortsev, L. G. Vorontsova, and Z. A. Starikova	2168	2126
Three-component condensation of 2-aminothiophene-3-carboxylic acid derivatives with aldehydes and Meldrum's acid	B. V. Lichitsky, A. N. Komogortsev, A. A. Dudinov, and M. M. Krayushkin	2175	2133
Benzo-1,2,3,4-tetrazine 1,3-dioxides annulated with tetraazapentalene systems. 2. Annulation at the C(6)–C(7) bond	O. Yu. Smirnov, A. M. Churakov, Yu. A. Strelenko, and V. A. Tartakovskiy	2180	2138
2-(5- <i>O</i> -Nitro-1,4:3,6-dianhydro-D-glucit-2-yloxy)-5- <i>R</i> -5-nitro-2-oxo-1,3,2- λ^5 -dioxaphosphorinanes: synthesis and structure	G. V. Oreshko, L. T. Eremenko, G. V. Lagodzinskaya, G. G. Aleksandrov, and I. L. Eremenko	2185	2143
Synthesis of new alkyl-type glycerolipids from methylthiomethyl ethers	N. V. Plyavnik, M. A. Maslov, and G. A. Serebrennikova	2190	2148

Brief Communications

Synthesis and structures of complexes Os ₃ (μ -H) ₂ (CO) ₇ (μ -RC ₅ H ₃ N){ μ_3 -Ph ₂ PCH ₂ -P(C ₆ H ₄)Ph} (R=H, Me) with <i>ortho</i> -metalated pyridine ligands. The revised structure of the triosmium cluster "Os ₃ (μ -H) ₂ (CO) ₇ (μ -C ₆ H ₄){ μ_3 -Ph ₂ PCH ₂ P(C ₆ H ₄)Ph}"	A. A. Koridze, S. A. Kuklin, N. A. Shtelzer, P. V. Petrovskii, F. M. Dolgushin, and M. G. Ezernitskaya	2194	2152
Dodecanuclear Ni ^{II} complex containing pivalate and hexafluoroacetylacetonate ligands	O. V. Kuznetsova, E. Yu. Fursova, V. I. Ovcharenko, G. V. Romanenko, and A. S. Bogomyakov	2198	2156
Thermal arene exchange in the naphthalene complex [CpRu(η^6 -C ₁₀ H ₈)] ⁺	E. E. Karslyan, D. S. Perekalin, P. V. Petrovskii, K. A. Lyssenko, and A. R. Kudinov	2201	2159
Dinuclear cage-like metalloorganosiloxane containing Cr ^{III} ions	A. N. Bilyachenko, A. A. Korlyukov, M. M. Levitsky, B. G. Zavin, M. Yu. Antipin, O. A. Filippov, and V. I. Tsupreva	2204	2162
An NMR study of quaternary ammonium salts of 5,7-dimethyl-1,3-diazaadamantan-6-one	V. S. Semashko, S. Z. Vatsadze, N. V. Zyk, and I. A. Godovikov	2207	2165
Three-component synthesis of partially hydrogenated quinolines from 3-substituted chromones, dimedone, and ammonium acetate	V. Ya. Sosnovskikh, R. A. Irgashev, and I. A. Demkovich	2210	2168
Chiroptical properties and new derivatives of cyclopalladated 6-ferrocenyl-2,2'-bipyridine. Molecular structure of a <i>tert</i> -butyl isocyanide derivative	L. A. Bulygina, Z. A. Starikova, K. K. Babievskii, I. A. Utepova, V. L. Rusinov, O. N. Chupakhin, and V. I. Sokolov	2214	2172

		Version	
		Engl./Russ.	
New approaches to the synthesis of 2-(trifluoro-methyl)indole and 2-amino-3-(trifluoromethyl)-quinoline	V. M. Muzalevskiy, A. V. Shastin, E. S. Balenkova, G. Haufe, and V. G. Nenajdenko	2217	2175
One-step synthesis of 2-indolylalkylamines	E. S. Balenkova, E. P. Zakurdaev, and V. G. Nenajdenko	2220	2178
Convenient selective synthesis of pyrano[2,3- <i>d</i>]pyrimidines	Yu. M. Litvinov and A. M. Shestopalov	2223	2181
S^H_N Reaction of lithiated nitronyl nitroxide with quinoline <i>N</i> -oxide	V. I. Ovcharenko, O. N. Chupakhin, I. S. Kovalev, E. V. Tretyakov, G. V. Romanenko, and D. V. Stass	2227	2185
New boron-containing bacteriochlorin <i>p</i> cycloimide conjugate	M. A. Grin, R. A. Titeev, O. M. Bakieva, D. I. Brittal, I. A. Lobanova, I. B. Sivaev, V. I. Bregadze, and A. F. Mironov	2230	2188

Letters to the Editor

A first example of the <i>C</i> (2)-vinylation of 1-alkylimidazoles	B. A. Trofimov, L. V. Andriyankova, K. V. Belyaeva, A. G. Mal'kina, and L. P. Nikitina	2233	2191
The reaction of <i>N</i> -methyl- <i>N,N</i> -bis(silathranyl- methyl)amine with dichloromethane	N. F. Lazareva, I. M. Lazarev, and N. G. Dianova	2235	2193
Initiated pseudo-[3+2] cycloaddition of mixed phosphonium-iodonium ylides to acetonitrile	E. D. Matveeva, T. A. Podrugina, A. S. Pavlova, A. V. Mironov, and N. S. Zefirov	2237	2195

Issue 11, 2008

Full Articles

Dependence of the main phase transition temperatures of diacyl phospholipids with mixed and identical saturated acyl chains on the chain volumes	V. E. Bel'skii and I. G. Semina	2241	2199
Empirical dependence of the main phase transition temperatures of highly asymmetric diacyl phosphatidyl- cholines with saturated acyl chains on the chain volumes	V. E. Bel'skii and I. G. Semina	2246	2204
Aluminum halide—cobalt halide polynuclear complexes active in low-temperature conversion of alkanes: formation, molecular structures, and IR spectra	M. I. Shilina, R. V. Bakharev, and V. V. Smirnov	2251	2209
Cation mobility in systems based on high-molecular- weight sulfonic acids and polyaniline	I. A. Stenina, A. A. Il'ina, I. Yu. Pinus, V. G. Sergeev, and A. B. Yaroslavtsev	2261	2219
5-Hydroxy-6-methyluracil as an efficient scavenger of peroxy radicals	N. N. Kabalnova, S. A. Grabovskiy, T. R. Nugumanov, S. P. Ivanov, and Yu. I. Murinov	2265	2223
Ionic complexes based on the cluster anion [Re ₁₂ CS ₁₇ (CN) ₆] ⁶⁻ and Cu ²⁺ complex cations	Yu. V. Mironov, Sung-Jin Kim, and V. E. Fedorov	2271	2228
Nitrogen monoxide as an oxidant in reactions promoted by palladium(I) carbonyl carboxylate clusters	O. N. Shishilov and T. A. Stromnov	2275	2232

		Version	
		Engl./Russ.	
Rare-earth metal 8-hydroxyquinolate complexes as materials for organic light-emitting diodes	M. A. Katkova, V. A. Ilichev, A. N. Konev, and M. N. Bochkarev	2281	2238
Diazadienes in lanthanide chemistry: a new insight into old ligands. Synthesis, structures, and properties of complexes $\{[(R)CNC_6H_3Pr^i_2]_2\}Lu(THF)_2-(\mu-Cl)_2Li(THF)_2$ (R = CH ₃ or CH ₂)	T. V. Makhrova, G. K. Fukin, A. V. Cherkasov, and A. A. Trifonov	2285	2242
Synthesis and spectral properties of europium phthalocyanine complexes	K. N. Maksimova, N. L. Bazyakina, V. V. Kutyreva, O. N. Suvorova, and G. A. Domrachev	2291	2247
Photochemical arene exchange in the ferracarborane complex $[1-(\eta-C_6H_6)-12-Bu^tNH-1,2,4,12-FeC_3B_8H_{10}]^+$	D. A. Loginov, M. M. Vinogradov, Z. A. Starikova, P. V. Petrovskii, J. Holub, and A. R. Kudinov	2294	2250
Palladium-catalyzed arylation of bis(4-bromo-2-methylinden-1-yl)dimethylsilane and related compounds	M. V. Nikulin, A. A. Tsarev, A. V. Lygin, A. N. Ryabov, I. P. Beletskaya, and A. Z. Voskoboinikov	2298	2253
Phosphorus derivatives of carboranes as ligands for Pd-catalyzed cross-coupling reactions	A. A. Tyutyunov, S. E. Lyubimov, E. G. Rys, T. A. Verbitskaya, P. V. Petrovskii, V. A. Davankov, and V. N. Kalinin	2307	2262
Diastereomeric <i>P</i> *-mono- and <i>P</i> *, <i>P</i> *-bidentate diamidophosphite ligands based on 1,4:3,6-dianhydro-D-mannitol in asymmetric metallocomplex catalysis	K. N. Gavrilov, S. V. Zheglov, P. A. Vologzhanin, E. A. Rastorguev, A. A. Shiryaev, M. G. Maksimova, S. E. Lyubimov, E. B. Benetsky, A. S. Safronov, P. V. Petrovskii, V. A. Davankov, B. Schöffner, and A. Börner	2311	2266
4(2)-Methoxyphenyl glycerol ethers in the synthesis of nonracemic di- <i>O,O'</i> -acylglycerols	Z. A. Bredikhina, V. G. Novikova, Yu. Ya. Efremov, D. R. Sharafutdinova, and A. A. Bredikhin	2320	2275
Reactions of [2-iodo-3-(perfluoroalkyl)propyl]-glycidyl ethers with alcohols under basic conditions	D. N. Bazhin, T. I. Gorbunova, A. Ya. Zapevalov, and V. I. Saloutin	2324	2279
Oxidation of alcohols by chlorine dioxide in organic solvents	E. S. Ganieva, I. M. Ganiev, S. A. Grabovskiy, and N. N. Kabalnova	2328	2283
Oxidation of valeraldehyde by chlorine dioxide	E. S. Ganieva, I. M. Ganiev, S. A. Grabovskiy, and N. N. Kabalnova	2332	2287
Condensation of hydroxy naphthazarins with aromatic aldehydes	D. N. Pelageev and V. Ph. Anufriev	2335	2290
Anthranilic acid hydrazide in the synthesis of fused polycyclic compounds with quinazoline moieties	L. Yu. Ukhin, L. G. Kuz'mina, T. N. Griбанова, L. V. Belousova, and Zh. I. Orlova	2340	2294
Reactions of 3-cyano-2-(methylthio)pyridines with butyllithium	V. K. Zav'yalova, A. A. Zubarev, and A. M. Shestopalov	2349	2303
Reactions of ethyl 4-amino-6-(ethoxycarbonylmethyl)-2-phenylpyrimidine-5-carboxylate with hydrazines	A. V. Komkov, A. S. Shashkov, and V. A. Dorokhov	2353	2307

		Version	
		Engl./	Russ.
2-(<i>N</i> -Alkylamino)-1-(trifluoroacetimidoyl)vinyl ketone derivatives as potential reagents in heterocyclic synthesis	L. S. Vasil'ev, M. A. Prezent, A. V. Ignatenko, and V. A. Dorokhov	2359	2313
Three-component synthesis of tricyclic lactams containing the pyrrolizidin-3-one moiety	K. V. Kudryavtsev	2364	2318
Versatile three-component synthesis of 2'-amino-1,2-dihydrospiro[(3 <i>H</i>)-indole-3,4'-(4' <i>H</i>)-pyran]-2-ones	V. Yu. Mortikov, Yu. M. Litvinov, A. A. Shestopalov, L. A. Rodinovskaya, and A. M. Shestopalov	2373	2326
Synthesis of photochromic benzopyrans annulated by 15(18)-crown-5(6) ether	S. V. Paramonov, O. A. Fedorova, V. P. Perevalov, V. Lokshin, and V. Khodorkovsky	2381	2333
Specific features of reversible <i>E</i> - <i>Z</i> -photoisomerization of crown-containing 4-styrylpyridine complexes with various cations	Yu. V. Fedorov, N. E. Shepel, E. Yu. Chernikova, O. A. Fedorova, E. N. Gulakova, V. G. Avakyan, and G. Jonusauskas	2385	2337
Synthesis and kinetics of photochemical reactions of novel bifunctional salicylideneiminospiro-naphthoxazines	N. L. Zaichenko, P. P. Levin, I. R. Mardaleishvili, A. I. Shienok, L. S. Kol'tsova, O. Yu. Os'kina, and A. S. Tatikolov	2394	2346
Synthesis and the structure of 1,2-bis(6-acetyl-2-methylbenzo[<i>b</i>]thiophen-3-yl)cyclopentene	M. M. Krayushkin, L. G. Vorontsova, V. N. Yarovenko, I. V. Zavarzin, V. N. Bulgakova, Z. A. Starikova, and V. A. Barachevsky	2402	2353
Synthesis and antioxidant activity of 7,7,9-trimethyl-6,7-dihydrofuro[3,2- <i>f</i>]quinoline	V. A. Kuzmin, L. I. Mazaletskaya, T. D. Nekipelova, and E. N. Khodot	2405	2356
A new approach to the synthesis of pyrido[4,3- <i>b</i>]indole derivatives (γ -carbolines) <i>via</i> cyclization of enamino dinitriles	O. B. Smirnova, T. V. Golovko, L. M. Alekseeva, A. S. Shashkov, and V. G. Granik	2410	2361
Synthesis of β -D-galactopyranosylamine derivatives with the terminal amino group in the spacer as mono-, di-, and trivalent ligands of galectins	L. M. Likhosherstov, O. S. Novikova, and G. V. Mokrov	2418	2369
Synthesis of acyclic nucleosides based on 1,2,4-triazolo[3,2- <i>c</i>][1,2,4]triazin-7-ones	T. S. Shestakova, L. S. Luk'yanova, T. A. Tseitler, S. L. Deev, E. N. Ulomskii, V. L. Rusinov, M. I. Kodess, and O. N. Chupakhin	2423	2374
Evasteriosides A and B and other sulfated steroids from the Pacific starfish <i>Evasterias retifera</i>	E. V. Levina, A. I. Kalinovskii, P. V. Andriyashchenko, and P. S. Dmitrenok	2431	2381

Brief Communications

One-step synthesis of novel photochemically bifunctional compounds of the spiropyran class	A. I. Shienok, N. A. Ivashina, L. S. Kol'tsova, and N. L. Zaichenko	2437	2387
4-Methyl-1,2,5-oxadiazole-3-carbonitrile in the synthesis of 1,2,5-oxadiazolyl-1,2,4-oxadiazoles	T. I. Godovikova, S. K. Vorontsova, L. D. Konyushkin, S. I. Firgang, and O. A. Rakitin	2440	2390
Synthesis of β -D-glucopyranosyl- and β -D-galactopyranosylamines from 4-bromo-3-methylaniline and 2-amino-5-bromopyridine	I. V. Kulakov, A. I. Il'in, Zh. A. Kabyt, and A. M. Gazaliev	2443	2393

Issue 12, 2008

Full Articles

Dissolution of noble metals and copper in the DMSO—HBr _{aq} system	L. V. Shirshova, S. G. Kokoreva, and I. P. Lavrent'ev	2447	2397
Enthalpy characteristics of dissolution of L-cysteine and L-asparagine in aqueous solutions of acetonitrile and dimethyl sulfoxide at 298.15 K	I. N. Mezhevoi and V. G. Badelin	2452	2402
To the problem of self-assembly of mixtures of inorganic and organic phases under the sol—gel process conditions	B. B. Troitskii, A. A. Babin, M. A. Lopatin, Yu. A. Mamaev, V. N. Denisova, M. A. Novikova, and L. V. Khokhlova	2456	2406
Reversible adsorption deformation of layered adsorbents at high pressures and temperatures	A. A. Pribylov, S. Z. Muminov, I. A. Kalinnikova, L. G. Shekhovtsova, N. S. Kazbanov, and D. B. Guljamova	2460	2410
Adsorption of the Cu ²⁺ ions from aqueous solutions on the active carbon oxidized with hydrogen peroxide and impregnated with nitrogen-containing compounds	T. Lupășcu, G. Petukhova, M. Ciobanu, and V. Botsan	2467	2417
Experimental and molecular statistical study of alkyladamantane adsorption on graphitized thermal carbon black	S. N. Yashkin, D. A. Svetlov, O. V. Novoselova, and E. A. Yashkina	2472	2422
Photochemical synthesis of cadmium sulfide nanoparticles	N. B. Egorov, L. P. Eremin, A. M. Larionov, V. F. Usov, and I. P. Fiterer	2483	2433
Photochemistry of the IrCl ₆ ²⁻ complex in aqueous solutions in the presence of the bromide anions	E. M. Glebov, V. F. Plyusnin, N. V. Tkachenko, and H. Lemmetyinen	2487	2437
Synthesis, structure, and the photomagnetic effect in crystals of 1,3,3,7'-tetramethylspiro[indoline-2,2'-2H-pyrano-[3,2-f]quinolinium] tris(oxalato)chromate(III)	S. M. Aldoshin, N. A. Sanina, E. A. Yurieva, G. V. Shilov, E. V. Kurganova, R. B. Morgunov, B. S. Luk'yanov, and V. I. Minkin	2495	2445
Electronic structure of intercalation compounds of molybdenum disulfide MMoS ₂ (M = Cu, Ag) studied by X-ray emission and X-ray photoelectron spectroscopies	L. N. Mazalov, G. K. Parygina, S. V. Trubina, A. S. Golub', Yu. N. Novikov, and S. V. Fomenko	2506	2455
Exchange coupling in alkoxy-polyoxovanadates [V ^{IV} _n V ^V _{6-n} O ₇ (OR) ₁₂] ⁴⁻ⁿ (n = 4, 3, 2)	E. M. Zueva, M. M. Petrova, S. A. Borshch, and An. M. Kuznetsov	2513	2462
1,3-Dipolar addition reactions to fullerenes: the role of the local curvature of carbon surface	D. Sh. Sabirov, S. L. Khursan, and R. G. Bulgakov	2520	2469
New isomers of trifluoromethylated fullerene: C ₆₀ (CF ₃) ₁₂ and C ₆₀ (CF ₃) ₁₄	N. A. Samokhvalova, P. A. Khavrel', A. A. Goryunkov, I. N. Ioffe, V. L. Karnatsevich, L. N. Sidorov, E. Kemnitz, and S. I. Troyanov	2526	2475
Determination of enantiomeric purity of 1-substituted 3-amino-1,2-dicarba- <i>closo</i> -dodecaboranes by HPLC on chiral stationary phases	V. P. Krasnov, A. M. Demin, G. L. Levit, A. N. Grishakov, L. Sh. Sadretdinova, V. A. Ol'shevskaya, I. V. Glukhov, V. N. Kalinin, and V. N. Charushin	2535	2484

	Version	
	Engl./Russ.	
Coordination chemistry of anticrowns. Complexation of cyclic trimeric perfluoro- <i>o</i> -phenylenemercury (<i>o</i> -C ₆ F ₄ Hg) ₃ with the cyanoborohydride anion [H ₃ BCN] ⁻ and triethylamine borane Et ₃ NBH ₃	V. N. Tsupreva, O. A. Filippov, F. M. Dolgushin, K. I. Tugashov, A. I. Krylova, V. I. Bragin, I. A. Tikhonova, V. B. Shur, L. M. Epstein, and E. S. Shubina	2540 2489
Thermodynamics of the interaction of liquid-crystalline polypropyleneimine dendrimer with low-molecular-weight compounds studied by reversed-phase gas chromatography	S. V. Blokhina, N. V. Usol'tseva, M. V. Ol'khovich, and A. V. Sharapova	2548 2497
Poly(alkyl methacrylate) monolithic columns for HPLC	S. M. Matusova, K. I. Ivanova, I. A. D'yachkov, A. D. Smolenkov, A. V. Pirogov, and O. A. Shpigun	2554 2503
Solid superacids as catalysts for the synthesis of acylals from aldehydes and acetic anhydride	S. A. Lermontov and L. L. Yurkova	2561 2510
8-Methoxy-5-methyl-2,3-dihydro-1 <i>H</i> -cyclopenta[<i>a</i>]-naphthalene: synthesis and reactivity	A. F. Asachenko, V. V. Izmer, A. V. Babkin, I. P. Beletskaya, and A. Z. Voskoboynikov	2564 2513
A new method for the activation of ethyl benzenesulfenate in electrophilic addition reactions	N. V. Zyk, A. Yu. Gavriloa, O. A. Mukhina, O. B. Bondarenko, and N. S. Zefirov	2572 2521
Synthesis and oxidation of sulfides containing an isocyanurate fragment	L. F. Saifina, M. M. Shulaeva, S. G. Fattakhov, O. A. Lodochnikova, I. A. Litvinov, M. D. Zalyalyutdinova, Sh. K. Latypov, and V. S. Reznik	2579 2528
Molecular logic gates based on 2-styrylquinoline derivatives	M. F. Budyka, N. I. Potashova, T. N. Gavrishova, and V. M. Lee	2586 2535
Structure and photochromic and magnetic properties of 1-isopropyl-3,3,5',6'-tetramethylspiro[indoline-2,2'-2 <i>H</i> -pyrano[3,2- <i>b</i>]pyridinium] tris(oxalato)-chromate(III)	S. M. Aldoshin, E. A. Yurieva, G. V. Shilov, L. A. Nikonova, V. A. Nadtochenko, E. V. Kurganova, and R. B. Morgunov	2592 2541

Brief Communications

Studies on condensation of chlorocarbonyl phenyl ketene with <i>N</i> -unsubstituted amides: synthesis of some new 1,3-oxazin-6-ones	H. Sheibani, K. Saidi, and H. Foroughi	2600 2549
--	---	-----------

Letters to the Editor

Fluxional behavior of coordinated propargylic cations [(μ-η ² ,η ³ -HC≡CCR ¹ R ²)Cp ₂ M ₂ (CO) ₄] ⁺ BF ₄ ⁻ (M = Mo, W; R = H, Me) in solution	I. V. Barinov and V. A. Chertkov	2603 2552
New direction in sulfenylation of dimethyl <i>endo,endo</i> -bicyclo[2.2.2]-oct-5-ene-2,3-dicarboxylate	V. K. Osmanov, G. N. Borisova, G. V. Zatonskii, and A. V. Borisov	2605 2554
Information		2607 2557